

**HILLSBOROUGH COUNTY AVIATION AUTHORITY  
BOARD OF ADJUSTMENT**

**IN THE MATTER OF:**

**Petition for Variance on behalf of**

**Airport Study No. 2018-97**

**ELEVE' 61, LLC**

---

**RECOMMENDED ORDER**

THIS MATTER was heard on October 11, 2018, by DONALD D. CONN, Hearing Officer for the Board of Adjustment of the Hillsborough County Aviation Authority, upon the Petition for Variance filed on behalf of Eleve' 61, LLC ("Petitioner").

At the hearing, the Hillsborough County Aviation Authority ("Authority") was represented by Michael Kamprath, Esquire, and Jeff Siddle, Vice President of Planning & Development, was present. The Authority presented testimony from Anthony Mantegna, Height Zoning and Land Use Manager. Testimony on behalf of Petitioner was presented by Don Scalf, Contracts Administration Manager, Mercury Advisors, LLC. Two joint exhibits were received in evidence. Based upon the testimony and evidence presented, the following Findings of Fact, Conclusions of Law, and Recommendations are entered:

**FINDINGS OF FACT**

1. On July 9, 2018, Petitioner filed a Petition for Variance requesting a variance for construction of a proposed 36 story residential condo building, with 61 units, to be located at the southwest corner of the intersection of Channelside Drive and Whiting Street in Tampa Florida, with an address of 858 Channelside Drive and a maximum height of 393 feet AMSL. While this will be the tallest structure in the vicinity of the Peter O. Knight Airport, existing structures in close proximity to this proposed structure which are closer to the

Airport are approximately 325 feet AMSL, and two structures in the vicinity for which variances have recently been approved and which are also closer to the Airport than this proposed structure will have heights of 309 and 314 feet AMSL.

2. The nearest airport to Petitioner's proposed structure is the Peter O. Knight Airport, and it will be located approximately 1.64 nautical miles north of the Runway 18 Threshold at the Airport.

3. Prior to filing this Petition, Petitioner received Determinations of No Hazard to Air Navigation issued by the Federal Aviation Administration ("FAA") which found that the proposed development would have no substantial adverse effect on the safe and efficient utilization of navigable airspace by aircraft or on the operation of the Airport, provided that the structures are marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights – Chapters 4, 5(Red), and 12, and that FAA Form 7460-2 is e-filed anytime the project is abandoned or within five (5) days after construction reaches its greatest height.

4. The FAA Determinations further found that the proposed development would have: no effect on any existing or proposed IFR arrival/departure routes, en-route routes or minimum flight altitudes; no effect on any existing or proposed VFR arrival or departure routes, operations or procedures; would not conflict with airspace required to conduct VFR traffic pattern operations at any known public use or military airports; would not penetrate altitudes normally available to airmen for VFR en-route flight; and will be appropriately obstruction marked and lighted to make the proposed structures more conspicuous to airmen flying in VFR weather conditions at night.

5. The FAA's Determinations of No Hazard to Air Navigation expire on January 9, 2020, unless construction has started, or the Determinations are extended or revised.

6. This variance request was provided to staff of the Florida Department of Transportation and representatives of the Department were asked to review this variance request, but no comments were received.

7 Authority staff has reviewed Petitioner's request for variance and recommends approval, subject to conditions as stated below.

8. The development will not be economically viable without this variance.

### **CONCLUSIONS OF LAW**

9. The Hillsborough County Aviation Authority has established the Board of Adjustment and adopted Airport Zoning Regulations in accordance with Section 333.10, Florida Statutes, and Section 6(2)(w) of Chapter 2003-370, Laws of Florida.

10 The Board of Adjustment has jurisdiction over this matter and the authority to consider requests for variances from Airport Zoning Regulations pursuant to Sections 333.10(1)(c) and 333.07(2), Florida Statutes.

11. Section 3.08 of the Airport's Zoning Regulations sets forth the criteria for approval or disapproval of airport height zoning permits. In order to receive a permit, a proposed structure must conform to the height requirements of Section 3.05. Any permit application that does not meet the requirements of Sections 3.05 and 3.08 must file a Petition for Variance.

12. Petitioner's proposed structure requires variances because it will exceed the Obstruction Standards set forth in 14 CFR, Sections 77.17(a)(2) for Peter O. Knight Airport by 182 feet AMSL.

13. Section 333.07(2), Florida Statutes, provides that a variance may be granted by the Board of Adjustment “where a literal application or enforcement of the regulations would result in practical difficulty or unnecessary hardship and where the relief granted would not be contrary to the public interest but would do substantial justice and be in accordance with the spirit of the (zoning) regulations and this chapter. However, any variance may be allowed subject to any reasonable conditions that the board of adjustment may deem necessary to effectuate the purposes of this chapter.”

14. The FAA has issued Determinations of No Hazard to Air Navigation, subject to recommended conditions. The Florida Department of Transportation did not identify any concerns with this proposed development. The Authority staff has recommended approval of variances, with conditions.

15. Based on the testimony and evidence presented, approval of variances, with conditions set forth below as recommended by Authority staff, would have no effect on existing FAA restrictions, would not cause additional impacts or loss of utility to Peter O. Knight Airport, will not be contrary to the public interest, will do substantial justice because the development will not be economically viable without this variance, and is in accordance with the spirit of the Zoning Regulations and Chapter 333, Florida Statutes.

### **RECOMMENDATION**

Based upon the foregoing Findings of Fact and Conclusions of Law, it is:

RECOMMENDED that the Board of Adjustment APPROVE the Variance requested by Petitioner with the following conditions:

- A. Mark/Light the proposed structures in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights – Chapters 4, 5(Red) and 12;
- B. E-file FAA Form 7460-2, Notice of Actual Construction or Alteration, if the project is abandoned or within five (5) days after construction reaches its greatest height;
- C. Any glint/glare issues identified by the Authority prior to or during construction associated with this development must be addressed and mitigated by the Petitioner to the satisfaction of the Authority to avoid adverse impacts to aviation; and
- D. A temporary permit is required for any construction equipment that exceeds 393 feet AMSL.

**DONE AND ENTERED** on this 12th day of October 2018, in Tampa, Hillsborough County, Florida.



---

DONALD D. CONN, Hearing Officer  
Board of Adjustment  
Hillsborough County Aviation Authority  
Florida Bar No. 0167758  
Conn & Buenaventura, P.A.  
4830 W. Kennedy Blvd., Suite 600  
Tampa, FL 33609  
813/509-2544  
[don@cbflalaw.com](mailto:don@cbflalaw.com)

Copies furnished via email to:

Michael Kamprath, Assistant General Counsel  
Hillsborough County Aviation Authority  
P. O. Box 22287  
Tampa, FL 33622  
[mkamprath@TampaAirport.com](mailto:mkamprath@TampaAirport.com)

Don Scalf  
Mercury Advisors, LLC  
1208 E. Kennedy Blvd.  
Tampa, FL 33602  
[don@grandcentralatkennedy.com](mailto:don@grandcentralatkennedy.com)

Ken Stoltenberg  
Mercury Advisors, LLC  
1208 E. Kennedy Blvd.  
Tampa, FL 33602  
[ks@mercury-advisors.com](mailto:ks@mercury-advisors.com)

Anthony Mantegna  
Hillsborough County Aviation Authority  
P. O. Box 22287  
Tampa, FL 33622  
[TMantegna@TampaAirport.com](mailto:TMantegna@TampaAirport.com)



## AVIATION AUTHORITY

### \* PERMIT APPLICATION \*

*Tampa International Airport Peter O. Knight Airport Plant City Airport Tampa Executive Airport*  
P.O. Box 22287, Tampa, FL 33622-2287

**Scope/Nature of Request:** Provide summary of request, activities involved and any other required or pertinent information to fully describe scope, submit drawings and specification if needed. Additional pages may be used if necessary. The application must also contain (1) an FAA Determination of No Hazard if the duration is greater than 72 hrs. (2) site survey with an FAA accuracy code of 1A, if requested (3) a Variance application, if applicable (4) site plan with a building layout, if requested (5) building elevation plan, if requested (6) any additional information requested by the Airport Zoning Director to determine whether or not the proposal will comply with the Airport Zoning Regulations.

Project Name \ Description:

36-story residential condo building at southwest corner of Channelside Drive & Whiting Street.  
Address of new building is 858 Channelside Drive.

Applicant acknowledges receipt of the applicable procedures and/or provisions pertaining to the above request and agrees that in consideration of issuance of this permit to be bound by the terms and conditions of such documents and all other applicable laws, rules, regulations, procedures and laws.

Permanent (Height Zoning)  Check type of permit being requested  
Temporary (Crane/Equip.)

This application is required to be attached to the supplemental data form for Permit request (see on-line application process).


Name/Company/Organization: Eleve' 61 LLC

Contact Person for Requested Activity: Ken Stoltenberg Phone: 813-321-1982

Project Location: Channelside Dr. & Whiting Street Email: ks@mercury-advisors.com


**Under penalty of perjury, I hereby certify that the above statements and supplemental data are true and correct and I have full power and authority to act on behalf of the above named firm, corporation or organization in the submission of this application.**


Printed Name of Authorized Representative: Ken Stoltenberg

Signature of Authorized Representative:  Date: 8/9/2018

STATE OF FLORIDA, COUNTY OF HILLSBOROUGH  
Sworn to (or affirmed) and subscribed before me this 9 day of AUGUST, 20 18, by  
KEN STOLTENBERG


Personally Known  OR Produced Identification \_\_\_\_\_ Type of Id Produced \_\_\_\_\_

Notary Signature:  (NOTARY SEAL)



All activities performed under this permit are at applicant's own expense and risk. The Authority will not be held liable for any damages, losses or injuries resulting from or connected with this activity. This permit does not relieve the applicant from obtaining any other permits, approvals, or determinations from other governmental agencies as may be required in accordance with law.

#### THIS SECTION TO BE COMPLETED BY AVIATION AUTHORITY REPRESENTATIVE

Airport Study No. <u>2018-97</u> FAA Study Number <u>2018-ASO-6686-OE</u> Associated FAA Study Numbers <u>6687-6689</u> Reviewed By:  _____ Zoning Director	<table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Variance Required:</td> <td style="width: 10%;">YES <input checked="" type="checkbox"/></td> <td style="width: 10%;">NO <input type="checkbox"/></td> </tr> <tr> <td>Recommend Approval:</td> <td>YES <input checked="" type="checkbox"/></td> <td>NO <input type="checkbox"/></td> </tr> <tr> <td>Coordinate with Airport Operations:</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Coordinate with ATCT:</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>_____</td> <td>Approved <input type="checkbox"/></td> <td>Denied <input type="checkbox"/></td> </tr> <tr> <td>_____</td> <td>Date</td> <td></td> </tr> </table>	Variance Required:	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	Recommend Approval:	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	Coordinate with Airport Operations:	<input type="checkbox"/>	<input type="checkbox"/>	Coordinate with ATCT:	<input type="checkbox"/>	<input type="checkbox"/>	_____	Approved <input type="checkbox"/>	Denied <input type="checkbox"/>	_____	Date	
Variance Required:	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>																	
Recommend Approval:	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>																	
Coordinate with Airport Operations:	<input type="checkbox"/>	<input type="checkbox"/>																	
Coordinate with ATCT:	<input type="checkbox"/>	<input type="checkbox"/>																	
_____	Approved <input type="checkbox"/>	Denied <input type="checkbox"/>																	
_____	Date																		



AVIATION AUTHORITY

\* PETITION FOR VARIANCE \*

Tampa International Airport Peter O. Knight Airport Plant City Airport Tampa Executive Airport
P.O. Box 22287, Tampa, FL 33622-2287

Provide a summary of request, activities involved and any other required or pertinent information as it pertains to any of the following criteria which will be used to substantiate a variance to the height zoning regulations. Additional pages may be used if necessary.

- The regulated height would create an unnecessary hardship to the applicant.
Special conditions and circumstances apply which are not applicable to other similarly situated property.
The proposal will not create a substantial detriment to public good or impair the purposes of the intent of these regulations.
The proposal will not create a substantial adverse effect on the utility of the airport covered under these regulations.

Construct 36-story residential condo building. The proposal will not create a substantial detriment to public good or impair the purposes of the intent of these regulations. The proposal will not create a substantial adverse effect on the utility of the airport covered under these regulations.

Applicant acknowledges receipt of the applicable procedures and/or provisions pertaining to the above request and agrees that in consideration of issuance of this variance to be bound by the terms and conditions of such documents and all other applicable laws, rules, regulations, procedures and laws. The petitioner must forward to FDOT by certified mail, return receipt requested, a copy of the permit package and petition for comment. The review of this petition for variance and variance process will proceed only upon the receipt of FDOT's comments or waiver of that right. Include a copy of the certified mail receipt with the petition.

Date: 7-9-18 Nearest Airport: Peter O. Knight Overall Height (AMSL): 393

Under penalty of perjury, I hereby certify that the above statements are true and correct and I have full power and authority to act on behalf of the Applicant's named firm, corporation or organization in the submission of this variance request.

Printed Name of Authorized Representative: Ken Stoltenberg
Signature of Authorized Representative: [Signature] Date: 7/10/18

All activities performed under this variance are at applicants own expense and risk, the Authority will not be held liable for any Damages, losses or injuries resulting from or connected with this activity.

STATE OF FLORIDA, COUNTY OF Hillsborough
Sworn to (or affirmed) and subscribed before me this 10 day of July, 2018 Ken Stoltenberg
Personally Known X OR Produced Identification X Type of Id Produced [Signature]

Notary Signature Robin J. Law

(NOTARY SEAL)



THIS SECTION TO BE COMPLETED BY AVIATION AUTHORITY REPRESENTATIVE

Airport Study No. 2018-97 Variance Approval YES [ ] NO [ ]
FAA Study Number: 2018-A50-6686-0E
Associated Aeronautical Study Numbers: 6687-6689
FDOT Concurrence: YES: [ ] NO: [ ] WAIVED: [ ] In accordance with Resolution No. 20 -

Board of Adjustment Chairman Date



Mail Processing Center  
 Federal Aviation Administration  
 Southwest Regional Office  
 Obstruction Evaluation Group  
 10101 Hillwood Parkway  
 Fort Worth, TX 76177

Aeronautical Study No.  
 2018-ASO-6686-OE

Issued Date: 07/09/2018

Ken Stoltenberg  
 TM Tampa LLC  
 511 West Bay Street  
 Suite 350  
 Tampa, FL 33606

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:	Building Eleve 61 -1
Location:	Tampa, FL
Latitude:	27-56-49.52N NAD 83
Longitude:	82-26-45.79W
Heights:	11 feet site elevation (SE)
	382 feet above ground level (AGL)
	393 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights - Chapters 4,5(Red),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 01/09/2020 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before August 08, 2018. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Airspace Policy Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Room 423, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on August 18, 2018 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Airspace Policy Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-6686-OE.

**Signature Control No: 361231564-369639603**

Mike Helvey

Manager, Obstruction Evaluation Group

( DNH )

Attachment(s)

Additional Information

Map(s)

**Additional information for ASN 2018-ASO-6686-OE**

TPF = Peter O Knight Airport  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule

The proposed Building is represented by 4 ASNs, representing the four-corners of the structure. The four building points were submitted at a height of 382 feet AGL, 393 feet AMSL. The building is located from approximately 1.88 to 1.90 NM north of the TPF ARP and from 05.32 degrees azimuth clockwise to 05.67 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) TPF --- > Exceeds by 182 feet.

Part 77 Obstruction Standards are used to screen the many structures submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards trigger formal aeronautical study, including circularization, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would constitute a hazard to air navigation.

Details of the structure were not circularized to the aeronautical public for comment.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

**AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:**

- > The proposed structure would have no effect on any existing or proposed IFR arrival/departure routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

**AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:**

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen flying in VFR weather conditions at night.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2018-ASO-6686-OE



Sectional Map for ASN 2018-ASO-6686-OE





Mail Processing Center  
 Federal Aviation Administration  
 Southwest Regional Office  
 Obstruction Evaluation Group  
 10101 Hillwood Parkway  
 Fort Worth, TX 76177

Aeronautical Study No.  
 2018-ASO-6687-OE

Issued Date: 07/09/2018

Ken Stoltenberg  
 TM Tampa LLC  
 511 West Bay Street  
 Suite 350  
 Tampa, FL 33606

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:	Building Eleve 61 -2
Location:	Tampa, FL
Latitude:	27-56-49.50N NAD 83
Longitude:	82-26-45.08W
Heights:	11 feet site elevation (SE)
	382 feet above ground level (AGL)
	393 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights - Chapters 4,5(Red),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 01/09/2020 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before August 08, 2018. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Airspace Policy Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Room 423, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on August 18, 2018 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Airspace Policy Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-6687-OE.

**Signature Control No: 361231566-369639605**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2018-ASO-6687-OE

TPF = Peter O Knight Airport  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule

The proposed Building is represented by 4 ASNs, representing the four-corners of the structure. The four building points were submitted at a height of 382 feet AGL, 393 feet AMSL. The building is located from approximately 1.88 to 1.90 NM north of the TPF ARP and from 05.32 degrees azimuth clockwise to 05.67 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) TPF --- > Exceeds by 182 feet.

Part 77 Obstruction Standards are used to screen the many structures submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards trigger formal aeronautical study, including circularization, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would constitute a hazard to air navigation.

Details of the structure were not circularized to the aeronautical public for comment.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR arrival/departure routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen flying in VFR weather conditions at night.


The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2018-ASO-6687-OE







Mail Processing Center  
 Federal Aviation Administration  
 Southwest Regional Office  
 Obstruction Evaluation Group  
 10101 Hillwood Parkway  
 Fort Worth, TX 76177

Aeronautical Study No.  
 2018-ASO-6688-OE

Issued Date: 07/09/2018

Ken Stoltenberg  
 TM Tampa LLC  
 511 West Bay Street  
 Suite 350  
 Tampa, FL 33606

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:	Building Eleve 61 -3
Location:	Tampa, FL
Latitude:	27-56-48.41N NAD 83
Longitude:	82-26-45.11W
Heights:	11 feet site elevation (SE)
	382 feet above ground level (AGL)
	393 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights - Chapters 4,5(Red),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 01/09/2020 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before August 08, 2018. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Airspace Policy Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Room 423, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on August 18, 2018 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Airspace Policy Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-6688-OE.

**Signature Control No: 361231567-369639604**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2018-ASO-6688-OE

TPF = Peter O Knight Airport  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule

The proposed Building is represented by 4 ASNs, representing the four-corners of the structure. The four building points were submitted at a height of 382 feet AGL, 393 feet AMSL. The building is located from approximately 1.88 to 1.90 NM north of the TPF ARP and from 05.32 degrees azimuth clockwise to 05.67 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) TPF --- > Exceeds by 182 feet.

Part 77 Obstruction Standards are used to screen the many structures submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards trigger formal aeronautical study, including circularization, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would constitute a hazard to air navigation.

Details of the structure were not circularized to the aeronautical public for comment.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR arrival/departure routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:


- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen flying in VFR weather conditions at night.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.







Mail Processing Center  
 Federal Aviation Administration  
 Southwest Regional Office  
 Obstruction Evaluation Group  
 10101 Hillwood Parkway  
 Fort Worth, TX 76177

Aeronautical Study No.  
 2018-ASO-6689-OE

Issued Date: 07/09/2018

Ken Stoltenberg  
 TM Tampa LLC  
 511 West Bay Street  
 Suite 350  
 Tampa, FL 33606

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:	Building Eleve 61 -4
Location:	Tampa, FL
Latitude:	27-56-48.43N NAD 83
Longitude:	82-26-45.83W
Heights:	11 feet site elevation (SE)
	382 feet above ground level (AGL)
	393 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, red lights - Chapters 4,5(Red),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 01/09/2020 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before August 08, 2018. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Airspace Policy Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Room 423, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on August 18, 2018 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Airspace Policy Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-6689-OE.

**Signature Control No: 361231568-369637909**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2018-ASO-6689-OE

TPF = Peter O Knight Airport  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule

The proposed Building is represented by 4 ASNs, representing the four-corners of the structure. The four building points were submitted at a height of 382 feet AGL, 393 feet AMSL. The building is located from approximately 1.88 to 1.90 NM north of the TPF ARP and from 05.32 degrees azimuth clockwise to 05.67 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) TPF --- > Exceeds by 182 feet.

Part 77 Obstruction Standards are used to screen the many structures submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards trigger formal aeronautical study, including circularization, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would constitute a hazard to air navigation.

Details of the structure were not circularized to the aeronautical public for comment.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR arrival/departure routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen flying in VFR weather conditions at night.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2018-ASO-6689-OE



Sectional Map for ASN 2018-ASO-6689-OE



---

### F.A.A. 1-A CERTIFICATION

July 31, 2018  
Eleve 61 Building  
City of Tampa, Hillsborough County, Florida  
FAA Project Name: TM TA-000461625-18

I hereby certify that the following Latitude and Longitude coordinates at the corners of the proposed building are accurate to within +/- 20 feet horizontally and that the proposed site surface elevation will be filled to 11 feet and is accurate to within +/- 3 feet vertically.

<u>FAA ASN</u>	<u>LATITUDE</u>	<u>LONGITUDE</u>	<u>NOTE</u>
2018-ASO-6686-OE	N027° 56' 49.51"	W082° 26' 45.79"	NW Building Corner 1
2018-ASO-6687-OE	N027° 56' 49.50"	W082° 26' 45.08"	NE Building Corner 2
2018-ASO-6688-OE	N027° 56' 48.41"	W082° 26' 45.11"	SE Building Corner 3
2018-ASO-6689-OE	N027° 56' 48.43"	W082° 26' 45.83"	SW Building Corner 4

The above referenced Latitudes and Longitudes are referenced to the North American Datum of 1983 (1990 adjustment) and are expressed as degrees, minutes, and seconds, to the nearest hundredth of a second. The above referenced site elevation is referenced to the North American Vertical Datum of 1988.

Stantec Consulting Services Inc.  
Certificate of Authorization No. L.B. 7866

James Darin O'Neal PSM  
Florida License No. L.S. 5926



Digitally signed by  
James D O'Neal  
Date: 2018.07.31  
15:26:00 -04'00'





# Review Summary

Airport Study Number

2018-97

Permit Number

TBD

Approval Date

Expires

Permit Type

Height Zoning

## REVIEW PROCESS

77.9 Review

Required Notice

77.17 Review

Obstruction

77.19 Review

Within Height Limits

TERPS

Within Height Limits

OEI (62.5:1)

NA

Analysis Summary

No Airspace or Navaid impacts identified

Coordination with ATCT

Yes  No

Coordination with Operations

Yes  No

Emergency Use

Yes  No

Hazard Marking and/or Lighting

Yes  No

Objects affecting Navigable Airspace

Yes  No

Exceeds Supportive Screening Criteria

Yes  No

Conditions


See attached

Recommend Approval  Yes  No

**Airport Study Number 2018-97**

**CONDITIONS**


- Red Obstruction lighting required on top of the proposed structure in accordance with the FAA Advisory Circular.
- E-File FAA form 7460-2 with the FAA and Airport if the project is abandoned or within 5 days after the construction reaches its greatest height.
- You will be required to follow all conditions specified in the FAA Determination to remain in compliance.
- Any glint or glare issues identified from this project must be mitigated by the petitioner to the satisfaction of the Authority to avoid adverse impacts to aviation.
- Obtain a temporary permit for any construction equipment that exceeds the height of the building.



Associated Points Data for Eleve 61 LLC 1897 - Report created on 8/10/2018 1:24:24 PM

Point Number	Description	Latitude	Longitude	X	Y	Site Elev. (AMSL)	Struct Height (AGL)	Overall Height (AMSL)	Down & Over From Closest Runway
1	Building Eleve61-1	27° 56' 49.52" N	82° 26' 45.79" W	512,158.8683	1,313,730.4692	11.00	382.00	393.00	Down(+): 9,707.65 Over(+): 1,864.16 Distance from RW 18: 9,885.02
2	Building Eleve61-2	27° 56' 49.50" N	82° 26' 45.08" W	512,222.5347	1,313,728.2171	11.00	382.00	393.00	Down(+): 9,697.89 Over(+): 1,927.11 Distance from RW 18: 9,887.51
3	Building Eleve61-3	27° 56' 48.41" N	82° 26' 45.11" W	512,219.4428	1,313,618.1484	11.00	382.00	393.00	Down(+): 9,588.96 Over(+): 1,911.04 Distance from RW 18: 9,777.54
4	Building Eleve61-4	27° 56' 48.43" N	82° 26' 45.83" W	512,154.8794	1,313,620.4037	11.00	382.00	393.00	Down(+): 9,598.83 Over(+): 1,847.20 Distance from RW 18: 9,774.95

# Site Location



## **Tony Mantegna**

---

**From:** Tony Mantegna  
**Sent:** Friday, August 10, 2018 12:24 PM  
**To:** 'ken.jernigan@stantec.com'  
**Subject:** Your Application has been submitted

Thank you for submitting your Application. It has successfully been received and is in Process.  
I will be contacting you if there is any additional information we need during processing in order to complete the review.

An application was submitted by [ken.jernigan@stantec.com](mailto:ken.jernigan@stantec.com)

- Company: Eleve' 61 LLC
- Contact Person: Ken Jernigan
- Project Physical Address: 858 Channelside Drive, Tampa FL 33602
- Phone Number: 813-233-9500
- Cell Number:

**Tony Mantegna / Tampa International Airport / Height Zoning & Land Use Manager/ Planning & Development**  
Direct: (813)870-7863 | Email: [tmantegna@tampaairport.com](mailto:tmantegna@tampaairport.com)

## **Tony Mantegna**

---

**From:** Tony Mantegna  
**Sent:** Monday, August 20, 2018 8:53 AM  
**To:** Greg Jones (greg.jones@dot.state.fl.us)  
**Subject:** Height Zoning Permit 2018-97  
**Attachments:** 2018-97 Eleve' 61.pdf

Greg.

Per Chapter 333 we are hereby submitting the attached permit application for your review and comment.

I have conducted a review of the project and we recommend approval with conditions. The proposed building exceeds obstruction standards under Section 77.17. As long as conditions are followed we don't see an impact to the utility of our Airports.

We plan on having a hearing for this request on 10/11/2018 in accordance with our Height Zoning Regulations.

Please don't hesitate to give me a call if you have any questions or concerns.

**Tony Mantegna / Tampa International Airport / Height Zoning & Land Use Manager/ Planning & Development**  
Direct: (813)870-7863 | Email: [tmantegna@tampaairport.com](mailto:tmantegna@tampaairport.com)