

TAMPA INTERNATIONAL AIRPORT

USE AND LEASE AGREEMENT FOR FUEL FACILITIES AND PIPELINE

FRONTIER AIRLINES, INC.

HILLSBOROUGH COUNTY AVIATION AUTHORITY

Board Date \_\_\_\_\_, 202\_

Prepared by:

Hillsborough County Aviation Authority  
Real Estate Department  
Attn: Mandi Schuler  
Tampa International Airport  
P. O. Box 22287  
Tampa, Florida 33622

TABLE OF CONTENTS

<u>Article Number</u>	<u>Article Title</u>
1	Definitions
2	Execution of Agreement
3	Demised Premises and Operating Area
4	Uses and Restrictions
5	Term
6	Payments
7	Obligations of Company
8	Maintenance and Repair
9	Annual Review and Financial Plan
10	Alterations to Demised Premises
11	Title of Improvements
12	Relocation of Pipeline Rights of Way
13	Default and Termination Rights
14	Construction Lien
15	Utilities
16	Ingress and Egress
17	Taxes, Permits, Licenses
18	Indemnification
19	Insurance
20	Damage or Destruction
21	Compliance with Airport Security Rules
22	Environmental Provisions
23	Federal State and Local Storm Water Regulations
24	Environmental Inspection
25	Storage Tanks
26	Americans with Disabilities Act
27	Affirmative Action
28	Non-Discrimination
29	Disadvantaged Business Enterprise
30	Rights Reserved to the Authority
31	Right of Entry
32	Right of Flight
33	Property Rights Reserved
34	Signs

TABLE OF CONTENTS (continued)

<u>Article Number</u>	<u>Article Title</u>
35	Quiet Enjoyment
36	No Mortgage Rights of Company
37	Rent and Payments a Separate Covenant
38	Assignment
39	Corporate Certification
40	Eminent Domain
41	Applicable Law and Venue
42	<i>Reserved</i>
43	Invalidity of Clauses
44	Notices and Communications
45	Federal Right to Reclaim
46	Non-Exclusive Rights
47	Radon Gas Notification
48	Agent for Service of Process
49	Miscellaneous
50	Authority Approvals
Exhibit A	Agent Agreement
Exhibit B	Map of Fuel Facilities System
Exhibit C	Pipeline Right of Way
Exhibit D	Assessment Reports
Exhibit E	Fuel System Rates and Charges
Exhibit F	Standard Procedure S250.06, Contractual Insurance Terms and Conditions

USE AND LEASE AGREEMENT FOR FUEL FACILITIES AND PIPELINE

THIS USE AND LEASE AGREEMENT FOR FUEL FACILITIES AND PIPELINE ("Agreement"), is made and entered into this \_\_\_\_ day of \_\_\_\_\_, 202\_, by and between Hillsborough County Aviation Authority, a public body corporate existing under the laws of the State of Florida ("Authority"), and FRONTIER AIRLINES, INC., a corporation organized and existing under the laws of the State of Colorado and authorized to do business in the State of Florida ("Company") (hereinafter individually and collectively referred to as "Party or "Parties").

WITNESSETH:

WHEREAS, Authority controls, operates, and maintains an airport in Hillsborough County, Florida, known as Tampa International Airport ("Airport"); and

WHEREAS, Company is engaged in the business of transporting passengers and/or cargo and has entered into an Airline-Airport Use and Lease Agreement with Authority ("Basic Agreement") or Operating Agreement with Authority ("Operating Agreement"); and

WHEREAS, it is deemed desirable that facilities be provided at Airport for the storage, sale and distribution of aviation fuels and other petroleum products and for purposes incidental thereto, including but not limited to facilities for refueling aircraft upon the ramps and airplane loading aprons of said Airport through the use of underground fueling systems, apparatus, equipment, and facilities; and

WHEREAS, Company desires to lease, operate and maintain the Fuel Facilities owned by Authority including the right to certain pipeline rights of way in the operation thereof; and

WHEREAS, Company shall hire an Agent to provide services required in connection with Company's delivery of aircraft fuel through said Fueling Facilities and otherwise on the Airport; and

WHEREAS, Company and Agent are parties to a separate agreement outlining the duties and responsibilities of Agent on behalf of Company and the joint and several liabilities of Company and Agent in the maintenance and operation of the Fueling Facilities hereunder. Said agreement shall be incorporated hereunder as Exhibit "A" - Agent Agreement and may be amended from time to time; and

WHEREAS, during the Term of this Agreement, Fuel Committee has upgraded the Fuel Facilities by entering into Memorandum(s) of Understanding with Authority to repay Authority for the sums Authority financed in connection with said upgrades; and

NOW, THEREFORE, in consideration of the mutual promises and agreements hereinafter set forth, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties hereto, intending to be legally bound, hereby agree as follows:

ARTICLE 1  
DEFINITIONS

The Definitions contained herein pertain to this Use and Lease Agreement for Fuel Facilities and Pipeline only and are not to be construed in the context of any other agreement even though the defined terms contained herein may be the same as, or similar to, terms used or defined in other agreements with the Authority.

- 1.1 Agent - The qualified, experienced, financially solvent and duly licensed party or parties, under contract with the Fuel Committee to exercise on behalf of Company and the Fuel Committee, all the rights and obligations defined herein, including the operation, management and maintenance of the Fuel Facilities; the provision of insurance coverages set forth in Article 19; and payment of all fees and charges due to the Authority all of which shall be set forth in Agent Agreement and incorporated in Exhibit "A" attached hereto.
- 1.2 Fuel Committee - That group of airlines serving the Airport each being party to an Interline Fuel Agreement and each having individually executed the Agent Agreement at the Airport as well as this Agreement in addition to a basic agreement or an operating agreement.
- 1.3 Fuel or Fueling Facilities – The bulk fuel storage facility on the Airport, consisting of above ground storage tanks, pumps, filters, valves, connecting piping, storage and shop buildings, control room, transmission lines, hydrant loop piping around each airside terminal, hydrant valves and controls, along with miscellaneous structures and equipment necessary for a fully functioning jet fuel storage facility and underground hydrant system, serving the ramps and aprons at each airside terminal and common or segregated air cargo facilities, as further depicted on Exhibit “B” – Map of Fuel Facilities System, which is attached hereto and incorporated herein by reference, as may be modified throughout the term of this Agreement.
- 1.4 Inter-Line Agreement - That Agreement signed by each member of the Fuel Committee, setting forth the rights, obligations and responsibilities of Fuel Committee members with respect to the operation and maintenance of the Fuel Facilities System at the Airport, including but not limited to the assumption of liability and payment of rents, fees, charges and assessments incurred as a result of the operation and maintenance of the Fuel Facilities System.
- 1.5 Tanker Refuelers - Self-propelled vehicles designed for the transport and into-plane dispensing of aviation fuels via tanks as opposed to transferring fuel from the on-site hydrant system into the aircraft.

ARTICLE 2  
EXECUTION OF AGREEMENT

This Agreement contains the terms and conditions under which Company is granted the right to lease and use the Fuel Facilities at the Airport. Authority and Company recognize that, as a matter of convenience, it is preferable for each airline to execute similar Agreements (as opposed to all airlines executing the same original). Authority and Company understand and agree that by doing so (i) this Agreement shall apply to and bind each and every airline executing this or any other copy hereof to the same extent as if all airlines had executed the same original; (ii) all airlines operating at the Airport may not execute this Agreement and the non-execution by any of them shall have no effect upon the joint and several liability of Company and the airlines executing this Agreement; (iii) additional airlines may become eligible to execute this Agreement from time to time; and (iv) the future execution of this Agreement by any additional airline shall have no effect upon the joint and several liability of Company and the airlines that have previously executed this Agreement.

ARTICLE 3  
DEMISED PREMISES AND OPERATING AREA

3.1 Demised Premises

In addition to the Fuel Facilities described in Article 1, Paragraph 1.3, Company hereby agrees to lease in common with others from the Authority land containing approximately 226,076 square feet, more or less, underlying the Fuel Storage Facilities, the location of which is further described on Exhibit "B" attached hereto and incorporated herein by reference. The elements described in Paragraphs 1.3, 3.1, 3.2 and 3.3 shall be hereinafter collectively referred to as the "Demised Premises".

3.2 Pipeline Right of Way

Authority hereby grants to Company the right to use in common with others a pipeline right of way, the location and description of which is designated on Exhibit "B" and Exhibit "C"- Pipeline Right of Way, attached hereto and incorporated herein by reference.

The Pipeline Right of Way is 124,206 square feet, and is calculated as a three foot corridor along the 41,402 linear feet of pipeline leading from the Fuel Storage Facilities to each end location as follows:

<u>Ending Location</u>	<u>Linear Feet from Fuel Storage Facilities</u>
Federal Express	9,860 linear feet
Airside A	8,667 linear feet
Airside C	10,952 linear feet
Airsides E and F	11,923 linear feet

3.3 Common Use Roadway

Authority also grants to Company the right to use in common with others, a road right of way, the location and description of which is designated on Exhibit "B", attached hereto and by reference made a part hereof and hereafter referred to as "common use roadway".

3.4 Condition of Demised Premises

The condition of the Demised Premises is described in the Evaluation of Jet A Fuel Systems Report prepared by URSGWC, dated February 1999; the TFC Fuel System Hydraulic Analysis Report Tampa International Airport Fuel Farm Renovations prepared by Prime Engineering Incorporated, dated September 2013; the API 570 Report Review & Recommendations, prepared by Carrier Engineering Management Consulting, dated July 1, 2019; and in the collected Environmental Audit Reports of the Demised Premises, all of which are collectively referred to as "Assessment Reports" and listed in Exhibit "D" attached hereto and incorporated herein by reference.

ARTICLE 4  
USES AND RESTRICTIONS

4.1 Agent

Upon execution of this Agreement, Company shall select an Agent and request approval from Authority for such Agent, which approval shall not be unreasonably withheld. Upon receipt of written approval of said Agent from Authority, Company shall promptly enter into an Agreement with Agent. Said Agreement shall incorporate the responsibility of Agent to fulfill the designated duties and obligations of Company under this Agreement. Company recognizes the joint and several liabilities of all parties and agrees and understands that the obligations of Company, whether performed by Company or by Company's Agent are subject to the Authority's Rules and Regulations and Operating Directives, as may be amended from time to time.

4.2 Interline Agreement

Upon execution of this Agreement, Company shall simultaneously execute the Interline Agreement as a member of the Fuel Committee.

4.3 Permitted Uses

Company shall have the right to use the land and equipment described in Article 3 hereof for the maintenance, use and operation of the Fuel Facilities, in accordance with the permitted uses herein. The Demised Premises shall be used by Company for the purchase, receipt, storage, handling,

distribution, sale, exchange and dispensing of Jet A and any other fuel or propellant, for Company's aircraft or equipment.

#### 4.4 Use of Pipeline Rights of Way

The pipeline rights of way shall be used by Company for the construction, installation, repair, inspection, maintenance, operation and removal of pipelines, including necessary pipe valves, fittings, control devices, manholes, and appurtenances ("pipeline structures") as may be necessary or desirable in connection with Company's supplying aviation fuel on said Airport. Company shall have the right (subject to rules and regulations prescribed by Authority for the safety of persons and property upon the Airport or aircraft using the runway and taxiway facilities of said Airport and special direction prescribed by the Authority's Chief Executive Officer at any time during the life of this Agreement to enter upon and to pass over and along said pipeline rights of way or extensions thereof, whenever and wherever necessary in connection with the construction, reconstruction, repair, maintenance, inspection and, operation and removal of said pipelines; and said pipelines rights of way shall not be used for any purpose other than herein mentioned without the prior written consent of the Authority.

#### 4.5 Surface and Subsurface Rights

All rights to the use of the surface overlying the pipeline rights of way described herein, or as hereafter may be extended or relocated, shall remain in Authority for its use in any lawful and proper manner it may deem necessary for the operation of said Airport in the promotion and accommodation of air commerce and air navigation, and Authority reserves the right to use on its behalf any portion of the surface area of said pipeline rights of way for any and all lawful purposes.

#### 4.6 Restrictions

All fueling operations conducted by Company utilizing the Airport underground hydrant system at the Airport shall be in accordance with the rights granted hereunder and shall be provided in those areas designated for such purposes. Company shall utilize vehicles and equipment designed to be operated with an underground hydrant fuel system. Company's refueling vehicles shall be parked or stored only in areas designated by Authority for such purposes when not actively engaged in refueling operations at the Airport.

Tanker Refuelers are prohibited on Terminal aircraft aprons serviced by the hydrant system unless prior written consent from Authority is obtained.

4.7 Exclusions and Reservations

- A. Nothing in this Article 4 shall be construed as authorizing Company to conduct any business on the Demised Premises separate and apart from those activities permitted in Section 4.3 herein.
- B. Company shall not interfere or permit interference with the use, operation, or maintenance of the Airport, including but not limited to, the effectiveness or accessibility of the drainage, sewerage, water, communications, fire protection, utility, electrical, or other systems installed or located from time to time at the Airport.
- C. Company shall not engage in any activity prohibited by Authority's existing or future noise abatement procedures.
- D. Except as authorized herein, Company shall not permit or enter into any other third party agreement(s) for the provision of any of the services hereunder, without advance written consent from the Authority.

ARTICLE 5

TERM

This Agreement shall become effective upon approval by the Authority and shall run for a Term of forty (40) years retroactive to October 1, 1999 and terminating on September 30, 2039.

ARTICLE 6

PAYMENTS

6.1 Ground Rent for the Demised Premises

The Ground Rent for the Demised Premises due throughout the Term of this Agreement shall be paid by Agent on Company's behalf in equal monthly installments, in advance on or before the first day of each and every month, without demand or invoice. The Ground Rent for the Demised Premises starting on October 1, 2024 is \$199,763.81, payable at \$16,646.98 monthly ("Ground Rent for the Demised Premises"). The Ground Rent for the Demised Premises is calculated as follows:

Unimproved land totaling 226,076 square feet at \$0.80 per square foot per year, which rent is \$181,293.31 annually, payable at \$15,107.78 monthly; and

Aeronautical vehicular pavement at Fuel Storage Facilities totaling 37,026 square feet at \$0.11 per square foot per year, which rent is \$4,241.66 annually, payable at \$353.47

monthly; and

Pipeline Right of Way corridor totaling 124,206 square feet at \$0.11 per square foot per year, which rent is \$14,228.84 annually, payable at \$1,185.74 monthly.

6.2 Adjustment to the Ground Rent for the Demised Premises

Effective October 1, 2024 and on every October 1 of each year of the Term of this Agreement thereafter, the Ground Rent for the Demised Premises will increase by 3%. The rental rate following the adjustment shall remain in effect until the next adjustment.

6.3 Fuel Facilities

A. Payment for Fuel Facilities shall be calculated as follows:

(1) Rent for the Fuel Facilities is comprised of Fuel Storage Facilities Rent and Improvements Payments Rent.

(a) Fuel Storage Facilities Rent

The annual rent for the Fuel Storage Facilities is \$394,042.82, payable at \$32,836.90 monthly ("Fuel Storage Facilities Rent").

(b) Improvements Payments Rent

Monthly payments of the following items, as set forth in certain agreements between the Fuel Committee and Authority, as more particularly described in Exhibit E, Fuel System Rates and Charges, which payments survive the termination of this Agreement (collectively, "Improvements Payments Rent"):

(i) Expansion of System – East Cargo Area to Emery, executed by Fuel Committee on behalf of Company and by Authority, dated July 2002, in the final amount of \$3,802,040 amortized over 30 years at 8% interest, payable in monthly payments of \$27,898.02, with a final payment date of June 2030; and

(ii) Expansion of System – East Cargo Area to Federal Express, executed by Fuel Committee on behalf of Company and by Authority, dated March 2003, in the final amount of \$613,155 amortized over 30

years at 8% interest, payable in monthly payments of \$4,499.11, with a final payment date of February 2033; and

- (iii) Secondary Containment for Fuel Storage Tanks – Improvement costs set forth in that certain Memorandum of Understanding for Secondary Containment of Fuel Storage Tanks, executed by Fuel Committee on behalf of Company and by Authority, dated December 18, 2008, in the final amount of \$4,696,086.84 amortized over 20 years at 7.25% interest, payable in monthly payments of \$37,116.74, with a final payment date of December 2028; and
- (iv) Amended Memorandum of Understanding for Bulk Fuel Storage Facility Upgrades – Improvement costs set forth in that certain Memorandum of Understanding for Fuel Facility Upgrades, executed by Fuel Committee on behalf of Company and by Authority, dated July 29, 2014, as amended, in the final amount of \$9,759,800 amortized over 20 years at 5% interest, payable in monthly payments of \$64,777.61, with a final payment date of December 2036;
- (v) Memorandum of Understanding for Emergency Fuel Shut Off System (EFSO) and Fuel Truck Upgrades, executed by Fuel Committee on behalf of Company and by Authority, dated August 27, 2020, in the final amount of \$565,283.11 amortized over 3 years at 4.625% interest, payable in monthly payments of \$16,847.03, with a final payment date of November 1, 2024; and
- (vi) Memorandum of Understanding for EFSO and Fuel Truck Upgrades, executed by Fuel Committee on behalf of Company and by Authority, dated August 27, 2020, in the final amount of \$2,165,115.60 amortized over 20 years at 4.625% interest, payable in monthly payments of \$13,844.11, with a final payment date of January 2024; and
- (vii) FY23 Fuel Farm Projects – Improvement costs set forth in that certain Memorandum of Understanding for FY23 Fuel Farm Projects (Group 1) executed by Fuel Committee on behalf of Company and by Authority dated November 1, 2022, in the final amount of \$1,486,733.00 amortized over 5 years at 3.40% interest, payable in

monthly payments of \$26,979.74, with a final payment date of August 2029; and

- (viii) FY23 Fuel Farm Projects – Improvement costs set forth in that certain Memorandum of Understanding for FY23 Fuel Farm Projects (Group 2) executed by Fuel Committee on behalf of Company and by Authority dated November 1, 2022, in the final amount of \$557,067.00 amortized over 3 years at 3.40% interest, payable in monthly payments of \$16,298.57, with a final payment date of August 2027; and
- (ix) Fuel Farm Projects – Improvement costs set forth in that certain Memorandum of Understanding for FY24 Fuel Farm Projects executed by Authority and Fuel Committee on behalf of Company dated November 28, 2023. The Memorandum of Understanding for FY24 Fuel Farm Projects dated November 28, 2023 is hereby affirmed and ratified.

Plus

Any residual costs not covered by Passenger Facility Charges (“PFCs”) or Airport Improvement Program (“AIP”) Grants or any other federal, State, or local programs, depending on the project, will be charged back to Company and amortized over the expected life of the improvement at 8%.

- (2) The annual rent for the Fuel Facilities due throughout the term of the Agreement shall be paid by Agent on Company's behalf in equal monthly installments, in advance on or before the first day of each and every month, without demand or invoice. The rent due for the Fuel Facilities herein shall commence on April 1, 2000 and shall be billed to collect rents retroactive to October 1, 1999. Retroactive rents due will be paid to Authority in seven (7) equal monthly installments beginning April 1, 2000 and ending October 31, 2000.
- (3) The amount due for the Fuel Facilities for each month during the term herein shall be calculated as provided on Exhibit "E", Fuel System Rates and Charges, and attached hereto. As costs are added for upgrades and expansions, said amounts will be added to Exhibit "E" with a corresponding expiration date for tracking and no further amendment required to the Agreement.

B. Payment for Cleanup of Contamination:

- (1) Certain contaminated area have been registered under the State of Florida Early Detection Incentive (EDI) Program including the Fuel Storage Facility, the ramp areas of Airsides B, C, D and E and the integral connecting hydrant piping system. Cleanup of those contamination areas will be funded by the State, to the extent allowed under the EDI Program or other applicable State, Federal or local programs. Those costs of contamination cleanup not covered under EDI or other State, Federal or other local programs will be, and will be paid by Company or amortized, at a minimum, over the term of the Agreement at 8% at Company's option.
- (2) Together, Authority and Company will identify other sources of funding for contamination cleanup costs. Annual residual costs not covered by identifiable funding sources will be paid by Company.
- (3) Any Clean-up costs to be amortized will be set forth on Exhibit E and attached hereto, identifying Company's monthly fees due.

C. Company's Right To Pursue Recovery:

- (1) Nothing herein shall preclude Company's right to pursue recovery of costs associated with the cleanup of contamination from insurance or other third parties. However, Company's pursuit of such cost recovery shall in no way delay the cleanup of contamination associated with Airport Improvement Projects.

6.4 Failure to Make Timely Payments

Without waiving any other right available to the Authority, in the event of default of Company's payment of any rents, fees, charges, and/or payments due and payable in accordance with the terms of this Agreement within twenty (20) days after same shall become due and payable, Authority reserves the right to charge Company interest thereon, from the date such rents, fees and charges became due until the date payment is received by the Authority, at the maximum interest rate then authorized by law, or twelve percent (12%) per annum, whichever is less.

6.5 Place of Payments

Company will submit all payments required by this Agreement as follows:

(ELECTRONICALLY – PREFERRED METHOD)

Via ACH with Remittance Advice to Receivables@TampaAirport.com

or

(MAIL DELIVERY)

Hillsborough County Aviation Authority

Attn: Finance Department

Tampa International Airport

P. O. Box 22287

Tampa, Florida 33622-2287

or

(HAND DELIVERY)

Hillsborough County Aviation Authority

Attn: Finance Department

Tampa International Airport

5411 SkyCenter Dr.

Suite 500

Tampa, Florida 33607

ARTICLE 7

OBLIGATIONS OF COMPANY

Company hereby agrees to comply with the following obligations, whether performed by Company or by Agent on behalf of Company:

7.1 Business Operations

- A. Company shall conduct its business operations hereunder in accordance with applicable laws and the Authority's Rules and Regulations and Operating Directives, as may be amended from time to time, and in an orderly and proper manner, considering the nature of such operation, so as not to unreasonably annoy, disturb, endanger or be offensive to other tenants or users of the Airport. Company shall conduct its operations and the use of said pipelines, improvements and other facilities in the pipeline rights of way in such manner as will reduce to the minimum that is reasonably practicable, considering the nature and

extent of Company's operations, spillage, overflowing or escaping of Company's gases, jet fuel, flammable substances and petroleum or petroleum products.

- B. Company shall strictly comply with all applicable testing procedures and monitoring requirements for operation of the Fuel Facilities promulgated by State Department of Environmental Protection ("DEP" or its successor) Federal Environmental Protection Agency ("EPA" or its successor) and local Hillsborough County Environmental Protection Commission ("EPC" or its successor).
- C. Company shall comply with all NFPA and FAA, Safe Fueling and Fire Prevention regulations, related City of Tampa Ordinances, and applicable safety regulations at the Airport that may be adopted by the Authority.
- D. Company shall not discharge any industrial waste or foreign material other than sanitary sewage into any component of the sanitary sewage system, nor shall Company cause or permit the same by any of its officers, agents, servants, employees, invitees, independent contractors, successors or assigns, nor shall Company, its officers, agents, servants, employees, invitees, independent contractors, successors or assigns discharge or place any industrial waste or foreign material into any component of the storm drainage system or onto any paved or unpaved area within the boundaries of the Airport without first neutralizing or treating same as required by applicable Anti-pollution laws or ordinances, and in a manner satisfactory to Authority, the Florida State Board of Health, and other public bodies, Federal, State, County or Municipal having jurisdiction over, or responsibility for prevention of pollution of canals, streams, rivers and other bodies of water. Company's introduction of objectionable waste into any component of Authority's sanitary or storm drainage system shall, if not remedied by Company in a timely manner in accordance with regulatory requirements, be deemed a default and a cause for cancellation of this Agreement.

#### 7.2 Conduct of Agent, Employees and Invitees

Company shall, within reason, control the conduct, demeanor and appearance of its agent, employees, invitees, and of those doing business with it and, upon objection from the Authority concerning the conduct, demeanor appearance of any such persons, shall immediately take all reasonable steps necessary to remove the cause of objection.

#### 7.3 Equipment and Vehicle Parking

Subject to Company's use of Demised Premises as provided in Section 3.1 herein, Company shall ensure that all equipment and vehicles owned or operated by Company, by Company's vendors or contractors will be parked and/or stored in areas designated for such parking in the Demised

Premises and Company will not permit vehicles to be parked in common use areas so as to interfere in any way with any other operations at the Airport.

7.4 Debris

Company shall remove or otherwise dispose of all garbage, debris, and other waste materials (whether solid or liquid) arising out of its use and occupancy of the Demised Premises or out of its operations, in a manner approved by the Authority. Any such debris or waste which is temporarily stored shall be kept in suitable, sealed garbage and waste receptacles, designed to safely and properly contain whatever material may be placed therein. Company shall use extreme care when effecting removal of all such waste.

7.5 Nuisance

Company shall not commit any nuisance, waste, or injury on the Demised Premises, or elsewhere on the Airport, and shall not do or permit to be done anything, which may result in the creation or commission or maintenance of such nuisance, waste, or injury.

7.6 Vapor or Smoke

Company shall not create nor permit to be caused or created upon the Demised Premises, or elsewhere on the Airport, any obnoxious odor, smoke or noxious gases, fumes or vapors. The creation of exhaust fumes by the operation of internal-combustion engines or engines of other types, so long as such engines are maintained and are being operated in a proper manner, shall not be a violation of this Agreement.

7.7 Excessive Load

Company hereby agrees that it will use all paved areas according to the specifications and planned use for such areas and Company will prohibit its employees, vendors or subcontractors from exceeding the planned use or from placing excessive loads on paved areas on the Demised Premises. Company shall be responsible for the repair of any paved area damaged by non-conforming usage or excessive loading.

7.8 Frequency Protection

Company shall provide frequency protection within the aviation air/ground VHF frequency band and the UHF frequency band in accordance with restrictions promulgated by the Federal Aviation Administration for the vicinity of the FAA Remote Receiver Facility, Transmitter Facility or Aids to Air Navigation.

7.9 Taxes

Company shall pay all applicable sales, use, tangible, intangible and ad valorem taxes of any kind, against the Demised Premises, including the real property and any improvements thereto or leasehold estate created herein, or which result from Company's occupancy or use of the Demised Premises whether levied against Company or Authority. Company shall also pay any other taxes or assessments against the Demised Premises or leasehold estate created herein. Company may reserve the right to contest such taxes and withhold payment of such taxes upon written notice to Authority of its intent to do so, so long as the nonpayment of such taxes does not result in a lien against the real property or any improvements thereon or a direct liability on the part of Authority. Authority agrees to immediately forward to Company any notices of such taxes and assessments due upon receipt of same.

ARTICLE 8  
MAINTENANCE AND REPAIR

8.1 Company's Responsibilities

Company shall throughout the term of this Agreement assume the responsibility for all routine maintenance and repair of the Demised Premises, whether such repair or maintenance is ordinary or extraordinary, structural or otherwise, and without limiting the generality hereof:

- A. Company shall keep all areas of the Demised Premises in a state of good repair to include repair of any damage to the vehicular parking pavement or other surface of the Demised Premises or any building improvements caused by weathering and/or aging, Company's operations, or by any oil, gasoline, grease lubricants or other flammable liquids and substances having a corrosive or detrimental effect thereon.

Company shall conduct its repairs and maintenance on the Demised Premises, to the extent reasonably practicable, so as to avoid unreasonably interfering with the use of or access to adjoining premises by other tenants of the Airport or the use by aircraft of the landing and take-off facilities and navigational aids on the Airport.

- B. Company shall maintain and repair all pipelines, structures, improvements and other facilities constructed, installed in or on the pipeline rights of way, including under ramp fueling facilities, in good condition and repair as is usual and customary for such facilities. Company shall at all times maintain the said pipeline rights of way free and clear of any offensive substances, refuse matter, scrap material or waste resulting from its use of said pipeline rights of way or its work performed thereon or therein and shall return the surface to its previous condition upon completion of maintenance to its underground installations.

- C. Company shall at all times keep and maintain in a clean and orderly condition the appearance of Company's fixtures, equipment and personal property which are located in any part of the Demised Premises.
- D. Company shall ensure the proper working condition of its fire protection and safety equipment and all other safety equipment as required by any law, rule, order, ordinances, resolutions or regulation of any competent authority.
- E. Company shall take such anti-erosion measures, including but not limited to, the planting and replanting of grasses with respect to all portions of the Demised Premises not paved or built upon.
- F. Company shall be responsible for the maintenance and repair of all utility service lines except common utilities, if any, including but not limited to, service lines for the supply of water, gas service lines, electrical power and telephone conduits and line, sanitary sewers and storm sewers which are now or which may be subsequently located upon the Demised Premises and used by Company.

## 8.2 Authority's Responsibilities

Authority shall not be liable for, or required to perform any routine maintenance or repair upon the Demised Premises. If the Company fails to perform its maintenance responsibilities, the Authority shall have the right, but not the obligation, to perform such maintenance responsibilities, provided the Authority has first, in any situation not involving an emergency, by written notice to Company, afforded Company a period of thirty (30) days within which to correct the failure. All costs incurred by the Authority in performing the maintenance responsibilities of Company, plus a ten percent (10%) administrative charge, shall be paid by Company within ten (10) days of receipt of billing therefor.

## ARTICLE 9

### ANNUAL REVIEW AND FINANCIAL PLAN

#### 9.1 Annual Review of Fuel Operations

Authority and Fuel Committee shall review on an annual basis the overall operation of the Fuel Facilities including all applicable testing and monitoring procedures undertaken by Company. Such review shall also include an analysis of the adequacy of the Fuel Facilities and the rate structure of fees charged by the Fuel Committee to provide fuel to all airlines operating at the Airport. Company shall submit such annual reports on forms furnished by or approved by the Authority documenting the fees charged and volume of fuel pumped for the year. Said annual report will

indicate whether or not there occurred any shortfall or surplus in fuel supply during the previous twelve months.

## 9.2 Annual Project Review

- A. Annually, prior to the end of the first quarter of each calendar year throughout the Term of the Agreement, the Authority will submit to the Fuel Committee a schedule of capital projects and cost estimates for such projects for the upcoming fiscal year. Upgrades, modifications or expansions of the Fuel Facilities will be included in the schedule along with estimates of project costs.
- B. Annually, prior to the end of the first quarter of each calendar year throughout the Term of this Agreement, the Fuel Committee will submit to Authority a schedule of proposed capital projects for the upcoming fiscal year along with its five-year plan for such projects.
- C. The Fuel Committee and Authority will review all capital improvement projects planned and proposed for the upcoming fiscal year and, in meetings with Authority, agree on the priority, scheduling and estimated cost of each project.

## 9.3 Scheduling of Projects

As airfield construction and improvement projects are scheduled and time is of the essence due to construction time schedules, the evaluation of options for the remediation of contamination will be incorporated into the scope of the particular project depending on the identified level of risk to the environment and/or impact to the environment or human health. In those instances where there is clear evidence of impact or risk to the environment or human health, Company will work with Authority's efforts in taking a proactive position to remediate known contamination using state-approved, risk-based clean up levels. Together, Authority and Company will evaluate the feasibility and timeliness of seeking funding for all eligible costs associated with the remediation of contamination.

## 9.4 Annual Financial Plan

Following such annual project review, the Authority will prepare a detailed Financial Plan for each capital project agreed upon, including all costs associated with the planning, design, engineering, construction, administration and debt service for the project.

ARTICLE 10

ALTERATIONS TO DEMISED PREMISES

10.1 Authority's Improvements

Authority and Company agree that Company or other designated representative of the Fuel Committee shall participate in all selection and review processes related to the design, development and construction of all agreed upon capital improvement projects related to the Fuel Facilities undertaken by Authority.

10.2 Conditions Governing Alterations by Company

In accordance with Company's responsibilities for the maintenance and repair of the Demised Premises as provided in Article 7, Company shall make no alterations to the Demised Premises without the prior written consent of the Authority as issued under the Authority's Tenant Work Permit Program, as may be amended from time to time, a copy of which is attached hereto.

ARTICLE 11

TITLE TO IMPROVEMENTS

Title to all buildings, improvements, equipment and other property constructed, installed or placed on the Demised Premises and all pipeline structures installed on said pipeline rights of way at any time during the term of this Agreement shall be and remain in Authority. Upon termination, Company shall surrender possession of the Demised Premises and said pipeline right of way to Authority in good condition.

ARTICLE 12

RELOCATION OF PIPELINE RIGHTS OF WAY

In the event Authority shall, in its discretion, and after using its best efforts consistent with good engineering and safety practices to minimize or obviate the necessity to relocate the pipeline rights of way, and after due consideration of the interests of Company, and necessity or convenience to Authority determine that the use of any portion of such pipeline rights of way, is necessary for the construction of any airport or aviation improvements or facilities, whether on or in said pipeline rights of way, including, without limitation, buildings, storm drains, sewer lines, underground ducts, structures, vaults or other subsurface structures, or water mains it deems necessary for the operation of said Airport and the Fuel Facilities within said right of way must be relocated to clear such proposed building, structure or facility to prevent a hazardous condition which would otherwise prevail or unreasonably interfere with said construction, then Authority shall, within ninety (90) days after delivery of written notice to Company, commence to relocate said pipeline and appurtenances in and along such realigned right of way as Authority may prescribe. Relocations for the benefit of the Fuel

Facilities will be charged back to Company. Relocations for the benefit of Airport projects not associated with Fuel Facilities will not be charged back to Company.

ARTICLE 13  
DEFAULT AND TERMINATION RIGHTS

13.1 Events of Default

The following events are deemed conditions of default:

- A. The conduct of any business or performance of any acts by Company or its Agent at the Airport not specifically authorized herein or by other agreements between Authority and Company and said business or acts do not cease within thirty (30) days of receipt of Authority's written notice to cease said business or acts.
- B. The failure of Company to cure a default in the performance of any of the terms, covenants, and conditions required herein within thirty (30) days of receipt of written notice by Authority to do so. Provided, however, if a dispute arises between Authority and Company with respect to any obligation or alleged obligation of Company to make payments to Authority, payments made under protest to the Authority by Company shall not waive any rights of Company to contest the validity or amount of such payment. In the event any court or other body having jurisdiction determines all or any part of the protested payment shall not be due, Authority shall promptly reimburse Company any amount determined as not due plus interest on such amount at one percent (1%) per month.
- C. The failure by Company to provide and keep in force insurance coverage in accordance with Article 19.
- D. The abandonment by Company of the Demised Premises, or its conduct of business at the Airport, or its Agent's conduct of business at the Airport; and, in this connection, suspension of operations for a period of sixty (60) consecutive days will be considered abandonment in the absence of a labor dispute or other governmental action in which Company is directly involved.
- E. The modification or alteration of Company's interest under this Agreement by any unauthorized assignment or subletting or by operation of law.
- F. Failure of Company to take occupancy of the Demised Premises when same is tendered by Authority.

- G. Failure of Company to comply with applicable federal, State and local environmental laws, regulations, which may be revised from time to time, and/or violation of any part of the provisions of Article 22 or disposition by Company of any sanitary waste, pollutants, contaminants, hazardous waste, toxic waste, industrial cooling water, sewage or any other materials in violation of the provisions of Article 22.
- H. Failure of Company to execute the Interline Agreement or maintain a Basic Agreement or Operating Agreement with Authority at the Airport.
- I. Failure of Company to comply with Florida Statute 287.133- Concerning Criminal Activity on Contracts with Public Entities.
- J. The permanent abandonment of the Airport by the Authority as an air terminal.
- K. The inability to use the Airport for a period of longer than ninety (90) consecutive days due to war, earthquake or other casualty.
- L. The inability of Company to use the Airport for a period of longer than ninety (90) days because of the issuance of any order, rule or regulation by a competent governmental Authority or court jurisdiction over Company or Authority, preventing Company from operating its business; provided, however that such inability or such order, rule or regulation is not due to any fault of Company.
- M. A material breach by Authority if not remedied after thirty (30) days from receipt of Notice from Company to do so.

### 13.2 Authority's Remedies

In the event of Company's default, the Authority, at its election, may exercise any one or more of the following options or remedies, the exercise of any of which shall not be deemed to preclude the exercise of any others herein listed or otherwise provided by statute or general law:

- A. Terminate Company's right to possession under the Agreement and in accordance with law re-enter and retake possession of the Demised Premises and relet or attempt to relet the same on behalf of Company at such rent and under such terms and conditions as the Authority may deem commercially reasonable. The Authority shall not be deemed to have thereby accepted a surrender of the Demised Premises, and Company shall remain liable for all rent, or other sums due under this Agreement and for all damages suffered by the Authority because of Company's breach of any of the covenants of the Agreement; or

- B. In the event that Authority relets Demised Premises, rentals, fees, and charges received by Authority from such reletting shall be applied: (i) to the payment of any indebtedness other than rentals, fees, and charges due hereunder from Company to Authority; (ii) to the payment of any cost of such reletting; and (iii) to the payment of rentals, fees, and charges due and unpaid hereunder. The residue, if any, shall be held by Authority and applied in payment of future rentals, fees, and charges as the same may become due and payable hereunder. If that portion of such rentals, fees, and charges received from such reletting and applied to the payment of rentals, fees, and charges hereunder is less than the rentals, fees, and charges as would have been payable during applicable periods by Company hereunder, then Company shall pay such deficiency to Authority. Company shall also pay to Authority, as soon as ascertained, any reasonable costs and expenses incurred by Authority in such reletting not covered by the rentals, fees, and charges received from such reletting; or
- C. Declare this Agreement to be terminated, ended and null and void, and re-enter upon and take possession of the Demised Premises whereupon all right and interest of Company in the Demised Premises shall end; or
- D. Treat the Agreement as remaining in existence, curing Company's default by performing or paying the obligation which Company has breached, and all sums paid or expenses incurred by Authority directly or indirectly in curing Company's default shall become immediately due and payable and shall bear interest at the highest rate permitted by law from the date of disbursement by Authority until paid by Company. If the breach consists of a failure to pay rent as stipulated in this Agreement and Authority elects to treat the Agreement as remaining in existence, Authority can take such action as is necessary to recover the rent due as each installment matures; or
- E. Any and all other remedies available by law.

### 13.3 Continuing Responsibilities of Company

Notwithstanding the occurrence of any event of default, Company shall remain liable to Authority for all rentals, fees, and charges payable hereunder and for all preceding breaches of any covenant of this Agreement. No re-entry or retaking possession of the Demised Premises by the Authority shall be construed as an election on its part to terminate this Agreement, unless a written notice of such intention be given to Company, nor shall pursuit of any remedy herein provided constitute a forfeiture or waiver of any rental payments or other moneys due to the Authority hereunder, or of any damages accruing to the Authority by reason of the violations of any of the terms, provisions, and covenants herein contained. The Authority's acceptance of rental payment or other moneys following any event of default hereunder shall not be construed as the Authority's waiver of such event of default. No

forbearance by the Authority of action upon any violation or breach of any of the terms, provisions and covenants herein contained shall be deemed or construed to constitute a waiver of the terms, provisions and covenants herein contained. Forbearance by the Authority to enforce one or more of the remedies herein provided upon an event of default shall not be deemed or construed to constitute a waiver of any such remedy. It is agreed by the Parties that losses or damages that the Authority may suffer by reason of termination of this Agreement, or the deficiency from any reletting as provided for above, shall include the expense of repossession or reletting, any unpaid amounts for construction of improvements, and any repairs or remodeling undertaken by the Authority following repossession.

#### 13.4 Time of the Essence

Time is of the essence of this Agreement; therefore, if Company shall fail to perform the covenants or conditions at the time fixed for performance, Authority may declare Company to be in default of such Agreement.

#### 13.5 Company's Remedies

- A. Company may terminate this Agreement and all of its obligations hereunder, with the exception of its obligations set forth in Section 24.2, at any time that Company is not in default in the payment of any rents, fees or charges to Authority, by first giving to Authority thirty (30) days' written notice upon the happening of any of the events of default by Authority.
- B. In the event of a material breach by Authority in the performance of any of the covenants or agreements herein contained, and the failure of the Authority to remedy such breach for a period of thirty (30) days after receipt from Company of written notice to remedy same, the Authority shall have the burden of proof to demonstrate (i) that it is proceeding with diligence to cure said default, or (ii) that the default cannot be cured within thirty (30) days, and/or (iii), that such default will/will not be cured within a reasonable period of time. Company, at its option shall have the right to perform or expend any reasonable amount required to cure default and seek reimbursement or rental credits for actual expenses expended to cure such breach, upon Company first giving written notice to Authority of its intent to do so.

#### 13.6 Joint and Several Liabilities of Company and Fuel Committee Members

Company and other Fuel Committee members shall be jointly and severally obligated and liable to Authority for the performance of and with respect to each and every promise, term, condition, covenant and obligation of this Agreement, and Authority may, at its option, treat the applicable breach of any term, condition, covenant, promise or other provision of this Agreement by any Fuel Committee member as a breach by any or all Fuel Committee members. Authority agrees to use

reasonable efforts to make collection against jointly and severally liable parties currently under breach.

A. If any one or more of the following shall occur, then upon the occurrence of any such event or at any time thereafter during the continuance thereof, Authority may, at its option, immediately and without prior notice terminate the lettings, licenses and other rights of a Fuel Committee member hereunder:

- (1) A Fuel Committee member shall become insolvent (as such term is defined in Section 101 of the Bankruptcy Code); or take the benefit of any present or future insolvency statute; or make a general assignment for the benefit of creditors; or file a voluntary petition in bankruptcy or a petition or answer seeking an arrangement of its organization or the readjustment of its indebtedness under the Bankruptcy Code or under any other law or statute of the United States or of any state thereof; or consent to the appointment of a receiver, trustee or liquidator of all or substantially all of its property.
- (2) By order or decree of a court, a Fuel Committee member shall be adjudged a debtor or bankrupt or an order shall be made approving a petition filed by any of its creditors or by any of its stockholders, seeking its reorganization or the readjustment of its indebtedness under the Bankruptcy Code or under law or statute of the United States or any state thereof.
- (3) A petition under any part of the Bankruptcy code or an action under any present or future insolvency law or statute shall be filed against a Fuel Committee member and shall not be dismissed within thirty (30) consecutive days after the filing thereof .
- (4) By or pursuant to, or under authority of any legislative act, resolution or rule, or any order or decree of any court or governmental board, agency or officer, a receiver, trustee or liquidator shall take possession or control of all or substantially all of the property of a Fuel Committee member and such possession or control shall continue in effect for a period of fifteen (15) consecutive days.
- (5) A Fuel Committee member shall become a corporation in dissolution.
- (6) The letting, license, or other interest of or rights of a Fuel Committee member hereunder shall be transferred, to pass to, or devolved upon, by operation of law or otherwise, any other person, or firm, corporation or other entity, by, in connection with or as a result of any bankruptcy, insolvency, trusteeship, liquidation or other

proceedings or occurrence described in Section 13.6(A)(1) through 13.6(A)(5) above.

- (7) A Fuel Committee member shall voluntarily discontinue its operations at the Airport for a period of ninety (90) consecutive days or, after exhausting or abandoning any further appeals, a Fuel Committee member shall be prevented for a period of thirty (30) consecutive days by action of any governmental agency from conducting its operations on the Demised Premises regardless of the fault of Fuel Committee member.
- B. If a Fuel Committee member shall merge or consolidate with or into another corporation, such merger or consolidation shall not be grounds for termination of such Fuel Committee member's rights hereunder if the successor corporation acknowledges in writing to the Authority's Chief Executive Officer that it has assumed all the obligations of such Fuel Committee member under this Agreement. If the successor corporation fails upon written request, to acknowledge in writing that it has assumed all obligations of the Fuel Committee member hereunder, Authority may, at its option, terminate the letting, license, and other rights of such Fuel Committee member hereunder.
- C. If the tenancy and rights thereunder of Company or any Fuel Committee member are terminated by Authority pursuant to this Article 13, the remaining Fuel Committee members shall remain tenants in common on the Demised Premises, and their joint and several liability for the performance of all obligations to Authority pursuant to this Agreement shall not be limited or diminished by the termination of any rights of any other Fuel Committee member.

#### ARTICLE 14 CONSTRUCTION LIEN

The Authority's interest in the Demised Premises shall not be subjected to any construction, mechanics, materialman's, tax, laborer's or any other lien, whether the Authority has given its written approval for the improvements or otherwise, and Company shall save and hold harmless the Authority and its interest in the Demised Premises from any such lien or purported lien, including costs and attorney's fees. Within fifteen (15) days of filing of any lien, Company shall cause same to be satisfied or shall post bond for the lien.

#### ARTICLE 15 UTILITIES

Company shall make all provisions it deems necessary for connection to necessary utilities and shall pay the full cost and expense for installation and use of all said utilities. All such utilities shall be segregated by a

separately metered account in Company's name and the Authority shall not be responsible for payment of any utility service used by Company.

ARTICLE 16  
INGRESS AND EGRESS

16.1 Use of Public Way

The Company, its contractors, suppliers of material and furnishers of services, shall have the right of ingress to and egress from the Demised Premises via appropriate public way to be used in common with others having rights of passage within the Demised Premises, provided that the Authority may, at its expense, from time to time, substitute other means of ingress and egress so long as an alternate adequate means of ingress and egress is available.

16.2 Road Closures

The Authority may at any time temporarily or permanently close or consent to or request the closing of any such roadway, and any other area at the Demised Premises presently or hereafter used as such, so long as a means of ingress and egress reasonably equivalent to that provided in 16.1 above is concurrently made available to Company. Company hereby releases and discharges the Authority, its successors and assigns, of and from any and all claims, demands or causes of action which Company may now or at any time hereafter have against any of the foregoing arising or alleged to arise out of the closing of any street, roadway, or other areas used as such, whether within or outside the Demised Premises, provided that Authority make available to Company a means of ingress and egress reasonably equivalent to that provided in 16.1 above.

ARTICLE 17  
TAXES, PERMITS, LICENSES

In accordance with Company's obligations set forth in Article 7, Company shall pay all applicable sales, use, tangible, intangible and ad valorem taxes of any kind, against the Demised Premises, including the real property and any improvements thereto or leasehold estate created herein, or which result from Company's occupancy or use of the Demised Premises whether levied against Company or Authority. Company shall bear, at its own expense, all costs of operating its equipment and business including any and all taxes assessed against the operation of the business and any sales, use or similar taxes levied or assessed on any payments made by Company hereunder. Company shall bear all cost of obtaining any permits, licenses, or other authorizations required by authority of law in connection with the operation of its business at the Airport, and copies of all such permits, certificates and licenses shall be forwarded to the Authority.

ARTICLE 18  
INDEMNIFICATION

A. To the maximum extent permitted by Florida law, in addition to Company's obligation to provide, pay for and maintain insurance as set forth elsewhere in this Agreement, Company will indemnify and hold harmless the Authority its successors and assigns, and each of the Authority's Board of Directors members, officers, officials, employees, agents, contractors, subcontractors, and volunteers (hereinafter individually and collectively referred to as "Indemnified Party" or "Indemnified Parties") from any and all liabilities, suits, claims, procedures, liens, expenses, losses, costs, royalties, fines and damages (including but not limited to claims for reasonable attorney's fees and court costs) caused in whole or in part by Company's:

1. Presence on, use or occupancy of the Demised Premises;
2. Acts, omissions, negligence (including professional negligence and malpractice), errors, recklessness, intentional wrongful conduct, activities, or operations;
3. Breach of the terms of this Agreement;
4. Performance, non-performance or purported performance of this Agreement;
5. Violation of any applicable laws in connection with the operation of the Demised Premises; and/or
6. Infringement of any patent, copyright, trademark, trade dress or trade secret rights in connection with the operation of the Demised Premises

whether the liability, suit, claim, lien, expense, loss, cost, fine or damages is caused in part by an Indemnified Party. This indemnity obligation expressly applies, and shall be construed to include, any and all claims caused in part by negligence, acts or omissions of Authority or its members, officers, agents, employees, and volunteers.

B. In addition to the duty to indemnify and hold harmless, Company will have the separate and independent duty to defend Authority and each Indemnified Party from all suits, claims, proceedings, or actions of any nature seeking damages, equitable or injunctive relief expenses, losses, costs, royalties, fines or reasonable attorney's fees or any other relief in the event the suit, claim, or action of any nature arises in whole or in part from Company's:

1. Presence on, use or occupancy of the Demised Premises;

2. Acts, omissions, negligence (including professional negligence and malpractice), recklessness, intentional wrongful conduct, activities, or operations;
3. Breach of the terms of this Agreement;
4. Performance, non-performance or purported performance of this Agreement;
5. Violation of any applicable laws in connection with the operation of the Demised Premises; and/or
6. Infringement of any patent, copyright, trademark, trade dress or trade secret rights

whether it is caused in part by Authority or an Indemnified Party. This duty to defend exists immediately upon presentation of written notice of a suit, claim or action of any nature to Company by a party entitled to a defense hereunder. This indemnity obligation expressly applies, and shall be construed to include any, and all claims caused in part by negligence, acts or omissions of Authority or its members, officers, agents, employees, and volunteers.

- C. If the above indemnity or defense provisions or any part of the above indemnity or defense provisions are limited by Fla. Stat. § 725.06(2)-(3) or Fla. Stat. § 725.08, then with respect to the part so limited, Company agrees to the following: To the maximum extent permitted by Florida law, Company will indemnify and hold harmless Authority and the Indemnified Parties from any and all liabilities, damages, losses, and costs, including, but not limited to, reasonable attorneys' fee, to the extent caused by the negligence, recklessness, or intentional wrongful conduct of Company or any Company Party in the performance of this Agreement.
- D. If the above indemnity or defense provisions or any part of the above indemnity or defense provisions are limited by Florida Statute § 725.06 (1) or any other applicable laws, then with respect to the part so limited the monetary limitation on the extent of the indemnification shall be the greater of the (i) coverage amount of Commercial General Liability Insurance required under this Agreement or (ii) \$1,000,000.00. Otherwise, the obligations of this Article will not be limited by the amount of any insurance required to be obtained or maintained under this Agreement.
- E. In addition to the requirements stated above, to the extent required by FDOT Public Transportation Grant Agreement and to the fullest extent permitted by law, Company shall indemnify and hold harmless the State, FDOT, including the FDOT's officers and employees, from liabilities, damages, losses and costs, including, but not limited to, reasonable attorney's fees, the extent caused by the negligence, recklessness or

intentional wrongful misconduct of Company and any Company Party in the performance of this Agreement. This indemnification in this paragraph shall survive the termination of this Agreement. Nothing contained in this paragraph is intended nor shall it constitute a waiver of the State of Florida's and FDOT's sovereign immunity.

- F. The Company's obligations to defend and indemnify as described in this Article will survive the expiration or earlier termination of this Agreement until it is determined by final judgment that any suit, claim or other action against Authority or any Indemnified Party its fully and finally barred by the applicable statute of limitations or repose.
- G. Nothing in this Article will be construed as a waiver of any immunity from or limitation of liability Authority or any Indemnified Party may have under the doctrine of sovereign immunity under applicable laws.
- H. The Authority and each Indemnified Party reserves the right, at their option, to participate in the defense of any suit, without relieving Company of any of its obligations under this Article.
- I. If the above subarticles A – H or any part of subarticles A – H are deemed to conflict in any way with any applicable laws, the subarticle or part of the subarticle will be considered modified by such law to remedy the conflict.

ARTICLE 19  
INSURANCE

19.1 Insurance Terms and Conditions

Company must maintain (or caused to be maintained) the following limits and coverages uninterrupted or amended through the Term of this Agreement. In the event Company becomes in default of the following requirements Authority reserves the right to take whatever actions deemed necessary to protect its interests. Required liability policies other than Workers' Compensation/Employer's Liability and Professional Liability will provide that Authority, members of Authority's governing body, and Authority's officers, volunteers, agents, and employees are included as additional insureds.

The minimum limits of insurance (inclusive of any amounts provided by an umbrella or excess policy) covering the work performed pursuant to this Agreement will be the amounts specified herein. To the extent it is used to meet the minimum limit requirements, any

Umbrella or Excess coverage shall follow form to the Employer’s Liability, Commercial General Liability and Business Auto Liability coverages, including all endorsements and additional insured requirements. Any applicable Aggregate Limits in the Umbrella or Excess policy(ies) shall not be shared or diminished by claims unrelated to this Agreement.

19.2 Limits and Requirements

A. Workers’ Compensation/Employer’s Liability Insurance. The minimum limits of Workers’ Compensation/Employer’s Liability insurance are:

Part One:	“Statutory”
Part Two:	
Each Accident	\$1,000,000
Disease – Policy Limit	\$1,000,000
Disease – Each Employee	\$1,000,000

B. Commercial General Liability or Aviation/Airline Liability

The minimum limits of insurance covering the work performed pursuant to this Agreement will be the amounts specified herein. Coverage will be provided for liability resulting out of, or in connection with, ongoing operations performed by, or on behalf of, the Company under this Agreement or the use or occupancy of the Demised Premises by, or on behalf of, the Company in connection with this Agreement. Coverage will be provided on a form no more restrictive than ISO Form CG 00 01. Additional insurance coverage shall be provided on a form no more restrictive than ISO Form CG 20 10 10 01 and CG 20 37 10 01.

Agreement Specific

General Aggregate	\$250,000,000
Each Occurrence	\$250,000,000
Personal and Advertising Injury	
Each Occurrence	\$250,000,000
Products and Completed Operations	
Aggregate	\$250,000,000

C. Business Auto Liability

Coverage will be provided for all owned, hired and non-owned vehicles. Coverage shall be provided on a form no more restrictive than ISO Form CA 00 01. The minimum limits of insurance covering the work performed pursuant to this

Agreement are:

Each Occurrence – Bodily Injury and  
 Property Damage Combined \$10,000,000

Provided, however, that all vehicles operating upon the airport operations area (AOA) will be required to be insured for \$10,000,000.

D. Property Insurance for the Fuel Facilities

Authority will maintain such insurance at all times. Said policy will insure all improvements now or hereafter located on the Demised Premises in an amount equal to the Replacement Cost Value of such improvements. The Company agrees to reimburse the Authority for the amount of any deductible applicable to any loss covered by the Authority’s Property Insurance and sustained against the improvements located on the Demised Premises. However, such obligation to reimburse Authority for deductibles under Authority’s Property Insurance shall not exceed \$250,000.00 in any one loss or occurrence.

E. Environmental Insurance (Pollution)

Such insurance will be maintained by the Company or caused by the Company to be maintained by the Agent, on a form acceptable to Authority for liability resulting from pollution or other environmental impairment, which arises out of, or in connection with, work under this Agreement. The Company will provide and maintain environmental coverage from the inception of this Agreement. If on an occurrence basis, the insurance must be maintained throughout the duration of this Agreement. If on a claims-made basis, insurance must respond to claims reported within three (3) years of the end of this Agreement. If the Company is unable to produce a Policy acceptable to Authority, Authority may purchase and provide such coverage, with the premium to be paid by the Company on a monthly basis as part of the Company’s rents and fees, with no responsibility for Authority as to the financial responsibility of the insurance company used or the coverages provided. The limits of coverage will be:

Each Occurrence \$5,000,000  
 Policy Aggregate \$10,000,000

F. Personal Property Insurance - Contents

The Company is responsible for insuring its own personal property, including any

contents, improvements, or betterments. The Authority reserves the right to obtain copies of all insurance policies that may serve as a source of recovery for damages.

19.3 Waiver of Subrogation

Company, for itself and on behalf of its insurers, to the fullest extent permitted by law without voiding the insurance required by this Agreement, waives all rights against Authority, members of Authority's governing body and Authority's officers, volunteers, agents, and employees, for damages or loss to the extent covered and actually paid for by any insurance maintained by Company. Authority, for itself and on behalf of its respective insurers, to the fullest extent permitted by law without voiding the insurance required by this Agreement, waives all rights against Company and the Company's officers, volunteers, agents, and employees, for damages or loss to the extent covered and actually paid for by any insurance maintained by Authority.

19.4 Conditions of Acceptance

The insurance maintained by Company must conform at all times with Authority's Standard Procedure S250.06, Contractual Insurance Terms and Conditions, which may be amended from time to time, and is posted on Authority website at [www.TampaAirport.com](http://www.TampaAirport.com) > Learn about TPA > Airport Business > Procurement > Supplier.

ARTICLE 20

DAMAGE OR DESTRUCTION

20.1 Partial Damage

If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be partially damaged by fire or other casualty, without regard to fault, and said circumstances do not render Demised Premises untenable as reasonably determined by Authority, the same shall be repaired to usable condition with due diligence by Authority as hereinafter provided. No abatement of rentals shall accrue to Company so long as Demised Premises remain tenable. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.2 Substantial Damage

If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be so extensively damaged by fire or other casualty as to render any portion

of said Demised Premises untenable but capable of being repaired, as reasonably determined by Authority, the same shall be repaired to usable condition with due diligence by Authority as hereinafter provided. Without limiting the rights of the Authority pursuant to 20.4 herein, if such repairs have not been commenced by Authority within 90 days of such damage, Company shall have the option to terminate its agreement related to those facilities so damaged. In such case, the rentals payable hereunder with respect to the affected Demised Premises shall be paid up to the time of such damage and shall thereafter be abated equitably in proportion as the part of the area rendered untenable bears to total Demised Premises until such time as such affected Demised Premises shall be restored adequately for Company's use. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

### 20.3 Destruction

- A. If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be damaged by fire or other casualty, and is so extensively damaged as to render any portion of said Demised Premises not economically feasible to repair, as reasonably determined by Authority, Authority shall notify Company within a period of forty-five (45) days after the date of such damage of its decision whether to reconstruct or replace said space; provided, however, Authority shall be under no obligation to replace or reconstruct such premises. The rentals payable hereunder with respect to affected Demised Premises shall be paid up to the time of such damage and thereafter shall abate until such time as replacement or reconstructed space becomes available for use by Company.
- B. In the event Authority elects to reconstruct or replace affected Demised Premises, Authority shall use its best efforts to provide Company with alternate facilities reasonably acceptable to Company to continue its operation while reconstruction or replacement is being completed at a rental rate not to exceed that provided for in this Agreement for comparable space.
- C. In the event Authority elects to not reconstruct or replace affected Demised Premises, the agreement for the affected premises shall be terminated and Authority shall meet and consult with Company on ways and means to provide Company with adequate replacement space for affected Demised Premises. In such event, Authority agrees to amend this Agreement to reflect related additions and deletions to Demised Premises.
- D. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.4 Damage Caused by Company

In the event that due to the negligence or willful act or omission of Company, its employees, its agents, or licensees, the Demised Premises shall be damaged or destroyed by fire, other casualty or otherwise, there shall be no abatement of rents during the repair or replacement of said Demised Premises. Notwithstanding anything to the contrary, the Company shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.5 Authority's Responsibilities

Authority's obligations to repair, reconstruct, or replace affected premises under the provisions of this Article shall in any event be limited to restoring affected Demised Premises to substantially the same condition that existed at the date of damage or destruction, provided that Authority shall in no way be responsible for the restoration or replacement of any equipment, furnishings, property, real improvements, signs, or other items owned by Company.

ARTICLE 21

COMPLIANCE WITH AIRPORT SECURITY RULES

Company, its officers, employees, agents, and those under its control, shall comply with security measures required of Company or Authority by the FAA or contained in any Airport master security plan approved by the FAA to include an Airport Tenant Security Program as outlined in FAR Part 107 respective to Company's Exclusive Use Premises. If Company, its officers, employees, agent, or those under its control shall fail or refuse to comply with said measures and such non-compliance results in a monetary penalty being assessed against Authority, then, in addition to the provisions of Article 13, Company shall be responsible and shall reimburse Authority in the full amount of any such monetary penalty and other damages.

ARTICLE 22

ENVIRONMENTAL PROVISIONS

22.1 Environmental Representations

Notwithstanding any other provisions of this Agreement, and in addition to any and all other Agreement requirements, and any other covenants and warranties of Company, Company hereby expressly warrants, guarantees, and represents to the Authority, upon which the Authority expressly relies that Company is knowledgeable of any and all federal, State, regional and local governmental laws, ordinances, regulations, orders and rules, without limitation which govern or which in any way apply to the direct or indirect results and impacts to the environmental and natural resources due to, or in any way resulting from, the conduct by Company of its operations pursuant to or upon the

Demised Premises. Company agrees to keep informed of future changes in environmental laws, regulations and ordinances;

Company agrees to comply with all applicable federal, state, regional and local laws, regulations and ordinances protecting the environmental and natural resources and all rules and regulations promulgated or adopted as some may from time to time be amended and accepts full responsibility and liability for such compliance;

Company shall, prior to commencement of any such operations pursuant to this Agreement, secure any and all permits, and properly make all necessary notifications as may be required by any and all governmental agencies having jurisdiction over parties or the subject matter hereof;

Company shall maintain and provide upon request by Authority satisfactory documentary evidence of all such requisite legal permits and notifications as hereinabove required.

Company agrees to cooperate with any investigation, audit or inquiry by the Authority or any governmental agency regarding possible violation of any environmental law or regulation. The Authority is to be notified immediately of any investigation, audit or inquiry by any governmental agency regarding possible violation of any environmental law or regulation.

## 22.2 Generator of Hazardous Waste

If Company is deemed to be a generator of hazardous waste, as defined by federal, state or local law, Company shall obtain a generator identification number from the U.S. Environmental Protection Agency ("EPA") and the appropriate generator permit and shall comply with all federal, state and local laws, and any rules and regulations promulgated thereunder, including but not limited to, insuring that the transportation, storage, handling and disposal of such hazardous wastes are conducted in full compliance with applicable law.

## 22.3 Hazardous Materials Inventory List

Provisions shall be made by Company to have an accurate hazardous materials inventory list (including quantities) of all such hazardous materials, including, but not limited to, any oil, petroleum product and any hazardous or toxic waste or substance, or any substance which because of its quantitative concentration, chemical, radioactive, flammable, explosive, infectious or other characteristics, constitutes a danger or hazard to the environment or to the public health, safety or welfare whether stored, disposed of or recycled on the Demised Premises. The Authority shall have the right to inspect the Demised Premises at any time to verify compliance with environmental laws and Company agrees to provide said inventory list for inspection upon request by the Authority

officials, Fire Department Officials or other regulatory personnel having jurisdiction over the implementation of proper storage, handling and disposal procedures on the Demised Premises.

22.4 Handling of Hazardous Material

Company shall ensure that its employees, agent, contractors, and all persons working for, or on behalf of Company, have been fully and properly trained in the handling and storage of all applicable hazardous and toxic waste materials and other pollutants and contaminants including materials on Company's hazardous material inventory list; and such training complies with any and all applicable federal, state and local laws, ordinances, regulations, rulings, orders and standards which are now or are hereinafter promulgated.

22.5 Emergency Response Coordinator

Company agrees to provide to Authority and to such State and county officials as required by federal, State, regional or local regulations, the name and phone number of Company's twenty-four (24) hour emergency response coordinator in case of any spill, leak or other emergency situation involving hazardous, toxic, flammable and/or other pollutant/contaminated materials.

22.6 Notification and Copies

Company agrees to provide the Authority with copies of all permit application materials, permits, monitoring reports, environmental audits, contamination assessments, environmental response plan and regulated materials storage and disposal plans, final manifest and material safety data sheets documentation within ten (10) days of their submittal to all regulatory agencies having jurisdiction over such matters.

22.7 Violation

A. If Authority receives a notice from any person or entity asserting a violation by Company of Company's covenants and agreements contained herein, or if Authority otherwise has reasonable grounds upon which to believe that such a violation has occurred, Authority shall have the right, but not the obligation, to contract, at Company's sole cost and expense, for the services of persons ("Site Reviewers") to enter the Demised Premises and perform environmental site assessments for the purpose of determining whether there exists any environmental condition that could result in any liability, cost or expense to Authority. The Site Reviewers shall perform such tests on the Demised Premises as may be necessary, in the opinion of the Site Reviewers to conduct a prudent environmental site assessment. Company shall supply such information as is requested by the Site Reviewers.

- B. If Company receives a Notice of Violation or similar enforcement action or notice of noncompliance, Company shall provide a copy of same to the Authority within two (2) business days of receipt by the Company or Company. Company will provide to Authority within ten (10) days following the date of said Notice of Violation, Company's written response/plan to comply with the recommended action cited in the Notice of Violation. Any remediation method proposed by Company shall be in compliance with all applicable federal, state and local environmental regulations. In addition, the Demised Premises should be remediated to a cleanup level compatible with any of the Airport's development programs and Master Plan as well as the construction activities and methods associated with the implementation of these programs and the Master Plan.

Failure by Company to commence with the recommended course of action within a reasonable course of time shall be deemed to be a condition of default under this Agreement and, if not cured within ten (10) days of receipt of notice from the Authority, shall be grounds for termination of this Agreement, and shall also provide the Authority grounds for taking whatever other action it may have in addition to termination based upon default as provided for under this Agreement.

#### ARTICLE 23

#### FEDERAL STATE AND LOCAL STORM WATER REGULATIONS

Notwithstanding any other provisions or terms of this Agreement, Company acknowledges that the demised Premises are subject to stormwater rules and regulations. Company agrees to observe and abide by such stormwater rules and regulations as may be applicable to Authority's property and uses thereof.

Company acknowledges that any stormwater discharge permit issued to the Authority may name Company as a co-permittee. Authority and Company both acknowledge that close cooperation is necessary to insure compliance with any stormwater discharge permit terms and conditions, Company agrees to comply with applicable stormwater discharge permit requirements including but not limited to the SWPPP, as it may be amended from time to time. Company shall implement best management practices to minimize the exposure of stormwater to "significant materials" generated, stored, handled or otherwise used by Company, and to reduce or eliminate pollution, including the prevention of hazardous materials from entering stormwater runoff conveyances.

ARTICLE 24  
ENVIRONMENTAL INSPECTION

24.1 Environmental Conditions at Commencement of Agreement

Company acknowledges that it has been given the opportunity to review the findings of several environmental Assessment Reports of the Demised Premises as listed in Exhibit "D", which is incorporated herein by reference, wherein a determination has been made of the presence of contamination as defined by applicable federal or state laws and regulations, including, but not limited to, petroleum substances, and asbestos existing on the Premises, whether any said substances have been generated, released, stored or deposited over, or presently exist beneath or on the Demised Premises from any source.

Company shall be responsible for any contamination and remediation of existing contamination preliminarily defined by the Environmental Assessment reports of the Demised Premises, as listed in Exhibit D. Existing contamination is defined as current and past contamination that has occurred during the life of the previous lease whether or not such contamination has been fully identified in the attached Exhibit D. Company will not be held liable for contamination that predates the use or operations on the Demised Premises as fuel farm or pipeline and hydrant system under the terms and conditions of the Lease and Pipeline License Agreements entered into with Delta, Air Canada, Eastern, Northwest, and National in the early 1970's.

Within one hundred and eighty (180) days of the effective date of the Agreement, Company shall have the right, but not the obligation to perform additional site assessment activities of the Demised Premises to further define contamination areas. Authority has the right to review the site assessment Work Plan and Environmental Baseline Report. Authority shall complete its review of the Work Plan or Environmental Assessment Report within thirty (30) days of submittal to Authority by Company. Authority approved Environmental Baseline Report will be incorporated into Exhibit D of the Agreement.

Company understands and agrees to comply fully with all applicable environmental regulations (including those associated with risk-based cleanup) requiring the cleanup of contamination including but not limited to, payment of any costs associated with the assessment and clean-up of contamination and the costs associated with the construction of any improvements to the Fuel Facilities needed to comply with all applicable environmental regulations and any upgrades and improvements as may be needed in order to comply with future regulations which may be imposed according to the provisions set forth in Article 24 hereof.

## 24.2 Environmental Inspection at End of Agreement Term or Early Termination

At least thirty (30) days, but no more than ninety (90) days, before the expiration of the term, or early termination under the provisions of Section 13.5A, Company shall, at its sole cost, provide to the Authority an environmental inspection report which would include the results of a Phase II environmental audit, if required, including such testing as Authority's Engineer deems necessary to adequately evaluate the Demised Premises.

In the event the Demised Premises is damaged in any manner by Company or Company's in the accomplishment of such tests, Company agrees to take immediate action to restore the Demised Premises to its prior existing condition.

In the event that the environmental inspection report indicates the presence of hazardous substances or hazardous waste, Company shall immediately take such action as is necessary to clean up and remediate same, at its own expense in accordance with applicable federal, state, and local law. The remediation must continue until the applicable governmental authorities have determined that no further action is necessary to bring the Demised Premises into compliance with governmental guidelines. Support documentation from the permitting or regulatory agency must be provided to the Authority. Notwithstanding the provisions herein contained, if Company fails to remediate, pursuant to the requirements of applicable federal, state and local environmental laws, ordinances, rules and regulations, any environmental condition that could result in any liability, cost or expense to Authority, Authority shall have the right, but not the obligation, to enter onto the Demised Premises and take such actions as Authority deems necessary to perform such remediation; and all costs and expenses paid or incurred by Authority in the exercise of such right including without limitation, attorneys' and legal assistants' fees and costs incurred prior to trial, at trial, on any appeal and in any bankruptcy proceeding, shall be deemed additional rental and shall be paid by Company to Authority, on demand, and Authority shall have all rights and remedies with respect to such additional rental as are provided herein for nonpayment of the rents and fees hereunder.

The firm(s) conducting the site inspection or the site cleanup work must be qualified and approved by the Authority in accordance with the Authority's Tenant Work Permit Program, and the methodology used by such firm shall be consistent with the then current engineering practices and methods required by the State of Florida or the United States government and be acceptable to the Authority.

At Authority's request, Company shall be required to remove from the Demised Premises at the conclusion of the Term herein, any above or underground storage tanks, or any underground installation of any nature installed or maintained by Company. Company understands and agrees

that it is strictly liable for any environmental violation or harm, or any contamination to the soil or the water table under the Demised Premises occurring during the term. Said liability shall extend beyond the Term of the Agreement until the Demises Premises are retested and determined to be in a condition equal to or better than that defined in Exhibit D documents.

24.3 Conflict Resolution

If Authority and Company disagree with the findings of any environmental inspection or required remediation, Authority and Company agree to attempt to resolve the disagreement through informal good faith negotiations.

Notwithstanding such informal good faith negotiations, the Authority may, at its own cost, conduct an environmental audit by a qualified engineer, and if the results are not compatible with the results of Company's audit, Company's engineer and Authority's environmental engineer shall confer and make efforts to reconcile their differences. In the event the environmental engineers cannot reconcile their differences, the Authority, as property owner, shall determine which audit shall govern.

ARTICLE 25

STORAGE TANKS

Company shall not be permitted to install or close underground storage tanks of any kind without the advance written approval of the Authority. At Authority's request, at the conclusion of the Term, Company shall be required to remove from the Demised Premises any underground installation of any nature installed by Company. Company understands and agrees that it is strictly liable for any environmental violation or harm, or any contamination to the soil or the water table under the Demised Premises occurring during the Term.

ARTICLE 26

AMERICANS WITH DISABILITIES ACT

Company will comply with the applicable requirements of the Americans with Disabilities Act; the Florida Americans with Disabilities Accessibility Implementation Act; Florida Building Code, Florida Accessibility Code for Building Construction; and any similar or successor laws, ordinances, rules, standards, codes, guidelines, and regulations and will cooperate with Authority concerning the same subject matter.

ARTICLE 27

AFFIRMATIVE ACTION

The Company assures that it will undertake an affirmative action program as required by 14 CFR Part 152, Subpart E, to ensure that no person shall on the ground of race, creed, color, national origin, or sex be excluded from participating in any employment activities covered in 14 CFR Part 152, Subpart E. The

Company assures that no person shall be excluded on these grounds from participating in or receiving the services or benefits of any program or activity covered by this subpart. The Company assures that it will require that its covered suborganizations provide assurances to the Company that they similarly will undertake affirmative action programs and that they will require assurances from their suborganizations, as required by 14 CFR Part 152, Subpart E, to the same effect.

ARTICLE 28  
NON-DISCRIMINATION

These provisions apply to all work performed under this Agreement. Failure to comply with the terms of these provisions may be sufficient grounds to:

- A. Terminate this Agreement;
- B. Seek suspension/debarment of Company; or
- C. Take any other action determined to be appropriate by Authority or the FAA.

28.1 Civil Rights – General – 49 USC § 47123

- A. Compliance:

Company agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability, be excluded from participating in any activity conducted with or benefitting from Federal assistance. If Company transfers its obligation to another, the transferee is obligated in the same manner as Company.

- B. Duration:

This provision obligates the Company for the period during which the property is owned, used or possessed by the Company and the Airport remains obligated to the FAA. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964.

28.2 Civil Rights – Title VI Assurances

- A. Compliance with Non-Discrimination Requirements:

During the performance of this Agreement, Company, for itself, its assignees, successors in interest, subcontractors and consultants agrees as follows:

1. Compliance with Regulations: Company will comply with the Title VI List of Pertinent Non-Discrimination Statutes and Authorities, as they may be amended from time to time, which are herein incorporated by reference and made a part of this Agreement.
2. Non-Discrimination: Company, with regard to the work performed by it during this Agreement, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. Company will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including but not limited to those listed at Section 28.2(B) below, including employment practices when this Agreement covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by Company for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier will be notified by Company of Company's obligations under this Agreement and the Acts and the Regulations relative to non-discrimination on the grounds of race, color, or national origin.
4. Information and Reports: Company will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by Authority or the FAA to be pertinent to ascertain compliance with such Acts, Regulations, and directives. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, Company will so certify to Authority or the FAA, as appropriate, and will set forth what efforts it has made to obtain the information.
5. Sanctions for Non-compliance: In the event of Company's non-compliance with the non-discrimination provisions of this Agreement, Authority will impose such Agreement sanctions as it or the FAA may determine to be appropriate, including, but not limited to, cancelling, terminating, or suspending this Agreement, in whole or in part.
6. Incorporation of Provisions: Company will include the provisions of paragraphs one through five of this Article in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives

issued pursuant thereto. Company will take action with respect to any subcontract or procurement as Authority or the FAA may direct as a means of enforcing such provisions including sanctions for non-compliance. Provided, that if Company becomes involved in, or is threatened with litigation by a subcontractor or supplier because of such direction, Company may request Authority to enter into any litigation to protect the interests of Authority. In addition, Company may request the United States to enter into the litigation to protect the interests of the United States.

B. Title VI List of Pertinent Non-Discrimination Authorities:

During the performance of this Agreement, Company, for itself, its assignees, and successors in interest agrees to comply with the following non-discrimination statutes and authorities:

1. Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252) (prohibits discrimination on the basis of race, color, national origin);
2. 49 CFR Part 21 (Non-discrimination In Federally-Assisted Programs of The Department of Transportation—Effectuation of Title VI of The Civil Rights Act of 1964);
3. The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. § 4601) (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
4. Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
5. The Age Discrimination Act of 1975, as amended (42 U.S.C. § 6101 et seq.) (prohibits discrimination on the basis of age);
6. Airport and Airway Improvement Act of 1982 (49 USC § 471, Section 47123), as amended (prohibits discrimination based on race, creed, color, national origin, or sex);
7. The Civil Rights Restoration Act of 1987 (PL 100-209) (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms “programs or activities” to include all of the

programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);

8. Titles II and III of the Americans with Disabilities Act of 1990, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations at 49 CFR Parts 37 and 38;
9. The FAA's Non-Discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
10. Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations (ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations);
11. Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, Company must take reasonable steps to ensure that LEP persons have meaningful access to Company's programs (70 Fed. Reg. at 74087 to 74100); and
12. Title IX of the Education Amendments of 1972, as amended, which prohibits Company from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

The Company agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability be excluded from participating in any activity conducted with or benefiting from Federal assistance. If the Company transfers its obligation to another, the transferee is obligated in the same manner as the Company.

This provision obligates the Company for the period during which the property is owned, used or possessed by the Company and the Airport remains obligated to the FAA. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964.

ARTICLE 29

DISADVANTAGED BUSINESS ENTERPRISE

Company shall comply with the Authority's approved Disadvantaged Business Enterprise (DBE) program submitted in compliance with all other requirements imposed by or pursuant to Title 49, Code of Federal Regulations, Department of Transportation, Office of the Secretary, Part 26, Participation by DBE programs of the Department of Transportation-Effectuation of Title VI of the Civil Rights Act of 1964 and as said regulations may be amended. Further provided, that no person shall be excluded from participation in, denied the benefits of or otherwise discriminated against in connection with the award and performance of any contract, including Agreements, covered by 49 CFR Part 26 on the grounds of race, color, national origin or sex.

ARTICLE 30

RIGHTS RESERVED TO THE AUTHORITY

Rights not specifically granted to the Company by this Agreement are expressly and independently reserved to the Authority, including but not limited to the right to develop or improve the Airport as it sees fit regardless of the desires or views of Company and without interference or hindrance on the part of Company. The Authority expressly reserve(s) the right to prevent any use of the Demised Premises which would interfere with or adversely affect the operation or maintenance of the Airport, or otherwise constitute an Airport hazard.

ARTICLE 31

RIGHT OF ENTRY

The Authority, through its Airport Chief Executive Officer, shall have the right to request from Company and to be provided entry to the Demised Premises assigned herein to Company for the purposes and to the extent necessary to protect the Authority's rights and interest, to provide for periodic inspection of said Demised Premises from the standpoint of safety and health, provided such inspection does not unreasonably interfere with Company's business operations, and to check Company's compliance with the terms of this Agreement.

ARTICLE 32

RIGHT OF FLIGHT

It shall be a condition of this Agreement that the Authority reserves unto itself, its successors and assigns, for the use and benefit of the public, a right of flight for the passage of aircraft in the airspace above the surface of the real property owned by the Authority, together with the right to cause in said airspace, such noise as may be inherent in the operation of aircraft, now known or hereafter used, for navigation of or flight in the said airspace, and for use of said airspace for landing on, taking off from or operating on the Airport.

Company further expressly agrees for itself, its successors and assigns to restrict the height of structures, objects of natural growth and other obstruction on Demised Premises to such a height so as to comply with Federal Aviation Regulation, Part 77.

ARTICLE 33  
PROPERTY RIGHTS RESERVED

This Agreement shall be subject and subordinate to all the terms and conditions of any instruments and documents under which the Authority acquired the land or improvements thereon, of which said Demised Premises are a part, and shall be given only such effect as will not conflict with nor be inconsistent with such terms and conditions. Company understands and agrees that this Agreement shall be subordinate to the provisions of any existing or future agreement between Authority and the United States of America, or any of its agencies, relative to the operation or maintenance of the Airport, the execution of which has been or may be required as a condition precedent to the expenditure of federal funds for the development of the Airport, and to any terms or conditions imposed upon the Airport by any other governmental entity.

ARTICLE 34  
SIGNS

34.1 Written Approval

Except with prior written approval of the Authority, which may be withheld at the Authority's sole discretion, Company shall not erect, maintain or display any signs or any advertising at or on the exterior parts of the Demised Premises or in any way so as to be visible from outside the Demised Premises.

34.2 Removal

Upon the expiration or termination of the Agreement, the Company shall remove, obliterate or paint out, as the Authority may direct, at its sole discretion, any and all signs and advertising on the Demised Premises and, in connection therewith, shall restore the portion of the Demised Premises affected by such signs or advertising to the same conditions as existed prior to the placement of such signs or advertising.

ARTICLE 35  
QUIET ENJOYMENT

Authority agrees that on performance of the covenants and agreements on the part of Company to be performed hereunder, Company shall peaceably have and enjoy the Demised Premises, appurtenances, facilities, rights, licenses and privileges granted herein.

ARTICLE 36

NO MORTGAGE RIGHTS OF COMPANY

The Company shall not have the right to mortgage its leasehold interest for the purpose of securing a loan from any lender.

ARTICLE 37

RENT AND PAYMENTS A SEPARATE COVENANT

Company shall not for any reason withhold or reduce Company's required payments of rent and other charges provided in this Agreement, it being expressly understood and agreed by the parties that the payment of rent and other fees and payments due hereunder is a covenant by Company that is independent of the other covenants of the parties hereunder.

ARTICLE 38

ASSIGNMENT

Company shall not assign this Agreement, either in whole or in part, without prior written consent of the Authority which consent shall not be unreasonably withheld. No request for, or consent to, such assignment shall be considered unless Company shall have paid all rentals, fees, and charges which have accrued in favor of the Authority and Company shall have otherwise met all other legal obligations to be performed, kept, and observed by it under the terms and conditions of this Agreement or as this Agreement may be subsequently amended or modified. The Authority reserves the right to investigate the financial capacity of the proposed assignee prior to making its decision.

ARTICLE 39

CORPORATE CERTIFICATION

The undersigned hereby warrants and certifies to the Authority that Company is a corporation in good standing and is authorized to do business in the State of Florida and that he or she is authorized and empowered to bind the corporation to the terms of this Agreement.

ARTICLE 40

EMINENT DOMAIN

In the event that the United States of America or the State of Florida shall, by exercise of the right of eminent domain or any other power, acquire title in whole or in part of the Airport, including any portion assigned to Company, Company shall have no right of recovery whatsoever against the Authority but shall make its claim for compensation solely against the United States of America or the State of Florida, as the case may be.

ARTICLE 41  
APPLICABLE LAW AND VENUE

This Agreement shall be construed in accordance with the laws of the State of Florida. Venue for any action brought pursuant to this Agreement shall be in Hillsborough County, Florida.

ARTICLE 42  
*Reserved*

ARTICLE 43  
INVALIDITY OF CLAUSES

The invalidity of any portion, article, paragraph, provision or clause of this Agreement shall have no effect upon the validity of any other part of portion thereof.

ARTICLE 44  
NOTICES AND COMMUNICATIONS

All notices or communications whether to Authority or to the Companies pursuant hereto will be deemed validly given, served, or delivered, upon receipt by the Party by hand delivery, or three (3) days after depositing such notice or communication in a postal receptacle, or two (2) business days after depositing such notice or communication with a reputable overnight courier service, and addressed as follows:

TO Authority:

Hillsborough County Aviation Authority  
Tampa International Airport  
P. O. Box 22287  
Tampa, Florida 33622  
Attn: Chief Executive Officer

TO Company:

Frontier Airlines, Inc.  
Attn: General Counsel  
4545 Airport Way  
Denver, CO 80239

Or

With a Copy to

(MAIL OR HAND DELIVERY)

(MAIL OR HAND DELIVERY)

Hillsborough County Aviation Authority  
Tampa International Airport  
5411 SkyCenter Dr.  
Suite 500  
Tampa, Florida 33607  
Attn: Chief Executive Officer

Same as above

or to such other address as a Party may designate in writing by notice to the other Party delivered in accordance with the provisions of this Article.

If the Notice is sent through a mail system, a verifiable tracking documentation such as a certified return receipt or overnight mail tracking receipt is encouraged.

ARTICLE 45

FEDERAL RIGHT TO RECLAIM

In the event a United States governmental agency shall demand and take over the entire facilities of the Airport or the portion thereof wherein the Demised Premises are located, for public purposes, then this Agreement shall hereupon terminate and the Authority shall be released and fully discharged from any and all liability hereunder. In the event of such termination, Company's obligation to pay rent shall cease, however, nothing herein shall be construed as relieving Company from any of its liabilities relating to events or claims of any kind whatsoever prior to this termination.

ARTICLE 46

NON-EXCLUSIVE RIGHTS

This Agreement will not be construed to grant or authorize the granting of an exclusive right within the meaning of 49 USC §40103(e) or 49 USC §47107(a), as may be amended from time to time, and related regulations.

ARTICLE 47

RADON GAS NOTIFICATION

In accordance with requirements of the State of Florida, the following notification statement shall be included in all agreements relating to rental of real property. This is provided for information purposes only.

"RADON GAS: Radon is naturally occurring radio-active gas that, when it has accumulated in a building in sufficient quantities, may present health risks to persons who are exposed to it over time. Levels of radon that exceed federal and state guidelines have been found in buildings in Florida. Additional information regarding radon and radon testing may be obtained from your county public health unit."

#### ARTICLE 48

#### AGENT FOR SERVICE OF PROCESS

Upon execution of this Agreement, Company shall submit to Authority a list of all representatives of Company who have signature authority to legally bind Company to the terms and conditions of this Agreement. Thereafter, Company shall submit any changes to said list to Authority in timely manner. It is expressly agreed and understood that if Company is not a resident of the State of Florida, or is an association or partnership without a member or partner resident of said state, or is a foreign corporation, then in any such event Company does designate the Secretary of State, State of Florida, its agent for the purpose of service of process in any court action between it and Authority arising out of or based upon this Agreement and the service shall be made as provided by the laws of the State of Florida, for service upon a non-resident. It is further expressly agreed, covenanted, and stipulated that if for any reason service of such process is not possible, and as an alternative method of service of process, Company may be personally served with such process out of this state, by the registered mailing of such complaint and process to Company at the address set out hereafter in this Agreement and that such service shall constitute valid service upon Company as of the date of mailing and Company shall have thirty (30) days from date of mailing to respond thereto. It is further expressly understood that Company hereby agrees to the process so served, submits to the jurisdiction and waives any and all obligation and protest thereto, any laws to the contrary notwithstanding.

#### ARTICLE 49

#### MISCELLANEOUS

This Agreement represents the complete Agreement between the parties and any prior Agreements or representations, whether written or verbal, are hereby superseded. This Agreement may subsequently be amended only by written instrument upon the approval of the Authority and the Fuel Committee Members that collectively constitute or represent more than: (a) fifty percent (50%) in the number of Fuel Committee Members and (b) fifty percent (50%) of the total gallonage for the twelve months prior to the month in which the amendment is presented to the Fuel Committee for approval.

ARTICLE 50  
AUTHORITY APPROVALS

Except as otherwise indicated elsewhere in this Agreement, wherever in this Agreement approvals are required to be given or received by Authority, it is understood that the Authority's Chief Executive Officer or designee is hereby empowered to act on behalf of Authority.

(THE REMAINDER OF THE PAGE IS INTENTIONALLY LEFT BLANK.)

IN WITNESS WHEREOF, the Parties hereto have set their hands and corporate seals on this \_\_\_\_\_ day of \_\_\_\_\_, 202\_.

ATTEST:

HILLSBOROUGH COUNTY AVIATION AUTHORITY

\_\_\_\_\_  
Jane Castor, Secretary  
Address: P. O. Box 22287  
Tampa, FL 33622

By: \_\_\_\_\_  
Arthur F. Diehl III, Chairman  
Address: P. O. Box 22287  
Tampa, FL 33622

Signed, sealed, and delivered  
in the presence of:

\_\_\_\_\_  
Witness Signature

\_\_\_\_\_  
Print Name

LEGAL FORM APPROVED:

DocuSigned by:  
By: D. Scott Knight  
David Scott Knight  
Assistant General Counsel

\_\_\_\_\_  
Witness Signature

\_\_\_\_\_  
Print Name

HILLSBOROUGH COUNTY AVIATION AUTHORITY

STATE OF FLORIDA

COUNTY OF HILLSBOROUGH

The foregoing instrument was acknowledged before me by means of  physical presence or  online notarization, this \_\_\_\_ day of \_\_\_\_\_, 202\_, by Arthur F. Diehl III in the capacity of Chairman, and by Jane Castor in the capacity of Secretary, of the Board of Directors, Hillsborough County Aviation Authority, an independent special district under the laws of the State of Florida, on its behalf. They are personally known to me and they did not take an oath.

\_\_\_\_\_  
Signature of Notary Public – State of Florida

\_\_\_\_\_  
(Print, Type, or Stamp Commissioned Name of Notary Public)

FRONTIER AIRLINES, INC.

Signed in the presence of:

[Signature]  
Witness Signature

Shannon Mues  
Print Name

[Signature]  
Witness Signature

Michelle R. Brier  
Print Name

By: [Signature]

Title: SVP, legal & Corp Affairs

Howard Diamond  
Print Name

4545 Airport way  
Print Address

Denver Co 80239

FRONTIER AIRLINES, INC.

STATE OF Colorado

COUNTY OF Denver

The foregoing instrument was acknowledged before me by means of  physical presence or  online

notarization, this 25 day of February, 2025, by Howard Diamond as  
(name of person)

SVP, legal & Corp Affairs for Frontier Airlines, Inc.  
(type of authority) (name of party on behalf of whom instrument was executed)

**KAYLYNN MARTIN**  
NOTARY PUBLIC  
STATE OF COLORADO  
NOTARY ID# 20254001151  
MY COMMISSION EXPIRES 01/10/2029

[Signature]  
(Signature of Notary Public – State of Colorado)

Kaylynn Martin  
(Print, Type, or Stamp Commissioned Name of Notary Public)

Personally known to me OR Produced Identification

Personally known to me  
(Type of Identification Produced)

**RESOLUTIONS OF THE BOARD OF DIRECTORS  
OF FRONTIER GROUP HOLDINGS, INC.**

**February 5, 2022 Board Meeting**

**DIRECTOR INDEPENDENCE DETERMINATIONS**

**WHEREAS**, the Board of Directors (the “Board”) of Frontier Group Holdings, Inc. (the “Company”) has reviewed the Company’s Corporate Governance Guidelines (the “Governance Guidelines”) regarding Board membership criteria, director independence, nomination of directors for election or re-election at the Company’s annual meeting, and composition of the committees of the Board.

**WHEREAS**, the Company is a “Controlled Company” under the rules and regulations of the Nasdaq Stock Market (the “Nasdaq Rules”), and such status avails the Company of certain exceptions to the Nasdaq Rules including, among other exceptions, that the Company is not required to ensure that (i) a majority of the members of the Board be independent or (ii) all of the members of the Company’s Compensation Committee and Nominating and Corporate Governance Committee be independent.

**WHEREAS**, the Board has received the conclusions and recommendations of the Nominating and Corporate Governance Committee (the “Nominating Committee”) relating to Board member independence qualifications and experience.

**WHEREAS**, the Board has been presented with a summary and analysis of the directors’ independence and committee qualifications, attached hereto as Exhibit A (the “Independence Summary”).

**WHEREAS**, the Board has further reviewed and discussed the background and qualifications of each of the nominees for re-election to the Board and the background and qualifications of the other incumbent members of the Board, including a discussion regarding each director’s independence and qualification for service under the Nasdaq Rules and the rules and regulations of (i) Section 16 of the Securities Exchange Act of 1934, as amended (the “Act”), and (ii) the Securities and Exchange Commission (the “SEC” and such rules, the “SEC Rules”), including the requirements that at least one “audit committee financial expert,” as defined in Item 401(h) of Regulation S-K of the SEC Rules (“Financial Expert”), serve on the Company’s Audit Committee (the “Audit Committee”) and that following the end of the transition period available to the Company as a newly public issuer, which period shall end on March 31, 2022 (the “Audit Committee Transition Period”), all Audit Committee members satisfy specific independence requirements provided for in Rule 10A-3 of the Act (“Rule 10A-3”).

**NOW, THEREFORE, BE IT RESOLVED**, that after consultation with the Nominating Committee and the Board’s own review, in the exercise of its business judgment and after deliberation and review of, among other things, the Board’s leadership structure, the diversity of backgrounds and experience of the existing Board, the relationships of each of the directors with

the Company and any other facts relevant to the analysis of Board and committee independence, the Board has determined that the qualifications of each Board member are as set forth in the Independence Summary and each of Andrew S. Broderick, Brian H. Franke, William A. Franke, Bernard L. Han, Ofelia Kumpf, Michael R. MacDonald, Patricia Salas Pineda, and Alejandro D. Wolff shall be deemed independent under the Nasdaq Rules, each having no relationship which would interfere with the exercise of his independent judgment as a director.

**COMPOSITION OF BOARD COMMITTEES**

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

**APPOINTMENT OF INDEPENDENT AUDITOR**

**RESOLVED**, that, based upon the recommendation of the Audit Committee, the Board hereby approves the appointment of Ernst & Young LLP as the Company's independent registered public accountants for the fiscal year ending December 31, 2022.

**ANNUAL MEETING ACTIONS**

**Date of Annual Meeting**

**RESOLVED**, that the 2022 Annual Meeting shall be held on May 25, 2022, at [\_\_\_\_\_] local time.

**RESOLVED, FURTHER**, that the 2022 Annual Meeting shall be conducted as a virtual meeting by means of remote communication, as authorized by the Delaware General Corporation Law and the Company's Bylaws.

**Purpose of Annual Meeting**

**RESOLVED**, that the purpose of such Annual Meeting shall be (i) the re-election of one current director as nominated above, (ii) to ratify the appointment of Ernst & Young LLP as the Company's independent registered public accountants for the fiscal year ending December 31, 2022, (iii) to recommend that the stockholders approve the Say on Pay Vote and Say on Pay Frequency Vote and (iv) to transact such other business as may properly come before the meeting or any adjournment or postponement thereof.

**Record Date**

**RESOLVED**, that the close of business March 31, 2022, be, and hereby is, fixed as the record date for the determination of the stockholders of the Company entitled to notice of and to vote at the 2022 Annual Meeting and any adjournment or postponement thereof.

**RESOLVED FURTHER**, that the officers of the Company are authorized and directed on behalf of the Company and in its name to carry out such duties as are required by the rules of the Securities and Exchange Commission ("SEC") and the Nasdaq Stock Market.

**Preparation, Filing and Distribution of Proxy Materials**

**RESOLVED**, that the officers of the Company be, and each of them hereby is, authorized and directed on behalf of the Company and in its name to take any and all actions deemed necessary and appropriate to prepare a proxy statement, annual meeting notice, proxy card, annual report, and any and all related documents which such officers shall determine necessary or desirable (collectively, the "Proxy Materials").

**RESOLVED FURTHER**, that, subject to approval of the respective reports of the Audit Committee and the Compensation Committee to be included therein, the officers of the Company

be, and each of them hereby is, authorized and directed on behalf of the Company and in its name to file such Proxy Materials, as applicable, with the SEC, together with any and all amendments and supplements thereto which such officers shall determine to be necessary or appropriate, with the approval and authorization thereof to be conclusively evidenced by the execution or filing of such amendments or supplements.

**RESOLVED FURTHER**, that the officers of the Company be, and each of them hereby is, authorized and directed on behalf of the Company and in its name to deliver such Proxy Materials to each stockholder of the Company entitled to notice of and to vote at the 2022 Annual Meeting pursuant to the provisions of Rule 14a-16 of the Act (Internet Availability of Proxy Materials).

#### **Designation of Proxies**

**RESOLVED**, that Barry L. Biffle, James G. Dempsey, and Howard M. Diamond be, and each of them hereby is, designated as proxies, each having full power of substitution, to act at the 2022 Annual Meeting and any adjournment or postponement thereof on behalf of such stockholders as shall appoint them.

#### **Inspector of Election**

**RESOLVED**, that a representative of Broadridge Financial Solutions, Inc., be, and hereby is, designated as Inspector of Election (the “Inspector”), with full power of substitution, to act at the 2022 Annual Meeting and any adjournment or postponement thereof, to ascertain the number of shares outstanding and the voting power of each, determine the shares represented at the 2022 Annual Meeting and the validity of proxies and ballots, count all votes and ballots, determine and retain for a reasonable period a record of the disposition of any challenges made to any determination by the Inspector, and to certify the determination of the number of shares represented at the meeting and the count of all votes and ballots.

#### **APPOINTMENT OF EXECUTIVE OFFICERS; DESIGNATION OF SECTION 16 REPORTING PERSONS**

**RESOLVED**, that the following persons are unanimously appointed to the offices indicated opposite their names to serve in accordance with the Bylaws, and to hold such office until a successor is duly elected and qualified or until resignation or removal:

<b><u>Officer</u></b>	<b><u>Title</u></b>
Barry L. Biffle	President and Chief Executive Officer
James G. Dempsey	Executive Vice President and Chief Financial Officer
Howard M. Diamond	Senior Vice President, General Counsel and Secretary
Craig R. Maccubbin	Senior Vice President, Chief Information Officer
Mark C. Mitchell	Vice President, Finance and Investor Relations

Josh W. Wetzel  
Daniel M. Shurz  
Jake F. Filene  
Trevor J. Stedke

Vice President, Chief Accounting Officer  
Senior Vice President, Commercial  
Senior Vice President, Customers  
Senior Vice President, Operations

**RESOLVED FURTHER**, that the following individuals constitute all of the persons meeting the definition of “executive officer” of the Company within the meaning of Rule 3b-7 of the Act: Barry L. Biffle, James G. Dempsey, Howard M. Diamond, Craig R. Maccubbin, Daniel M. Shurz, Jake F. Filene, and Trevor J. Stedke, each having the titles set forth immediately above.

**RESOLVED FURTHER**, that the following individuals are hereby designated as “officers” of the Company for purposes of Section 16 of the Act: Barry L. Biffle, James G. Dempsey, Howard M. Diamond, Craig R. Maccubbin, Daniel M. Shurz, Jake F. Filene, Trevor J. Stedke, and Josh W. Wetzel, each having the titles set forth immediately above.

**RESOLVED FURTHER**, that the Board hereby confirms that Barry L. Biffle, President and Chief Executive Officer, is the Company’s principal executive officer, that James G. Dempsey, Executive Vice President and Chief Financial Officer, is the Company’s principal financial officer, and that Josh W. Wetzel, Vice President, Chief Accounting Officer, is the Company’s principal accounting officer, as such term is used in Rule 16a-1(f) of the Act, and each individual set forth in this resolution shall serve in such capacity until his earlier resignation or removal or until his successor is duly elected and qualified.

#### **GENERAL AUTHORITY AND RATIFICATION**



**RESOLVED FURTHER**, that the officers of the Company be, and each of them hereby is, authorized, empowered and directed, in the name of and on behalf of the Company, to prepare, execute, deliver and/or file any and all certificates, agreements and other documents and to take and do any and all acts and things which they may deem necessary, advisable or appropriate in order to effectuate the purposes of each and every one of the foregoing resolutions and the transactions contemplated thereby.

**RESOLVED FURTHER**, that all actions taken by the officers of the Company or any person or persons designated and authorized by any such officer in connection with the implementation of the actions authorized under the foregoing resolutions be, and hereby are, ratified, confirmed and approved as the acts and deeds of the Company.

## EXHIBIT A - AGENT AGREEMENT\*

*\*To be inserted by the Tampa Fuel Committee*

**PLACEHOLDER**



**EXHIBIT B**  
**Map of Fuel Facilities System**



**OCTOBER 2019**

### Enlarged Detail of Airside A Piping / Hydrant System




Exhibit B  
Map of Fuel Facilities System



October 2019

### Enlarged Detail of Airside C Piping / Hydrant System





Exhibit B

Map of Fuel Facilities System



October 2019

### Enlarged Detail of Airside E Piping / Hydrant System





Exhibit B  
Map of Fuel Facilities System



October 2019

### Enlarged Detail of Airside F Piping / Hydrant System




Exhibit B  
Map of Fuel Facilities System



October 2019

### Enlarged Detail of Federal Express Piping / Hydrant System




Exhibit B  
Map of Fuel Facilities System



October 2019

*Sketch & Description*  
**Tampa International Airport**  
**Fuel Tank Farm**

Exhibit B  
 Legal Description and Sketch  
 of Fuel Storage Facilities

*Section 5, Township 29 South, Range 18 East*  
*Hillsborough County, Florida*

Fuel Tank Farm: As Written by SurvTech Solutions

A parcel of land lying and being in the Southeast 1/4 of Section 5, Township 29 South, Range 18 East, Hillsborough County, Florida, being more particularly described as follows:

COMMENCE at the Northeast corner of the Southeast 1/4 of Section 5, Township 29 South, Range 18 East, Hillsborough County, Florida, per Certified Corner Records document #104489 having a Northing of 1329012.616 and an Easting of 489126.739, NAD83 2007 adjustment; thence coincident with the East boundary of the Southeast 1/4 of said Section 5, S 01°09'54" W a distance of 32.32 feet; thence departing said East boundary, N 89°13'46" W a distance of 2183.12 feet to the POINT OF BEGINNING; thence S 00°46'14" W a distance of 355.44 feet; thence S 89°13'46" E a distance of 9.13 feet; thence S 00°46'14" W a distance of 34.73 feet; thence N 89°13'46" W a distance of 9.13 feet; thence S 00°46'14" W a distance of 77.53 feet; thence N 89°13'46" W a distance of 5.03 feet; thence S 00°46'14" W a distance of 66.64 feet; thence S 89°13'46" E a distance of 5.03 feet; thence S 00°46'14" W a distance of 317.92 feet; thence N 89°59'23" W a distance of 104.02 feet; thence N 33°36'51" W a distance of 333.98 feet; thence N 01°46'59" E a distance of 98.85 feet; thence N 40°03'50" W a distance of 28.89 feet; thence N 08°01'08" W a distance of 41.51 feet; thence N 03°23'08" E a distance of 30.96 feet; thence S 85°37'48" E a distance of 21.26 feet; thence N 00°26'31" E a distance of 386.72 feet; thence S 89°13'46" E a distance of 295.70 feet to the POINT OF BEGINNING.

Containing an area of 226,076.00 square feet, 5.190 acres, more or less.

Project No.: 20150090  
 Phase: 3  
 Drawing Name: 20150090\_3SK  
 Last Field Date: N/A  
 Field Book/Page: N/A

Drafted By: M. Rook  
 Date Drafted: 7/16/19  
 Revison Date: N/A  
 Approved By: S. Brown  
 Date Approved: 7/29/19

**SURVTECH SOLUTIONS, INC.** SURVEYORS AND MAPPERS  
 10220 U.S. Highway 92 East, Tampa, FL 33610  
 phone: (813)-621-4929, fax: (813)-621-7194, Licensed Business #7340  
 email: sbrown@survtechsolutions.com <http://www.survtechsolutions.com>

Revision: 1. Parcel Size MDR 08/01/19

Stacy L. Brown P.S.M. No. 6516  
 SurvTech Solutions, Inc. LB No. 7340


- 1.) Not valid without the signature and original raised seal of a Florida Licensed Surveyor and Mapper.
- 2.) The bearing structure for this survey is based on a Florida West State Plane grid bearing of S 01°09'54" W for the East Boundary of the SE 1/4 of Section 5-29S-18E.
- 3.) THIS IS NOT A BOUNDARY SURVEY.

SURVEYING TODAY WITH  
 TOMORROW'S TECHNOLOGY



*Sketch & Description*  
**Tampa International Airport**  
**Fuel Tank Farm**  
*Section 5, Township 29 South, Range 18 East*  
*Hillsborough County, Florida*

Exhibit B  
Legal Description and Sketch  
of Fuel Storage Facilities



PROJECT NO.: 20150090  
PHASE: 3  
LAST FIELD DATE: N/A



**SURVTECH SOLUTIONS, INC.** SURVEYORS AND MAPPERS

10220 U.S. Highway 92 East, Tampa, FL 33610  
phone: (813)-621-4929, fax: (813)-621-7194, Licensed Business #7340  
email: sbrown@survtechsolutions.com <http://www.survtechsolutions.com>

*Sketch & Description*  
**Tampa International Airport**  
**Fuel Tank Farm**  
 Section 5, Township 29 South, Range 18 East  
 Hillsborough County, Florida

Exhibit B  
 Legal Description and Sketch  
 of Fuel Storage Facilities

*Point of Commencement*

Northeast Corner of the  
 SE 1/4 of Section 5-29S-18E  
 CCR #104489  
 No Corner Found or Set

North Boundary of the Southeast 1/4  
 of Section 5-29S-18E

*Point of Beginning*

East Boundary of the Southeast 1/4  
 of Section 5-29S-18E

Total Acreage  
 226,076.00 Square Feet  
 5.190 Acres

**Tampa International  
 Airport  
 Fuel Tank Farm**

Line Information

LINE	BEARING	DISTANCE
L1	S 00°46'14" W	355.44'
L2	S 89°13'46" E	9.13'
L3	S 00°46'14" W	34.73'
L4	N 89°13'46" W	9.13'
L5	S 00°46'14" W	77.53'
L6	N 89°13'46" W	5.03'
L7	S 00°46'14" W	66.64'
L8	S 89°13'46" E	5.03'
L9	S 00°46'14" W	317.92'
L10	N 89°59'23" W	104.02'
L11	N 33°36'51" W	333.98'
L12	N 01°46'59" E	98.85'
L13	N 40°03'50" W	28.89'
L14	N 08°01'08" W	41.51'
L15	N 03°23'08" E	30.96'
L16	S 85°37'48" E	21.26'
L17	N 00°26'31" E	386.72'
L18	S 89°13'46" E	295.70'
L19	S 01°09'54" W	32.32'



Scale: 1" = 150'


PROJECT NO.: 20150090  
 PHASE: 3  
 LAST FIELD DATE: N/A



**SURVTECH SOLUTIONS, INC.** SURVEYORS AND MAPPERS

10220 U.S. Highway 92 East, Tampa, FL 33610  
 phone: (813)-621-4929, fax: (813)-621-7194, Licensed Business #7340  
 email: sbrown@survtechsolutions.com <http://www.survtechsolutions.com>

Exhibit C – Pipeline Right of Way




October 2019

**LEGEND**

**PIPELINE RUN TO AND AROUND AIRSIDES**

Ending Location	Linear Feet
Federal Express	9,860 linear feet
Airside A	8,667 linear feet
Airside C	10,952 linear feet
Airsides E and F	11,923 linear feet
<b>Total</b>	<b>41,402 linear feet</b>

Total Pipeline Right of Way 124,208 square feet calculated as a 3-foot corridor along the 41,402 linear feet of pipeline.



# WHAT IS YOUR PRIME GOAL?

TFC Fuel System Hydraulic Analysis  
Tampa International Airport Fuel Farm Renovations  
Tampa Fuel Committee  
Tampa, FL  
1319-0002.000

*Issued For Review – September 27, 2013*

*Prepared for:*



**PRIME**  
**ENGINEERING**  
**INCORPORATED®**

**TABLE OF CONTENTS**

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

<b><i>Section</i></b>	<b><i>Topic</i></b>	<b><i>Page</i></b>
0	Introduction	2
1	Assumptions and Initial Data	3
2	Modeling Techniques	9
3	Summary of Results	12
Attachment 1	Hydrant Exhibit	
Attachment 2	System Resistance Curve	
Attachment 3	Existing Tampa Fuel Farm Pump Curve	
Attachment 4	New Tampa Fuel Farm Pump Curve	
Attachment 5	KY Pipe Hydraulics Summary Report	

***Section 0***

---

**Introduction**

## INTRODUCTION

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

Tampa International Airport is planning to gradually increase the number of hydrant fueling carts and trucks servicing aircraft. The requirements for expansion has led the Tampa Fuel Committee (TFC) to modify the existing capacity of their fuel farm to expand supply to the increased number of fuel hydrants while still maintaining day to day operations until new construction has been completed. This study presents hydraulic analysis of modified system and alternatives for pumping capacity and retrofitting the existing aircraft fueling system with a target (14 to 17) new fuel hydrants at a rate of 280 to 350 GPM to service aircraft.

The existing Fuel Farm system at Tampa for all concourses and the south cargo consists of two (2) 25,000bbl Jet-A tanks, two (2) 15,000bbl Jet-A tanks, two (2) 1,500bbl Jet-A tanks, and ten (10) jet fuel pumps (plus one spare diesel driven pump) for a total maximum flow rate of 9,460 GPM which supplies the following systems on site:

1. Concourse A: (30) hydrant valves total (18 gates total).
2. Concourse C: (23) hydrant valves total (16 gates total).
3. Concourse E: (29) hydrant valves total (14 gates total).
4. Concourse F: (43) hydrant valves total (15 gates total).
5. South Cargo: (15) hydrant valves total.

Refer to the attached drawing called *Hydrant Exhibit* which is based on a system map provided by the Tampa International Airport for layout and interconnection data.

## DESCRIPTION OF DESIGN SCENARIOS

A hydraulic analysis was performed on the existing Tampa hydrant system, with proposed options to expand the system to supply additional aircraft loading positions with hydrant fueling in the future. These options are based on providing 280-350 GPM at 90psig to each hydrant valve. The hydraulic analysis yields the following results.

1. Case A – Future hydrant demands with control valves at fuel farm: Single 18” and dual 12” fuel supply from Fuel Farm to maximize hydrant points anticipated with the use of flow control valves set at 1,245 GPM downstream of the filter separators.
  - a. Scenario: Five (5) new pumps operating seventeen (17) hydrants dispersed evenly throughout the hydrant fueling systems.
2. Case B – Future hydrant demands without control valves at fuel farm: Single 18” and dual 12” fuel supply from Fuel Farm to maximize hydrant points anticipated without the installation of flow control valves downstream of the filter separators.
  - a. Scenario: Five (5) new pumps operating seventeen (17) hydrants dispersed evenly throughout the hydrant fueling systems.

The design basis and analysis results for these scenarios are included in the following sections.

***Section 1***

---

**Assumptions and  
Initial Data**

## ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### 1.0 AIRCRAFT REQUIREMENTS AND DIVERSITY

Analysis is based on providing fueling for a combination of Boeing 737's, 737/800's, and 747's for Concourses A, C, E and F along with cargo aircraft in the South Cargo area. The following provides a basis for analysis for aircraft fueling:

1. Total flow rates from the tank farms divided by the number of hydrants required per aircraft
2. Maintain minimum pressure requirement of 90 psig as measured at the outlet of hydrant valve

The Boeing 747 has two underwing pressure nozzles, one pair per wing. Each nozzle is sized for a maximum loading rate of 500GPM at 35psig (wing pressure). The maximum ground service fueling expectation per Boeing aircraft characteristic data is 65,000 gallon loading. Typical loading rate per nozzle is 280-350 GPM, with one to two nozzles, depending on the hydrant fueling cart or truck capacity.

The Boeing 767 has two underwing pressure nozzles, one pair per wing. Each nozzle is sized for a maximum loading rate of 500GPM at 35psig (wing pressure). The maximum ground service fueling expectation per Boeing aircraft characteristic data is 24,000 gallon loading. Typical loading rate per nozzle is 280-350 GPM, with one to two nozzles, depending on the hydrant fueling cart or truck capacity.

The Boeing 737 and 737/800 has one underwing pressure nozzle located under the left wing. Each nozzle is sized for a maximum loading rate of 500GPM each at 50psig (wing pressure). The maximum ground service fueling expectation per Boeing aircraft characteristic data is 6,875 gallon loading. Typical loading rate per nozzle is 280-350 GPM, with one to two nozzles, depending on the hydrant fueling cart or truck capacity.

### 1.1 EXISTING FUEL SYSTEM DESCRIPTION

See the *Hydrant Exhibit* for overall fuel system schematic.

The existing fuel system located at the Tampa Fuel Farm consists of two (2) 25,000bbl Jet-A tanks, two (2) 15,000bbl Jet-A tanks, two (2) 1,500bbl Jet-A tanks, and ten (10) jet fuel pumps (8 primary + 2 Air Canada) plus one spare diesel driven pump. The existing ten (10) jet fuel pumps are 125HP Gould 3736 series (4x6-13) centrifugal pumps each with a design point of 1,000 GPM @ 400ft TDH.

This existing fuel system is connected to the following potential system demands:

1. Concourse A: (30) hydrant valves total (18 gates total).
2. Concourse C: (23) hydrant valves total (16 gates total).
3. Concourse E: (29) hydrant valves total (14 gates total).
4. Concourse F: (43) hydrant valves total (15 gates total).
5. South Cargo: (15) hydrant valves total.

These potential system demands have been included in the following analysis as noted below.

# ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

## 1. Hydrant Dispensing System

The existing hydrant fueling system services the entire airport, including the four (4) commercial air services concourses and the south cargo complex. Excluding the hydrant risers, the hydrant fueling system has 40,205 feet of below-grade piping ranging from 10 to 20 inches in diameter. There are a total of 140 hydrants connected to the below-grade piping system. The hydrants are four inches in diameter. Each hydrant has a rated capacity of 350 gpm.

Table 1-A documents the connected load to the hydrant pumping system.

**Table 1-A: Existing Hydrant Dispensing System**

Concourse	Number of Hydrant Connections	Nominal Dispensing Rate at Cart in GPM	Total Max Connected Load in GPM
Airside A	30	280-350	10,500
Airside C	23	280-350	8,050
Airside E	29	280-350	10,150
Airside F	43	280-350	15,050
South Cargo	15	280-350	5,250
<b>Total</b>	<b>140</b>		<b>49,000</b>

The average and peak pumping demands on the fuel farm are controlled by the number of hydrant trucks and carts in services at the airport. Currently there are 13 dispatched hydrant trucks and 15 gate-specific hydrant carts. The number of trucks and carts connected at any one time to the hydrant system varies based on the flight schedule and the size of the aircraft. During Prime Engineering’s three (3) day fuel farm site visit in March 2012, the peak fuel dispensing periods at the airport required at most three (3) or four (4) pumps to meet demand.

Using field data, a hydrant fuel system demand calculation is shown in Table 1-B.

**Table 1-B: Existing Hydrant Fuel System Demand**

Dispensing Carts	Quantity	Nominal Dispensing Rate at Cart in GPM	Total Connected Load in GPM	Usage Diversity	Net Dispensing Demand in GPM
Truck Mounted	13	350	4,550	30%	1,365
Cart Mounted	15	280	4,200	30%	1,260
<b>Totals</b>	<b>28</b>		<b>8,750</b>		<b>2,625</b>
<b>Average Pumping Design Rate</b>					<b>2,625</b>
<b>Peaking Factor</b>					<b>1.5</b>
<b>Peak Pumping Design Rate</b>					<b>3,937</b>

## ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

Using the pumping diversity model shown above, one (1) available connection to the hydrant system places a demand of approximately 94 gpm on the pumping system. Furthermore, comparing the number of currently available connections to the hydrant system to the current fuel farm throughput shows that each hydrant dispensing unit dispenses approximately 13,805 gallons per day.

To support the 5% fuel dispensing growth rate, the airport would need to add dispensing carts as shown in Table 1-C:

**Table 1-C: Hydrant Dispensing Cart Additions**

Year	Fuel Demand per Day	Fuel Dispensed per Day per Cart	Number of Carts Required	Diversified Pumping Demand GPM	Average Pumping Demand GPM
2012	386,551	13,805	28	94	2,632
2013	405,879	13,805	29	94	2,726
2014	426,173	13,805	30	94	2,820
2015	447,482	13,805	32	94	3,008
2016	469,856	13,805	34	94	3,196
2017	493,348	13,805	36	94	3,384
2018	518,015	13,805	38	94	3,572
2019	543,916	13,805	39	94	3,666
2020	571,112	13,805	41	94	3,854

### 2. Pumping and Filtering

As noted in Section 1.1.1, to meet the hydrant cart operating pressure requirements, the pumping system capacity has been reduced from the original design capacity. Table 1-D illustrates the three (3) different operating pressures under which the current system is capable of operating, depending on the flow demand on the pump. The current operating pressure of 160 psig is unusually high for a Jet “A” hydrant fueling system. In this report, a dynamic hardy-cross and hydraulic analysis is conducted on the hydrant system to ascertain whether the system pressure can be reduced. A lower operating pressure will lower the dynamic shocks (water hammer) in the system and extend system life.

## ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

**Table 1-D: Existing Pumping and Filter Capacity**

Pump Position	Status	Control System	Hp	Voltage/Phase/Cycle	Current Operating Capacity GPM @ 160 psig	Stated Design Capacity GPM @ 152 psig	Filter Capacity GPM
Spare	Expansion Slot	N/A	-----	480/3/60	-----	-----	-----
Spare	Expansion Slot	N/A	-----	480/3/60	-----	-----	-----
A – 1	Online	Old Air Canada	125	480/3/60	860	1,000	1,245
A – 2	Online	Old Air Canada	125	480/3/60	860	1,000	1,245
9	Diesel-Driven Pump	Manual			860	1,000	1,245
Spare	Expansion Slot	N/A	-----	480/3/60	-----	-----	-----
Spare	Expansion Slot	N/A	-----	480/3/60	-----	-----	-----
8	Online	Primary	125	480/3/60	860	1,000	1,245
7	Out for Service	Primary	125	480/3/60	860	1,000	1,245
6	Online	Primary	125	480/3/60	860	1,000	1,245
5	Online	Primary	125	480/3/60	860	1,000	1,245
4	Out for Service	Primary	125	480/3/60	860	1,000	1,245
3	Online	Primary	125	480/3/60	860	1,000	1,245
2	Online	Primary	125	480/3/60	860	1,000	1,245
1	Online	Primary	125	480/3/60	860	1,000	1,245
<b>Connected Capacity</b>					<b>9,460</b>	<b>11,000</b>	<b>13,695</b>
<b>Full Buildout Capacity</b>					<b>11,180</b>	<b>16,000</b>	<b>17,430</b>
<b>Firm Capacity</b>					<b>8,600</b>	<b>9,000</b>	<b>11,205</b>

The average pumping system requirements are analyzed in Table 1-E. The fuel farm normally operates with three (3) pumps at 860 gpm each for a total capacity of +/- 2,500 gpm. Increasing the size of the pumps to match the capacity of the filter vessels would reduce the number of pumps required.

## ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

**Table 1-E: Average Pumping Requirements**

Year	Fuel Demand per Day	Average Pumping Demand GPM	New Pumping Capacity GPM @ Revised System TBD	Pumps Required to Meet Average Demand
2012	386,551	2,632	1,245	2.11
2013	405,879	2,726	1,245	2.18
2014	426,173	2,820	1,245	2.27
2015	447,482	3,008	1,245	2.41
2016	469,856	3,196	1,245	2.57
2017	493,348	3,384	1,245	2.72
2018	518,015	3,572	1,245	2.87
2019	543,916	3,666	1,245	2.94
2020	571,112	3,854	1,245	3.10

To support the 2020 average pumping demand of 3,854 with a peaking factor of 1.5, the hydrant pumping system will need a firm pumping capacity of 5,540 gpm. As shown in Table 1-F, by sizing new pumps to match the 1,245-gpm capacity of the existing filter/separators, the future hydrant pumping system would have five (5) pumps plus one (1) spare, for a total of six (6) pumps. Currently, the pumping system requires only three (3) pumps with one (1) spare, for a total of four (4) pumps.

**Table 4-9  
Firm Pumping Requirements**

Year	Peak Pumping Demand GPM	New Pumping Capacity GPM @ Revised System TBD	Pumps Required to Meet Peak Demand	Spare Pump	Pumps Required to Firm Pumping Demand
2012	3,937	1,245	3.16	1	4
2013	4,134	1,245	3.32	1	5
2014	4,341	1,245	3.49	1	5
2015	4,558	1,245	3.66	1	5
2016	4,786	1,245	3.84	1	5
2017	5,025	1,245	4.04	1	5
2018	5,276	1,245	4.24	1	6
2019	5,540	1,245	4.45	1	6
2020	5,817	1,245	4.67	1	6

## ASSUMPTIONS & INITIAL DATA

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### 1.2 ASSUMPTIONS AND GENERAL INFORMATION

The following assumptions and general information apply to this study:

1. Hydraulic model created in KYPipe software Pipe2010 Premium Version 5.017b.
2. All data used for the hydraulic model is a compilation of field notes and drawings received from the Tampa Airport.
3. No modification to the existing header systems is anticipated with the exception of modifications shown in the Tampa International Airport Fuel Facility Improvements Construction package.
4. See HYDRAULIC ANALYSIS in Section 3 – Summary of Results for description of system and fluid data used in this analysis.
5. The new hydrant supply pump motor horsepowers will vary depending on whether Case A or Case B is used.
6. Tables are generated based on a total flow rate produced by the Fuel Farm. The total flow rate can be divided by 280 GPM or 350 GPM to obtain the resulting estimated fueling hydrant count.
7. All fueling hydrant counts assume SIMULTANEOUS operation with the Concourses and hydrants listed within the same tables.

## ***Section 2***

---

# **Modeling Techniques**

## MODELING TECHNIQUES

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### 2.0 GENERAL INFORMATION

A hydraulic model was created using KYPipe software Pipe2010 Premium Version 5.017b. Pipe2010 allows for modeling a piping system and performing a steady state analysis. The KYPipe model was constructed based on the existing Fuel Farm, pipe segments, hydrants, and valves as well as proposed Fuel Farm piping modifications. The model was analyzed based on the Tampa Fuel Farm and its hydrant fueling system linked to the maximum expected hydrants at Concourses A, C, E, F, and South Cargo. Existing system information was collected from field investigations, as-built documents, and interviews with fuel farm operators.

KYPipe allows modeling of systems with a wide variety of components. Each component is placed in the system at a location called a "node". The software allows the user to enter the unique characteristics of every component of a system. For the model created for this analysis, nodes included tanks, pumps, valves, hydrants, and miscellaneous appurtenances that affect the dynamics of fuel flowing through the system. Characteristics of each node component are based on either actual equipment design data, where available, or typical design data.

The parameters for analyzing potential worst-case steady state conditions of the hydraulic model are:

1. Low level storage tanks at fuel farms
2. Maximum hydrant flow (350 GPM narrow-body and/or 700 GPM wide-body)
3. Balanced locations of active hydrants to produce minimum pressures within the hydrant loop

Hydrants were added from the analysis based on maintaining a minimum of 90 psig at the hydrant valve connection point for optimal fueling requirements stated by the hydrant cart manufacturers. The number of hydrants available can be divided accordingly based on the types of aircraft expected.

### 2.1 TAMPA FUEL FARM

Prime Engineering conducted an interview with the Fuel Facilities Manager, Enos Sage, for the Tampa Fuel Farm.

The flow rate profile for the Tampa Fuel Farm System averages 2,632 GPM throughout the day.

The typical total daily fuel usage is 386,568 gallons per day.

The fuel header pressure is controlled at 160 psig, which is a result of operating the existing 1,000 GPM pumps at a reduced rate of 860 GPM in order to maintain an operable hydrant system pressure ranging between 140 and 150 psig during operation.

The Tampa Fuel Farm currently appears to be operating at an unusually high pressure for a Jet-A fuel hydrant system. A lower operating pressure will lower the dynamic shocks (water hammer) in the system and extend system life.

## MODELING TECHNIQUES

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### 2.2 BASIS OF HYDRAULIC ANALYSIS

Hydraulic analysis is based on the following fluid and system data, and is analyzed using KYPipe steady-state simulation software which performs calculations based on the Darcy-Weisbach method.

1. Fluid: Jet A
  - a. Name: Jet-A
  - b. Specific Gravity: 0.81
  - c. Kinematic Viscosity: 2 cSt
  - d. Vapor Pressure: <5 mm Hg
  
2. Minimum Operating Pressure Requirements:
  - a. Hydrant valve discharge (at coupling point): 90 psig
  
3. Maximum Dispensing Flow Rates:
  - a. Aircraft Fuel Hydrant: 280-350 GPM per hydrant
  
4. Pipe Data:
  - a. Carbon Steel (ASTM A53 Grade B ERW or API 5L Seamless)
  - b. Roughness Coefficient: 0.1500
  
5. Tampa Fuel Farm Hydrant Existing Pump Data:
  - a. Quantity: Ten (10) Pumps Existing. Eight (8) pumps are primary hydrant supply pumps with a normal operation of 7+1 (seven (7) pumps maximum operating per design, with one (1) pump as backup for maintenance, etc). Two (2) pumps are dedicated supply pumps for Air Canada.
  - b. Manufacturer: Goulds
  - c. Design Point: 1,000 GPM @ 400' TDH
  - d. Model: Gould 3736 4x6-13
  - e. Motor Data: 125 HP / 3,550 rpm
  
6. Tampa Fuel Farm Hydrant New Pump Data:
  - a. Quantity: Five (5) New Vertical Inline Pumps. Normal operation will be 4+1 (four (4) pumps maximum operating per design, with one (1) pump as backup for maintenance, etc).
  - b. Manufacturer: Flowserve
  - c. Design Point: 1,245 GPM @ 450' TDH
  - d. Model: PVML 35.15.15.30F
  - e. Motor Data: 150HP / 3,550 rpm

The existing hydrant valves and pits are comprised of 6" laterals with 6"x4" API 1584 hydrant valves sized for a normal loading rates of 280-350GPM each at 90psig. One (1) hydrant valve will be provided for each narrow-body parking position. Two (2) hydrant valves may be provided for each wide-body loading to provide 560-700 GPM total loading rate, if flight range requires and hydrant cart availability allows.

## MODELING TECHNIQUES

---

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

All cases below include the following common design features:

1. No modifications to hydrant loop piping.
2. System modifications incorporated as shown in the Tampa International Airport Fuel Facility Improvements Construction package
3. Note that the references below are all hydrant points only, meaning a single hydrant pit and cart assembly. If dual-fueling is used, this would account for two hydrant points (for a total flow of 560-700 GPM).

Included in the Attachments are new pump curves to illustrate potential operations and impact of various outside systems. Note that the curves are based on a 1,245 GPM design basis. This requirement has a direct effect on the number of hydrant points that can be supplied at one time. The *Hydrant Exhibit* is an overall map of the entire facility including the Tampa Fuel Farm along with the hydrant loops around the various concourses and is also included in the Attachments.

***Section 3***

---

**Summary of Results**

## SUMMARY OF RESULTS

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### 3.0 GENERAL INFORMATION

Two (2) cases were analyzed to determine hydrant loading throughput at the existing concourses. The results in the attached tables indicate the existing infrastructure supplying the Tampa concourses has sufficient capacity to supply the potential hydrant loop demands in the year 2020.

Hydraulic cases were modeled to include the Tampa Fuel Farm and hydrant loops at Concourses A, C, E, F, and South Cargo. The total system flow rates for each case are indicated below.

The Hydraulic Analysis for the Tampa Fuel Farm is based on field data collected by Prime Engineering on March 5, 2012, Records Drawings from Burns and McDonnell dated 1970, and Record Drawings from ECMC Services dated 2009. Hydraulic Analysis for Concourses A, C, E, F, and South Cargo are based on facility maps (CAD) for Existing Aviation Fuel Concourses, provided by the Tampa Airport on August 6, 2013, and Record Drawings from Burns and McDonnell dated 1987.

### 3.1 SYSTEM LIMITATIONS

Through this analysis, the following existing system limitations have been noted, which could be addressed through the design of the fueling system and/or discussions with the operations and fuel farm operator/owner.

#### 1. Existing Flow Control Valves at Tank Farm

The existing CLA-VAL flow control valves at the tank farm have set points that could potentially limit the total flow going to the hydrant loops. This could cause a hydraulic imbalance in the system and increase the losses within the system.

Due to this potential for hydraulic imbalance, Case B removes the need to install the CLA-VALs in the modified pumping system.

### 3.2 CASE DESCRIPTION & SUMMARY

Following are descriptions of cases to determine the capabilities of the Tampa Fuel Farm and hydrant loops and also adding the expansion of future hydrants. These results are tabulated in the attached tables.

#### 1. CASE A: FUTURE HYDRANT DEMANDS WITH CONTROL VALVES AT FUEL FARM

This case consists of a single 18" and dual 12" supply lines from the Tampa Fuel Farm to points on all Concourses and the South Cargo area while maintaining at least 90 psig downstream of the hydrant valves. Case A includes a 8" Model 40-01/640-01 CLA-VAL installed downstream of each filter separator to prevent excessive flow by limiting flow to 1,245 GPM regardless of changing line pressure.

- a. Scenario – Use the four (4) new pumps operating seventeen (17) hydrants dispersed evenly throughout the hydrant fueling systems to operate at 90 psig. The total flow rate that can be supplied to all (17) hydrants while maintaining 90 psig at the hydrant points is 4,900 GPM.

## SUMMARY OF RESULTS

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

- b. From the total flow rate the total number of hydrants that would be able to operate is (17) at 280 GPM each or (14) at 350 GPM each. The system pressure is maintained at 90 psig at the hydrant points with a pressure of 135 psig at the tank farm hydrant supply system.
- c. The System Resistance Curve (Attachment 2) shows the effects of the design point as the system demands increase and more pumps are brought online to meet capacity.
- d. The pumps required to accomplish this scenario are:
  - i. Manufacturer: Goulds
  - ii. Design Point: 1,245 GPM @ 400' TDH
  - iii. Model: 3910 MX 4x6-11/13
  - iv. Motor Data: 150/200 HP / 3,600 rpm

### 2. CASE B: FUTURE HYDRANT DEMANDS WITHOUT CONTROL VALVES AT FUEL FARM

This case consists of a single 18" and dual 12" supply lines from the Tampa Fuel Farm to points on all Concourses and the South Cargo area while maintaining at least 90 psig downstream of the hydrant valves. Case B does not include a flow control valve downstream of each filter separator which reduces the total dynamic head requirements by decreasing the overall losses in the hydrant supply system.

- a. Scenario – Use the four (4) new pumps operating seventeen (17) hydrants dispersed evenly throughout the hydrant fueling systems to operate at 90 psig. The total flow rate that can be supplied to all (17) hydrants while maintaining 90 psig at the hydrant points is 4,900 GPM.
- b. From the total flow rate the total number of hydrants that would be able to operate is (17) at 280 GPM each or (14) at 350 GPM each. The system pressure can be maintained at 90 psig at the hydrant points with a pressure of 130 psig at the tank farm hydrant supply system.
- c. The pumps required to accomplish this scenario are:
  - i. Manufacturer: Goulds
  - ii. Design Point: 1,245 GPM @ 390' TDH
  - iii. Model: 3910 MX 4x6-11/13
  - iv. Motor Data: 150/200 HP / 3,600 rpm

### 3.3 RESULTS AND RECOMMENDATIONS

It is recommended that CASE A be the design case for the new pumps at the Tampa Fuel Farm. From the analysis of CASE B, the removal of the CLA-VALs has little effect on the rated design point.

## SUMMARY OF RESULTS

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

**Table 3-A: New Pump Configuration**

Pump Position	Status	Control System	HP (Note 1)	Voltage/Phase/Cycle	Operating Capacity GPM @ 160 psig	Filter Capacity GPM
P – 1	Online	H-O-A	150	480/3/60	1,245	1,245
P – 2	Online	H-O-A	150	480/3/60	1,245	1,245
P – 3	Online	H-O-A	150	480/3/60	1,245	1,245
P – 4	Online	H-O-A	150	480/3/60	1,245	1,245
P – 5	Online	H-O-A	150	480/3/60	1,245	1,245
P – 6	Expansion Slot	H-O-A	150	480/3/60	-----	1,245
P – 7	Expansion Slot	H-O-A	150	480/3/60	-----	1,245
P – 8	Expansion Slot	H-O-A	150	480/3/60	-----	1,245
<b>Connected Capacity</b>					<b>6,925</b>	<b>9,960</b>
<b>Full Build-out Capacity</b>					<b>9,415</b>	<b>9,960</b>
<b>Near Term Firm Capacity</b>					<b>4,980</b>	<b>4,980</b>
P – 8	Diesel-Driven Pump	Manual	TBD	N/A	3,600	

Notes:

1. Pumps are to have Variable Speed Drives

## **ATTACHMENTS**

---

TAMPA FUEL COMMITTEE  
TFC FUEL SYSTEM HYDRAULIC ANALYSIS  
TAMPA INTERNATIONAL AIRPORT  
1319-0002.000

### ATTACHMENTS

---

- Hydrant Exhibit: Fueling Hydrant System Map
- System Resistance Curve
- Tampa Fuel Farm Existing Pump Curve -- Goulds Pump 3736 4x6-13 / 125HP
- Tampa Fuel Farm New Pump Curve (CASE A) – Flowserve Pump PVML 35.15.15.30F | 150HP
- KYPipe Hydraulic Summary Report – CASE A

***Attachment 1***

---

**Hydrant Exhibit:  
Fueling Hydrant  
System Map**




***Attachment 2***

---

**System Resistance  
Curve**

### Exhibit D



***Attachment 3***


---

**Existing Tampa Fuel  
Farm Pump Curve**


Exhibit D

Customer \_\_\_\_\_ Inquiry No. \_\_\_\_\_ Date \_\_\_\_\_  
 Service \_\_\_\_\_ Item No. \_\_\_\_\_ P.O. No. \_\_\_\_\_ Date \_\_\_\_\_  
 F.O. No. \_\_\_\_\_ ; \_\_\_\_\_ GPM; \_\_\_\_\_ TDH; \_\_\_\_\_ RPM; \_\_\_\_\_ % Eff.; CDS No. \_\_\_\_\_

**3550  
R.P.M.**



**1780  
R.P.M.**



***Attachment 4***

---

**New Tampa Fuel  
Farm Pump Curve**

Exhibit D




Hydraulic Datasheet

Customer	: Pumping Systems Inc	Pump / Stages	: PVML 35.15.15.30F / 1
Customer reference	:	Based on curve no.	: 50
Item number	: Supply Pumps P1 thru P5	Flowserve reference	: 152981 Version 1
Service	: Jet A Fuel	Date	: September 23, 2013

<b>Operating Conditions</b> Capacity : 1245.0 USgpm Water capacity (CQ=1.00) : - Normal capacity : - Total Developed Head : 450.00 ft Water head (CH=1.00) : - NPSH available (NPSHa) : 49.1 ft NPSHa less NPSH margin : - Maximum suction pressure : 0.0 psig		<b>Materials / Specification</b> Material column code : S-6 Pump specification : -	
<b>Liquid</b> Liquid type : Other Temperature / Spec. Gravity : 75 F / 0.770 Solid Size - Actual / Limit : - / - Viscosity / Vapor pressure : 0.6 cP / 7.80 psia		<b>Other Requirements</b> Hydraulic selection : No specification Construction : No specification Test tolerance : Hydraulic Institute Level A Driver Sizing : Max Power(MCSF to EOC)with SF Seal configuration : Single Seal	

<b>Performance</b>			
Hydraulic power	: 109 hp	Impeller diameter	
Pump speed	: 3550 rpm	Rated	: 10.60 in
Efficiency (CE=1.00)	: 75.1 %	Maximum	: 12.28 in
		Minimum	: 10.04 in
NPSH required (NPSHr)	: 22.8 ft	Suction specific speed	: 11090 US units
Rated power	: 145 hp	Minimum continuous flow	: 263.9 USgpm
Maximum power	: 171 hp	Maximum head @ rated dia	: 532.16 ft
Driver power	: 150 hp / 112 kW	Flow at BEP	: 1457.8 USgpm
Casing working pressure	: 177.4 psig	Flow as % of BEP	: 85.4 %
(based on shut off and Rated specific gravity @ Cut dia)		Efficiency at normal flow	: -
Maximum allowable	: 580.2 psig	Impeller dia ratio (rated/max)	: 86.3 %
Hydrostatic test pressure	: 870.2 psig	Head rise to shut off	: 18.3 %
Est. rated seal chamb. press.	: -	Total head ratio (rated/max)	: 70.6 %

CURVES ARE APPROXIMATE, PUMP IS GUARANTEED FOR ONE SET OF CONDITIONS; CAPACITY, HEAD, AND EFFICIENCY.



***Attachment 5***

---

**KY Pipe Hydraulic  
Summary Report**

```

* * * * * K Y P I P E 5 * * * * *
*
*           Pipe Network Modeling Software
*
*           Copyrighted by KYPIPE LLC
*           Version 5 - February 2010
*
* * * * *
    
```

Date & Time: Wed Sep 25 09:44:24 2013

Master File : c:\users\njoshi\documents\projects\tampa fuel farm\hydraulics\case a - tampa fuel farm 9-17-13.KYP\case a - tampa fuel farm 9-17-13.P2K

```

*****
SUMMARY OF ORIGINAL DATA
*****
    
```

U N I T S   S P E C I F I E D

```

FLOWRATE ..... = gallons/minute
HEAD (HGL) ..... = feet
PRESSURE ..... = psig
    
```

THE SPECIFIC GRAVITY OF THIS LIQUID = 0.8300

R E G U L A T I N G   V A L V E   D A T A

VALVE LABEL	VALVE TYPE	VALVE SETTING (ft or gpm)
RV-1	PRV-1	273.23
RV-2	PRV-1	273.23
RV-3	PRV-1	273.23
RV-4	PRV-1	273.23
RV-5	PRV-1	273.23
RV-6	PRV-1	273.23
RV-7	PRV-1	273.23
RV-8	PRV-1	273.23
RV-9	PRV-1	273.23
RV-10	PRV-1	273.23
RV-11	PRV-1	273.23
RV-12	PRV-1	273.23
RV-13	PRV-1	273.23
RV-14	PRV-1	273.23
RV-15	FCV-1	1245.00
RV-16	FCV-1	1245.00
RV-17	FCV-1	1245.00
RV-18	FCV-1	1245.00

P I P E L I N E   D A T A

STATUS CODE:    XX -CLOSED PIPE    CV -CHECK VALVE

P I P E NAME	NODE NAMES		LENGTH (ft)	DIAMETER (in)	ROUGHNESS COEFF.	MINOR LOSS COEFF.
	#1	#2				
P-1	AC-1	Jet-A J-2	10.00	20.00	120.0000	1.92
P-2	T-2	Jet-A J-1	20.00	20.00	120.0000	1.92
P-3		J-6 J-2	45.00	20.00	120.0000	1.90
P-4		J-2AC-2 Jet-A	10.00	20.00	120.0000	1.92
P-5		J-1 J-3	100.00	20.00	120.0000	1.20
P-6	T-1	Jet-A J-1	15.00	20.00	120.0000	1.92
P-7		J-3 J-4	175.00	20.00	120.0000	2.25

Exhibit D

P-8	I-4	JET-A	J-3	20.00	20.00	120.0000	1.92
P-9	T-3	Jet-A	J-3	30.00	20.00	120.0000	1.92
P-10		J-5	J-6	130.00	20.00	120.0000	2.25
P-11		J-5	J-14	10.00	20.00	120.0000	0.40
P-12		J-7	J-4	10.00	20.00	120.0000	0.40
P-13		J-7	I-L-133	10.00	8.00	120.0000	0.75
P-14		J-4	I-L-136	10.00	8.00	120.0000	0.75
P-15		J-10	J-7	10.00	20.00	120.0000	0.40
P-16		J-210	I-L-1	10.00	6.00	120.0000	0.00
P-17		J-12	J-10	10.00	20.00	120.0000	0.40
P-18		J-12	I-L-137	8.00	8.00	120.0000	0.75
P-19		J-14	J-12	10.00	20.00	120.0000	0.40
P-20		J-14	I-L-139	10.00	8.00	120.0000	0.75
P-21		O-L-1	I-RV-10	25.62	6.00	120.0000	0.00
P-22		O-L-136	I-P-2 (A)	2.00	6.00	120.0000	0.00
P-23		O-L-133	I-P-1 (A)	1.00	6.00	120.0000	0.00
P-24		O-RV-1	J-75	2.00	6.00	120.0000	0.00
P-25		O-L-137	I-P-4 (A)	2.00	6.00	120.0000	0.00
P-26		O-L-139	I-P-3 (A)	2.00	6.00	120.0000	0.00
P-27		O-RV-2	J-15	2.00	6.00	120.0000	0.00
P-28		O-RV-3	J-76	2.00	6.00	120.0000	0.00
P-29		O-P-3 (A)	I-L-2	4.00	6.00	120.0000	0.00
P-30		O-P-4 (A)	I-L-3	4.00	6.00	120.0000	0.00
P-31		O-RV-4	J-155	9.33	6.00	120.0000	0.00
P-32		O-P-1 (A)	J-291	2.73	6.00	120.0000	0.00
P-33		O-P-2 (A)	J-290	2.67	6.00	120.0000	0.00
P-34		O-RV-5	J-165	5.32	6.00	120.0000	0.00
P-35		J-32	J-26	5.00	18.00	120.0000	0.00
P-36		O-RV-6	J-8	15.60	6.00	120.0000	0.00
P-39		O-RV-7	J-81	5.12	6.00	120.0000	0.00
P-40		O-RV-8	J-80	3.34	6.00	120.0000	0.00
P-41		O-L-2	I-RV-15	2.00	8.00	120.0000	0.00
P-42		O-L-3	I-RV-16	2.00	8.00	120.0000	0.00
P-43		O-RV-9	J-41	4.10	6.00	120.0000	0.00
P-44		O-L-5	I-RV-17	2.00	8.00	120.0000	0.00
P-45		O-L-6	I-RV-18	2.00	8.00	120.0000	0.00
P-46		O-RV-15	I-L-12	2.66	8.00	120.0000	0.00
P-47		O-RV-10	J-72	24.38	6.00	120.0000	0.00
P-48		O-RV-16	I-L-11	2.48	8.00	120.0000	0.00
P-49		O-RV-11	J-237	9.31	6.00	120.0000	0.00
P-50		O-RV-17	I-L-10	5.00	8.00	120.0000	0.00
P-51		O-RV-18	I-L-4	5.00	8.00	120.0000	0.00
P-52		O-L-4	J-289	10.87	12.00	120.0000	1.15
P-53		O-RV-12	J-285	4.08	6.00	120.0000	0.00
P-54		O-RV-13	J-274	5.20	6.00	120.0000	0.00
P-55		O-RV-14	J-259	7.29	6.00	120.0000	0.00
P-56		J-13	J-9	10.00	16.00	120.0000	0.40
P-57		J-9	J-11	10.00	16.00	120.0000	0.40
P-58		J-18	J-11	20.00	16.00	120.0000	2.25
P-59		J-17	J-11	10.00	20.00	120.0000	0.00
P-60		J-19	J-17	10.00	16.00	120.0000	0.40
P-61		O-L-11	J-13	2.52	8.00	120.0000	0.00
P-62		J-20	J-19	10.00	16.00	120.0000	0.40
P-63		O-L-12	J-9	2.34	8.00	120.0000	0.00
P-64		J-21	J-20	10.00	16.00	120.0000	0.40
P-66		J-22	J-21	10.00	16.00	120.0000	0.40
P-67		O-L-10	J-22	10.00	12.00	120.0000	0.00
P-68		J-17	I-L-7	20.00	20.00	120.0000	2.25
P-69		O-L-7	J-32	7.28	20.00	120.0000	0.00
P-70		J-23	J-32	12.72	20.00	120.0000	0.00
P-72		I-L-8	J-18	425.00	12.00	120.0000	0.00
P-73		J-25	O-L-8	1184.07	12.00	120.0000	0.00
P-75-XX		J-25	J-26	22.00	12.00	120.0000	1.67
P-76		J-25	J-283	50.00	12.00	120.0000	0.00
P-77		J-23	J-37	2300.00	18.00	120.0000	0.75
P-79		J-26	J-294	2182.37	18.00	120.0000	0.75
P-80		J-27	J-295	9.03	18.00	120.0000	0.00
P-81		J-27	J-28	560.00	12.00	120.0000	1.15
P-82		J-28	J-123	104.90	12.00	120.0000	7.95
P-83		J-30	J-28	10.00	12.00	120.0000	1.15
P-84		J-30	J-31	1600.00	12.00	120.0000	0.75
P-85		J-31	J-132	133.85	20.00	120.0000	7.95
P-86		J-29	J-33	1200.00	18.00	120.0000	1.90
P-87		J-33	J-200	173.12	14.00	120.0000	7.95
P-88		J-33	J-34	700.00	18.00	120.0000	1.15

Exhibit D

P-89	J-34	J-69	93.41	14.00	120.0000	7.95
P-90	J-24	J-256	100.00	12.00	120.0000	0.00
P-92	J-36	J-38	630.00	12.00	120.0000	0.75
P-93	J-37	J-39	630.00	18.00	120.0000	0.75
P-94	J-38	J-27	1320.00	12.00	120.0000	3.00
P-95	J-39	J-29	1320.00	18.00	120.0000	3.00
P-96	J-42	J-40	78.86	14.00	120.0000	0.00
P-97	I-L-9	J-40	40.00	6.00	120.0000	2.10
P-98	O-L-9	I-RV-9	5.90	6.00	120.0000	0.00
P-99	J-43	J-42	82.89	14.00	120.0000	0.00
P-102	J-44	J-43	49.58	14.00	120.0000	0.00
P-103	J-46	J-59	62.90	14.00	120.0000	0.00
P-104	J-47	J-46	102.23	14.00	120.0000	0.00
P-105	J-48	J-47	66.28	14.00	120.0000	0.00
P-106	J-49	J-48	62.74	14.00	120.0000	0.00
P-107	J-50	J-49	78.83	14.00	120.0000	0.00
P-108	J-51	J-50	65.63	14.00	120.0000	0.00
P-109	J-52	J-51	64.33	14.00	120.0000	0.00
P-110	J-53	J-52	94.78	14.00	120.0000	0.00
P-111	J-54	J-53	79.51	14.00	120.0000	0.00
P-112	J-55	J-54	64.90	14.00	120.0000	0.00
P-113	J-56	J-55	44.40	14.00	120.0000	0.00
P-114	J-57	J-56	33.72	14.00	120.0000	0.00
P-115	J-58	J-57	41.51	14.00	120.0000	0.00
P-116	J-59	J-44	65.91	14.00	120.0000	0.00
P-117	J-60	J-58	54.63	14.00	120.0000	0.00
P-118	J-61	J-60	92.82	14.00	120.0000	0.00
P-119	J-62	J-61	39.18	14.00	120.0000	0.00
P-120	J-63	J-62	55.89	14.00	120.0000	0.00
P-121	J-64	J-63	37.57	14.00	120.0000	0.00
P-122	J-65	J-64	62.85	14.00	120.0000	0.00
P-123	J-66	J-65	49.95	14.00	120.0000	0.00
P-124	J-67	J-66	24.30	14.00	120.0000	0.00
P-125	J-68	J-67	40.64	14.00	120.0000	0.00
P-126	J-69	J-68	109.75	14.00	120.0000	0.00
P-139	J-52	I-L-19	40.00	6.00	120.0000	0.00
P-140	J-53	I-L-20	40.00	6.00	120.0000	0.00
P-146	J-61	J-60	996.03	6.00	120.0000	0.00
P-164	O-L-19	I-RV-8	6.66	6.00	120.0000	0.00
P-165	O-L-20	I-RV-7	4.88	6.00	120.0000	0.00
P-182	J-70	J-98	146.72	12.00	120.0000	0.00
P-183	J-98	J-106	104.95	12.00	120.0000	0.00
P-184	J-99	J-103	103.79	12.00	120.0000	0.00
P-185	J-100	J-129	64.41	12.00	120.0000	0.00
P-186	J-101	J-102	122.34	12.00	120.0000	0.00
P-187	J-102	J-99	103.78	12.00	120.0000	0.00
P-188	J-103	J-104	154.65	12.00	120.0000	0.00
P-189	J-104	J-105	136.04	12.00	120.0000	0.00
P-190	J-105	J-70	83.00	12.00	120.0000	0.00
P-191	J-106	J-107	176.61	12.00	120.0000	0.00
P-193	J-107	J-109	67.51	12.00	120.0000	0.00
P-195	J-109	J-111	140.39	12.00	120.0000	0.00
P-196	J-109	I-L-43	23.47	6.00	120.0000	0.00
P-197	J-111	J-113	123.36	12.00	120.0000	0.00
P-199	J-113	J-115	175.51	12.00	120.0000	0.00
P-201	J-115	J-117	137.51	12.00	120.0000	0.00
P-203	J-117	J-119	112.00	12.00	120.0000	0.00
P-204	J-117	I-L-47	23.90	6.00	120.0000	0.00
P-205	J-119	J-121	124.94	12.00	120.0000	0.00
P-207	J-121	J-30	57.79	12.00	120.0000	0.00
P-209	J-123	J-125	112.08	12.00	120.0000	0.00
P-211	J-125	J-127	90.72	12.00	120.0000	0.00
P-213	J-127	J-100	64.19	12.00	120.0000	0.00
P-216	J-129	J-101	92.80	12.00	120.0000	0.00
P-222	J-104	I-L-59	29.70	6.00	120.0000	0.00
P-231	O-L-43	I-RV-2	26.53	6.00	120.0000	0.00
P-235	O-L-47	I-RV-3	26.10	6.00	120.0000	0.00
P-247	O-L-59	I-RV-1	20.30	6.00	120.0000	0.00
P-248	J-132	J-142	145.14	20.00	120.0000	0.00
P-250	J-142	J-144	56.26	20.00	120.0000	0.00
P-252	J-144	J-145	61.81	20.00	120.0000	0.00
P-254	J-145	J-148	89.18	20.00	120.0000	0.00
P-256	J-148	J-150	73.75	20.00	120.0000	0.00
P-258	J-150	J-152	84.94	20.00	120.0000	0.00
P-260	J-152	J-154	70.98	20.00	120.0000	0.00

P-261	J-132	I-L-95	22.31	6.00	120.0000	0.00
P-262	J-154	J-156	67.54	20.00	120.0000	0.00
P-264	J-156	J-198	55.58	20.00	120.0000	0.00
P-266	J-158	J-160	73.75	20.00	120.0000	0.00
P-268	J-160	J-162	55.75	20.00	120.0000	0.00
P-270	J-162	J-164	46.94	20.00	120.0000	0.00
P-271	J-162	I-L-101	35.87	6.00	120.0000	0.00
P-272	J-164	J-286	28.97	20.00	120.0000	0.00
P-274	J-166	J-168	55.83	20.00	120.0000	0.00
P-276	J-168	J-170	53.33	20.00	120.0000	0.00
P-278	J-170	J-172	73.47	20.00	120.0000	0.00
P-280	J-172	J-174	39.13	20.00	120.0000	0.00
P-282	J-174	J-176	50.17	20.00	120.0000	0.00
P-284	J-176	J-178	59.01	20.00	120.0000	0.00
P-286	J-178	J-180	64.39	20.00	120.0000	0.00
P-287	J-178	I-L-109	24.24	6.00	120.0000	0.00
P-288	J-180	J-182	72.82	20.00	120.0000	0.00
P-290	J-182	J-184	129.52	20.00	120.0000	0.00
P-292	J-184	J-186	132.60	20.00	120.0000	0.00
P-294	J-186	J-188	81.97	20.00	120.0000	0.00
P-296	J-188	J-190	88.69	20.00	120.0000	0.00
P-298	J-190	J-192	93.86	20.00	120.0000	0.00
P-300	J-192	J-193	114.90	20.00	120.0000	0.00
P-302	J-193	J-196	98.25	20.00	120.0000	0.00
P-304	J-196	J-31	76.29	20.00	120.0000	0.00
P-306	J-198	J-158	34.91	20.00	120.0000	0.00
P-308	J-200	J-202	38.14	14.00	120.0000	0.00
P-310	J-202	J-204	58.86	14.00	120.0000	0.00
P-312	J-204	J-206	51.07	14.00	120.0000	0.00
P-314	J-206	J-208	39.92	14.00	120.0000	0.00
P-316	J-208	J-210	36.11	14.00	120.0000	0.00
P-318	J-210	J-211	55.96	14.00	120.0000	0.00
P-320	J-211	J-214	47.64	14.00	120.0000	0.00
P-322	J-214	J-216	52.22	14.00	120.0000	0.00
P-324	J-216	J-218	50.22	14.00	120.0000	0.00
P-326	J-218	J-220	42.83	14.00	120.0000	0.00
P-328	J-220	J-222	48.74	14.00	120.0000	0.00
P-330	J-222	J-224	26.78	14.00	120.0000	0.00
P-332	J-224	J-226	68.25	14.00	120.0000	0.00
P-334	J-226	J-228	42.94	14.00	120.0000	0.00
P-336	J-228	J-230	67.76	14.00	120.0000	0.00
P-338	J-230	J-232	80.76	14.00	120.0000	0.00
P-340	J-232	J-234	77.27	14.00	120.0000	0.00
P-342	J-234	J-236	69.64	14.00	120.0000	0.00
P-343	J-234	I-L-77	25.62	6.00	120.0000	0.00
P-344	J-236	J-238	53.46	14.00	120.0000	0.00
P-346	J-238	J-240	53.66	14.00	120.0000	0.00
P-348	J-240	J-242	66.02	14.00	120.0000	0.00
P-350	J-242	J-243	52.82	14.00	120.0000	0.00
P-352	J-243	J-246	58.98	14.00	120.0000	0.00
P-354	J-246	J-248	45.42	14.00	120.0000	0.00
P-356	J-248	J-250	45.53	14.00	120.0000	0.00
P-358	J-250	J-252	33.52	14.00	120.0000	0.00
P-360	J-252	J-254	109.69	14.00	120.0000	0.00
P-362	J-254	J-33	152.67	14.00	120.0000	0.00
P-364	J-35	J-268	100.00	12.00	120.0000	0.00
P-365	J-24	I-L-118	9.89	6.00	120.0000	0.00
P-366	J-256	J-260	100.00	12.00	120.0000	0.00
P-368	J-260	J-262	100.00	12.00	120.0000	0.00
P-370	J-262	J-264	100.00	12.00	120.0000	0.00
P-372	J-264	J-266	100.00	12.00	120.0000	0.00
P-374	J-266	J-35	100.00	12.00	120.0000	0.00
P-377	J-268	J-271	100.00	12.00	120.0000	0.00
P-379	J-271	J-273	100.00	12.00	120.0000	0.00
P-380	J-271	I-L-126	15.66	6.00	120.0000	0.00
P-381	J-273	J-275	100.00	12.00	120.0000	0.00
P-383	J-275	J-277	100.00	12.00	120.0000	0.00
P-385	J-277	J-279	100.00	12.00	120.0000	0.00
P-387	J-279	J-281	100.00	12.00	120.0000	0.00
P-389	J-281	J-258	100.00	12.00	120.0000	0.00
P-391	J-258	I-L-132	10.95	6.00	120.0000	0.00
P-403	O-L-77	I-RV-11	15.08	6.00	120.0000	0.00
P-426	O-L-95	I-RV-4	18.16	6.00	120.0000	0.00
P-432	O-L-101	I-RV-5	8.81	6.00	120.0000	0.00
P-440	O-L-109	I-RV-6	10.16	6.00	120.0000	0.00

Exhibit D

Exhibit D

P-450	O-L-118	I-RV-14	7.82	6.00	120.0000	0.00
P-458	O-L-126	I-RV-13	4.14	6.00	120.0000	0.00
P-464	O-L-132	I-RV-12	9.97	6.00	120.0000	0.00
P-465	J-286	J-166	36.41	20.00	120.0000	0.00
P-466	J-283	J-287	6903.03	12.00	120.0000	0.00
P-467	J-287	J-258	1496.97	12.00	120.0000	0.00
P-468	J-286	J-288	747.82	12.00	120.0000	0.00
P-470	J-289	J-22	9.13	16.00	120.0000	0.00
P-471	J-288	J-287	502.18	12.00	120.0000	0.00
P-472	J-36	J-288	4000.00	12.00	120.0000	0.00
P-473	J-290	I-L-6	1.33	8.00	120.0000	0.00
P-474	J-291	I-L-5	1.27	8.00	120.0000	0.00
P-479	J-294	J-36	117.63	12.00	120.0000	0.00
P-483	J-294	J-296	650.00	12.00	120.0000	0.00
P-484	J-295	J-29	10.97	18.00	120.0000	0.00
P-485	J-296	J-295	1300.00	12.00	120.0000	0.00

P U M P / L O S S E L E M E N T D A T A

THERE IS A DEVICE AT NODE L-1 DESCRIBED BY THE FOLLOWING DATA: (ID= 3)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
-30.00	100.00	75.00 (Default)
-50.00	500.00	75.00 (Default)
-65.00	1000.00	75.00 (Default)

THERE IS A DEVICE AT NODE L-2 DESCRIBED BY THE FOLLOWING DATA: (ID= 1)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
0.00	0.00	75.00 (Default)
-27.80	1245.00	75.00 (Default)
-111.20	2490.00	75.00 (Default)

THERE IS A DEVICE AT NODE L-3 .....> (ID= 1)

THERE IS A DEVICE AT NODE L-4 DESCRIBED BY THE FOLLOWING DATA: (ID= 6)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
0.00	0.00	75.00 (Default)
-1.00	500.00	75.00 (Default)
-6.40	1245.00	75.00 (Default)
-16.50	2000.00	75.00 (Default)

THERE IS A DEVICE AT NODE L-5 .....> (ID= 1)

THERE IS A DEVICE AT NODE L-6 .....> (ID= 1)

THERE IS A DEVICE AT NODE L-7 DESCRIBED BY THE FOLLOWING DATA: (ID= 2)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
0.00	0.00	75.00 (Default)
-8.30	1000.00	75.00 (Default)
-33.40	2000.00	75.00 (Default)

THERE IS A DEVICE AT NODE L-8 .....> (ID= 2)

THERE IS A DEVICE AT NODE L-9 .....> (ID= 3)

THERE IS A DEVICE AT NODE L-10 .....> (ID= 6)

THERE IS A DEVICE AT NODE L-11 .....> (ID= 6)

THERE IS A DEVICE AT NODE L-12 .....> (ID= 6)

THERE IS A DEVICE AT NODE L-19 .....> (ID= 3)

Exhibit D

THERE IS A DEVICE AT NODE L-20 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-43 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-47 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-59 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-77 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-95 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-101 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-109 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-118 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-126 .....> (ID= 3)  
 THERE IS A DEVICE AT NODE L-132 .....> (ID= 3)

THERE IS A DEVICE AT NODE L-133 DESCRIBED BY THE FOLLOWING DATA: (ID= 4)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
-0.30	1000.00	75.00 (Default)
-1.10	2000.00	75.00 (Default)
-2.50	3000.00	75.00 (Default)

THERE IS A DEVICE AT NODE L-136 .....> (ID= 4)  
 THERE IS A DEVICE AT NODE L-137 .....> (ID= 4)  
 THERE IS A DEVICE AT NODE L-139 .....> (ID= 4)

THERE IS A DEVICE AT NODE P-1 (A) DESCRIBED BY THE FOLLOWING DATA: (ID= 5)

HEAD (ft)	FLOWRATE (gpm)	EFFICIENCY (%)
532.10	0.00	0.00
520.00	500.00	47.00
450.00	1245.00	75.10
370.00	1760.00	76.50

THERE IS A DEVICE AT NODE P-2 (A) .....> (ID= 5)  
 THERE IS A DEVICE AT NODE P-3 (A) .....> (ID= 5)  
 THERE IS A DEVICE AT NODE P-4 (A) .....> (ID= 5)

N O D E D A T A

NODE NAME	NODE TITLE	EXTERNAL DEMAND (gpm)	JUNCTION ELEVATION (ft)	EXTERNAL GRADE (ft)
AC-1	Jet-A	----	24.00	42.00
AC-2	Jet-A	----	24.00	42.00
	J-1	0.00	23.00	
	J-2	0.00	24.00	
	J-3	0.00	23.00	
	J-4	0.00	22.00	
	J-5	0.00	22.00	
	J-6	0.00	23.00	
	J-7	0.00	22.00	
	J-8	350.00	23.00	
	J-9	0.00	22.00	
	J-10	0.00	22.00	

Exhibit D

J-11	0.00	22.00
J-12	0.00	22.00
J-13	0.00	22.00
J-14	0.00	22.00
J-15	350.00	23.00
J-17	0.00	22.00
J-18	0.00	22.00
J-19	0.00	22.00
J-20	0.00	22.00
J-21	0.00	22.00
J-22	0.00	22.00
J-23	0.00	0.00
J-24	0.00	18.00
J-25	0.00	22.00
J-26	0.00	22.00
J-27	0.00	18.00
J-28	0.00	18.00
J-29	0.00	18.00
J-30	0.00	18.00
J-31	0.00	18.00
J-32	0.00	22.00
J-33	0.00	18.00
J-34	0.00	18.00
J-35	0.00	18.00
J-36	0.00	18.00
J-37	0.00	18.00
J-38	0.00	18.00
J-39	0.00	18.00
J-40	0.00	18.00
J-41	350.00	23.00
J-42	0.00	18.00
J-43	0.00	18.00
J-44	0.00	18.00
J-46	0.00	18.00
J-47	0.00	18.00
J-48	0.00	18.00
J-49	0.00	18.00
J-50	0.00	18.00
J-51	0.00	18.00
J-52	0.00	18.00
J-53	0.00	18.00
J-54	0.00	18.00
J-55	0.00	18.00
J-56	0.00	18.00
J-57	0.00	18.00
J-58	0.00	18.00
J-59	0.00	18.00
J-60	0.00	18.00
J-61	0.00	18.00
J-62	0.00	18.00
J-63	0.00	18.00
J-64	0.00	18.00
J-65	0.00	18.00
J-66	0.00	18.00
J-67	0.00	18.00
J-68	0.00	18.00
J-69	0.00	18.00
J-70	0.00	18.00
J-72	350.00	23.00
J-75	350.00	23.00
J-76	350.00	23.00
J-80	350.00	23.00
J-81	350.00	23.00
J-98	0.00	18.00
J-99	0.00	18.00
J-100	0.00	18.00
J-101	0.00	18.00
J-102	0.00	18.00
J-103	0.00	18.00
J-104	0.00	18.00
J-105	0.00	18.00
J-106	0.00	18.00
J-107	0.00	18.00
J-109	0.00	18.00
J-111	0.00	18.00

J-113	0.00	18.00
J-115	0.00	18.00
J-117	0.00	18.00
J-119	0.00	18.00
J-121	0.00	18.00
J-123	0.00	18.00
J-125	0.00	18.00
J-127	0.00	18.00
J-129	0.00	18.00
J-132	0.00	18.00
J-142	0.00	18.00
J-144	0.00	18.00
J-145	0.00	18.00
J-148	0.00	18.00
J-150	0.00	18.00
J-152	0.00	18.00
J-154	0.00	18.00
J-155	350.00	23.00
J-156	0.00	18.00
J-158	0.00	18.00
J-160	0.00	18.00
J-162	0.00	18.00
J-164	0.00	18.00
J-165	350.00	23.00
J-166	0.00	18.00
J-168	0.00	18.00
J-170	0.00	18.00
J-172	0.00	18.00
J-174	0.00	18.00
J-176	0.00	18.00
J-178	0.00	18.00
J-180	0.00	18.00
J-182	0.00	18.00
J-184	0.00	18.00
J-186	0.00	18.00
J-188	0.00	18.00
J-190	0.00	18.00
J-192	0.00	18.00
J-193	0.00	18.00
J-196	0.00	18.00
J-198	0.00	18.00
J-200	0.00	18.00
J-202	0.00	18.00
J-204	0.00	18.00
J-206	0.00	18.00
J-208	0.00	18.00
J-210	0.00	18.00
J-211	0.00	18.00
J-214	0.00	18.00
J-216	0.00	18.00
J-218	0.00	18.00
J-220	0.00	18.00
J-222	0.00	18.00
J-224	0.00	18.00
J-226	0.00	18.00
J-228	0.00	18.00
J-230	0.00	18.00
J-232	0.00	18.00
J-234	0.00	18.00
J-236	0.00	18.00
J-237	350.00	23.00
J-238	0.00	18.00
J-240	0.00	18.00
J-242	0.00	18.00
J-243	0.00	18.00
J-246	0.00	18.00
J-248	0.00	18.00
J-250	0.00	18.00
J-252	0.00	18.00
J-254	0.00	18.00
J-256	0.00	18.00
J-258	0.00	18.00
J-259	350.00	23.00
J-260	0.00	18.00
J-262	0.00	18.00

Exhibit D

Exhibit D

J-264		0.00	18.00	
J-266		0.00	18.00	
J-268		0.00	18.00	
J-271		0.00	18.00	
J-273		0.00	18.00	
J-274		350.00	23.00	
J-275		0.00	18.00	
J-277		0.00	18.00	
J-279		0.00	18.00	
J-281		0.00	18.00	
J-283		0.00	18.00	
J-285		350.00	23.00	
J-286		0.00	0.00	
J-287		0.00	18.00	
J-288		0.00	0.00	
J-289		0.00	22.00	
J-290		0.00	22.00	
J-291		0.00	22.00	
J-294		0.00	0.00	
J-295		0.00	18.00	
J-296		0.00	0.00	
I-L-1	Hydrant Valv	0.00	0.00	
I-L-2	Filter Separ	0.00	22.00	
I-L-3	Filter Separ	0.00	22.00	
I-L-4	Cla-Val dP	0.00	22.00	
I-L-5	Filter Separ	0.00	22.00	
I-L-6	Filter Separ	0.00	22.00	
I-L-7	Meter	0.00	22.00	
O-L-8	Meter	0.00	22.00	
O-L-9	Hydrant Valv	0.00	23.00	
I-L-10	Cla-Val dP	0.00	22.00	
I-L-11	Cla-Val dP	0.00	0.00	
I-L-12	Cla-Val dP	0.00	0.00	
I-L-19	Hydrant Valv	0.00	23.00	
I-L-20	Hydrant Valv	0.00	23.00	
O-L-43	Hydrant Valv	0.00	23.00	
I-L-47	Hydrant Valv	0.00	23.00	
O-L-59	Hydrant Valv	0.00	23.00	
O-L-77	Hydrant Valv	0.00	23.00	
O-L-95	Hydrant Valv	0.00	23.00	
O-L-101	Hydrant Valv	0.00	23.00	
I-L-109	Hydrant Valv	0.00	23.00	
O-L-118	Hydrant Valv	0.00	23.00	
O-L-126	Hydrant Valv	0.00	23.00	
O-L-132	Hydrant Valv	0.00	23.00	
I-L-133		0.00	22.00	
I-L-136		0.00	22.00	
I-L-137		0.00	22.00	
I-L-139		0.00	22.00	
I-P-1 (A)		0.00	21.00	
I-P-2 (A)		0.00	21.00	
I-P-3 (A)		0.00	21.00	
I-P-4 (A)		0.00	21.00	
O-RV-1	Hydrant Valv	----	23.00	273.23
O-RV-2	Hydrant Valv	----	23.00	273.23
I-RV-3	Hydrant Valv	0.00	23.00	
O-RV-4	Hydrant Valv	----	23.00	273.23
O-RV-5	Hydrant Valv	----	23.00	273.23
I-RV-6	Hydrant Valv	0.00	23.00	
I-RV-7	Hydrant Valv	0.00	23.00	
I-RV-8	Hydrant Valv	0.00	23.00	
O-RV-9	Hydrant Valv	----	23.00	273.23
I-RV-10	Hydrant Valv	0.00	23.00	
O-RV-11	Hydrant Valv	----	23.00	273.23
O-RV-12	Hydrant Valv	----	23.00	273.23
O-RV-13	Hydrant Valv	----	23.00	273.23
O-RV-14	Hydrant Valv	----	23.00	273.23
I-RV-15	6" or 8" Cla	0.00	22.00	
I-RV-16	6" or 8" Cla	0.00	22.00	
I-RV-17	6" or 8" Cla	0.00	22.00	
I-RV-18	6" or 8" Cla	0.00	22.00	
T-1 Jet-A		----	24.00	42.00
T-2 Jet-A		----	24.00	42.00
T-3 Jet-A		----	24.00	42.00
T-4 Jet-A		----	24.00	42.00

ID	Description	Cost	Value	Total
I-RV-1	Hydrant Valv	0.00	23.00	
I-RV-2	Hydrant Valv	0.00	23.00	
I-RV-4	Hydrant Valv	0.00	23.00	
I-RV-5	Hydrant Valv	0.00	23.00	
I-RV-9	Hydrant Valv	0.00	23.00	
I-RV-11	Hydrant Valv	0.00	23.00	
I-RV-12	Hydrant Valv	0.00	23.00	
I-RV-13	Hydrant Valv	0.00	23.00	
I-RV-14	Hydrant Valv	0.00	23.00	
O-L-1	Hydrant Valv	0.00	0.00	
O-L-136		0.00	22.00	
O-L-133		0.00	22.00	
O-L-137		0.00	22.00	
O-L-139		0.00	22.00	
O-RV-3	Hydrant Valv	----	23.00	273.23
O-P-3 (A)		0.00	21.00	
O-P-4 (A)		0.00	21.00	
O-P-1 (A)		0.00	21.00	
O-P-2 (A)		0.00	21.00	
O-RV-6	Hydrant Valv	----	23.00	273.23
O-RV-7	Hydrant Valv	----	23.00	273.23
O-RV-8	Hydrant Valv	----	23.00	273.23
O-L-2	Filter Separ	0.00	22.00	
O-L-3	Filter Separ	0.00	22.00	
O-L-5	Filter Separ	0.00	22.00	
O-L-6	Filter Separ	0.00	22.00	
O-RV-15	6" or 8" Cla	0.00	22.00	
O-RV-10	Hydrant Valv	----	23.00	273.23
O-RV-16	6" or 8" Cla	0.00	22.00	
O-RV-17	6" or 8" Cla	0.00	22.00	
O-RV-18	6" or 8" Cla	0.00	22.00	
O-L-4	Cla-Val dP	0.00	22.00	
O-L-11	Cla-Val dP	0.00	0.00	
O-L-12	Cla-Val dP	0.00	0.00	
O-L-10	Cla-Val dP	0.00	22.00	
O-L-7	Meter	0.00	22.00	
I-L-8	Meter	0.00	22.00	
I-L-9	Hydrant Valv	0.00	23.00	
O-L-19	Hydrant Valv	0.00	23.00	
O-L-20	Hydrant Valv	0.00	23.00	
I-L-43	Hydrant Valv	0.00	23.00	
I-L-59	Hydrant Valv	0.00	23.00	
O-L-47	Hydrant Valv	0.00	23.00	
I-L-95	Hydrant Valv	0.00	23.00	
I-L-101	Hydrant Valv	0.00	23.00	
I-L-77	Hydrant Valv	0.00	23.00	
I-L-118	Hydrant Valv	0.00	23.00	
I-L-126	Hydrant Valv	0.00	23.00	
I-L-132	Hydrant Valv	0.00	23.00	
O-L-109	Hydrant Valv	0.00	23.00	

Exhibit D

OUTPUT OPTION DATA

OUTPUT SELECTION: ALL RESULTS ARE INCLUDED IN THE TABULATED OUTPUT  
 MAXIMUM AND MINIMUM PRESSURES = 5  
 MAXIMUM AND MINIMUM VELOCITIES = 5  
 MAXIMUM AND MINIMUM HEAD LOSS/1000 = 5

SYSTEM CONFIGURATION

NUMBER OF PIPES .....(p) = 248  
 NUMBER OF END NODES .....(j) = 231  
 NUMBER OF PRIMARY LOOPS .....(l) = 12  
 NUMBER OF SUPPLY NODES .....(f) = 6  
 NUMBER OF SUPPLY ZONES .....(z) = 1



July 01, 2019

Ms. Madelyn Tackett  
Southwest Airlines

Re: TPA – Tampa International Airport  
API 570 Report Review & Recommendations

Dear Ms. Tackett:

In response to your request for our engineering review of the February, 2019 API 570 In-Service Inspection Report written by HMT, we offer the following summary of our review process and our recommendations related to the HMT report.

## **BACKGROUND**

The TPA Jet-A Fuel system is a buried piping system consisting of externally coated and cathodically protected carbon steel pipe. The internal pipe surface is uncoated according to the API 570 report, which was standard practice in the 1960's. We were given the HMT report and asked to provide a draft report of any issues or questions we may identify. In late May, 2019, we provided a draft report to you that outlined several concerns with the HMT report and its findings. Currier & Co (C&C) was then engaged to continue the review of this material and work to validate and/or assess the data – using all means at our disposal – and to then provide final recommendations.

## **CURRIER & COMPANY INVESTIGATIVE PROCESS**

C&C reached out directly to HMT through the technician who wrote the report (the Inspector who performed the onsite examination of the piping at TPA) and this proved to be a productive conversation. We confirmed that HMT performed the previous examination 10 years ago – in the same place on the same pipe as this year's examination. Much of the baseline data for the new report was pulled from the prior report written in 2009 by HMT. This follows industry standard practice for API 570 examination(s) and generally allows for determining a rate at which corrosion is taking place in the piping being examined.

### Issues Identified and Findings

The original 1969 12-inch piping is listed as Schedule 30 (wall-thickness = 0.330-inches) in the 2019 HMT report – which is highly unlikely in our experience and we discovered that this supposition originated in the 2009 HMT report as noted above.

Some of the computational and report description 'cell' errors that were identified in the C&C draft report were surprisingly submitted correctly by the inspector to his HMT report reviewer, and so we were surprised to learn that the errors were mistakenly included in the 2019 HMT report (somehow). This was verified by C&C in the inspector's notes but it is not clear why the errors occurred. For example, the report generally refers to all of the pipe as "Line Schedule 40" carbon steel originally installed in 1969. Later in the report, the 18" dia. pipe is stated to be SCH STD (0.375 in.) and the 12" dia. as SCH 30. (0.330 in.).

During our discussions with the inspector, the visual (external) condition of the piping was investigated – something that is difficult to outline and describe in many API 570 written reports – even though photos are provided in the 2019 HMT report. It was the Inspector's opinion that both the 12-inch and the 18-inch pipes appeared to be in very good external (visual) condition. We agree, based on the photos in the HMT report(s); we agree that the external condition shows virtually no degradation of the piping.

## Exhibit D

However, the (2) two HMT reports (2009 and 2019) call out advanced (substantial) degradation of the 12" pipe (a direct result of their assumption that this was originally Schedule 30 pipe). We were confused by this because substantial external degradation had to be present if this was in fact Schedule 30 pipe. (In our experience, Jet-A lines wear, but do not corrode internally – except within low velocity lines that are not well drained). This is not the case in TPA. Furthermore, corrosion was not found by the Inspector and the Inspector confirmed that both the 12-inch & 18-inch pipes were in the same excavation and directly adjacent to one another. Since the CP report is very good for both the 12-inch and the 18-inch lines, and since the 18-inch line shows little degradation we therefore conclude that the piping was not Schedule 30 to start with.

C&C also visited with the airport farm operator and reached out to the airport engineering team in an effort to obtain documentation on the original installation of the pipe. While drawings were found, the thickness/schedule info for the pipe was not identified on the plans we obtained. The piping thickness would typically be found in the project specifications – which may exist with the original designer, but we are not recommending that they be found at this point.

### **C&C REPORT FINDINGS**

As stated in the HMT inspection report, ultrasonic testing (UT) and visual testing (VT) were performed on two lengths of excavated (buried) Jet-A piping, to include 12 linear feet of 12-inch dia. steel pipe and 12 linear feet of 18-inch dia. steel pipe. Both piping segments chosen were at the location of a welded 90° elbow, which is in accordance with best practices.

C&C strongly believes that the original 12-inch diameter piping installed was SCH 20 (0.250-inch wall-thickness). This would equate to a nearly identical lifetime corrosion rate when compared to the 18-inch SCH STD pipe in the same spot and in the same soils. Both are cathodically protected. Since the interior corrosion cannot adequately explain the UT readings in the HMT report, C&C concludes that both the 2009 & 2019 HMT reports incorrectly state the installed thickness of the 12-inch pipe, and in fact this should be identified as SCH 20 (0.250-inch wall).

The HMT pipe analysis found both pipes to be above the Minimum Required Thickness (MRT). In spite of the HMT data as reported, HMT found that both pipes have a remaining 1/2 life of 30+ years. The actual current measured wall thickness for the 18-inch dia. pipe was 0.346 in. (originally 0.375 in.) which is well above the MRT per API 2611 of 0.1859 in. The actual measured wall thickness for the 12-inch dia. pipe was 0.223 in. which is well above the MRT per API 2611 of 0.1317-inches. However, it should be noted that if this pipe was originally installed as SCH 20, as C&C strongly believes, the MRT calculation supports a significantly longer useful life for the 12" pipe meaning far beyond 30 years.

#### The HMT Corrosion Rate Calculations and Remaining Life Calculations

These HMT calculations for the 12-inch pipe are the reason we evaluated this report in the first place and we find that they are flawed because they are based on an original base metal (wall) thickness of 0.330. We find that the 12-inch piping in question, when LTCR & STCR are re-calculated with the appropriate original thickness of SCH 20 (0.250"), the solved-for values will correspond to the 18-inch HMT findings and we therefore conclude that the 12-inch and 18-inch piping have very long lifespans.

### **SOIL CORROSIVITY / CATHODIC PROTECTION**

Because this Jet-A piping system is cathodically protected, no soil corrosivity analysis is required to be performed as part of the API 570 testing. However, in an effort to give well-researched recommendations, C&C requested the most recent Annual Cathodic Survey from Menzies Aviation. The most recent inspections took place on November 5<sup>th</sup>-6<sup>th</sup>, 2019 and a report was received in January of 2019. We have reviewed the annual survey and it did not raise any additional concerns. Based on the performance of the cathodic system evidenced in that report, we are, again, stating our belief that the 12" pipe was originally SCH 20 (0.250-inch wall).

## Exhibit D

### CONCLUSIONS & RECOMMENDATIONS

Based on these findings, we recommend that future API 570 inspections are performed using a 12-inch pipe original wall thickness of SCH 20 (0.250-inch wall). This will provide more accurate calculations and life expectancy calculations for the piping. When all data in the HMT report are adjusted for the accurate original conditions, the life expectancy of the system will automatically be found to be much longer than originally predicted by HMT and the corrosion/degradation rate to be much lower. Based on our first-hand experience, we have no concerns for the longevity of this piping.

C&C does not believe any further testing is required at this time except for routine inspections normally provided by the operator as part of their preventative maintenance protocols.

The next required API 570 test is in 10 years. The consortium/farm operator may choose to have HMT amend their report. HMT may or may not be willing to do this.

As with any representative test, it is not possible to ascertain the actual condition of all of the pipe on the airfield. The API 570 process, in general and in conjunction with a properly maintained cathodic system, has proven over many decades to be a valuable indicator of overall piping system condition.

Feel free to contact either Chris Olson, Jon Currier or me at 813.495.8072 to discuss any questions you may have of this review. Jon's cell is 310-422-8062.

Sincerely,



William H. Freeman, PE  
Currier & Company, Inc.  
TPA - API 570 Report Review

Exhibit D

**PIPE SYSTEM  
API 570 IN-SERVICE INSPECTION REPORT**


**MENZIES AVIATION  
BURIED HYDRANT FUELING PIPING LINES  
TAMPA INTERNATIONAL AIRPORT  
TAMPA, FL  
FEBRUARY 18 - 21, 2019**



Prepared by:

**HMT Inspection  
A Division of HMT LLC  
7355 W. Friendly Ave., Suite B  
Greensboro, NC 27409-1854  
336.315.7908**

## Exhibit D

<p style="text-align: center;"><b>API 570 External Inspection Report</b> for <b>Menzies Aviation</b> <b>Piping System No. Buried Hydrant Fueling Lines</b> <b>Tampa, FL</b></p>	 <p style="text-align: center;">February 18 - 21, 2019 Page 2 of 22</p>
---	--


## EXECUTIVE SUMMARY

It is recommended that the owner / user reviews, evaluates, and implements the recommendations set forth in Section 2.0, Inspection Summary, of this report or, the owner / user may determine that no action(s) need be taken prior to continued service and such decision(s) should be documented in the piping historical record file.

It is recommended that the owner / user adheres to the recommendations given herein in Section 2.0 for continued service until such time as tank operating conditions change or another inspection assessment per API 570 guidelines determines that an adjustment in safe operation for this piping should be made.

- It has been determined that, due to the non-hazardous nature of the service Jet-A (Aviation Fuel), this piping circuit is designated Class 3.
- Further Ultrasonic (UT) testing and Visual (VT) inspection of this circuit should be performed within 10 years and no later than February 2029 (ref. API 570 Section 6, Tables 1 and 2).

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <hr/> <p>February 18 - 21, 2019                  Page 3 of 22</p>
--	---

**SUMMARY OF RECOMMENDED ACTIONS**

No recommended or required actions at this time. This piping circuit is in acceptable condition for continued service under the current operating conditions.

<b>ACTION CODE (AC) DEFINITIONS</b>
<b>Code A:</b> Repairs critical to piping integrity required - Out of compliance with the <u>current</u> API 570 Code. Positive action must be taken prior to continued service.
<b>Code B:</b> Further Engineering evaluation required - Out of compliance with the <u>current</u> API 570 Code with <u>no damage or failure noted</u> . Must be assessed (action taken or not taken) and documented prior to continued service.
<b>Code C:</b> No action required - Pertinent findings / suggestions / recommendations only. Monitor for continued deterioration.
<b>Code D:</b> Acceptable - In compliance w/ API 570 Code - No action required

Exhibit D

<p><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <hr/> <p>February 18 - 21, 2019 Page 4 of 22</p>
--	---

**PERSONNEL**

HMT Inspection provided the following personnel:



Christopher Marsh  
API 570 Piping Inspector  
Certification Number: 23226  
Level II Technician

Luch Neang  
Technician

Exhibit D

---

**TABLE OF CONTENTS**

---

1.0 DESCRIPTION ..... 6

2.0 INSPECTION SUMMARY ..... 7

3.0 DRAWINGS ..... 9

    3.1 PIPING LAYOUT ..... 9

4.0 PIPING INSPECTION CHECKLIST ..... 10

5.0 CALCULATION TABLES ..... 13

6.0 TABLES ..... 15

7.0 NDT INSPECTION ..... 16

    7.1 NDT INSPECTION SCOPE ..... 16

8.0 EQUIPMENT ..... 17


    8.1 ULTRASONIC ..... 17

9.0 WARRANTY ..... 18

10.0 PHOTOGRAPHS ..... 19

11.0 CERTIFICATIONS ..... 20


Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p>February 18 - 21, 2019                  Page 6 of 22</p>
--	--

**1.0 DESCRIPTION**

<b>GENERAL:</b>	<b>LINE / PIPING IDENTIFICATION:</b>	Buried Hydrant Fueling Lines	
	<b>OWNER:</b>	Menzies Aviation	
	<b>PIPING LOCATION:</b>	Tampa, FL (International Airport)	
	<b>TYPE OF FACILITY:</b>	Airport	
	<b>DESIGN STANDARD / PIPING SPECIFICATION:</b>	ASME B31.3	
	<b>INSTALLER:</b>	No Data Available	
	<b>PRODUCT / SERVICE:</b>	Jet-A (Aviation Fuel)	
	<b>PIPING CLASSIFICATION:</b>	Class 3	
	<b>DESIGN PRESSURE:</b>	No Data Available	
	<b>OPERATING PRESSURE:</b>	200 PSIG	
	<b>MAXIMUM ALLOWABLE WORKING PRESSURE (MAWP):</b>	257 PSI	
	<b>DESIGN TEMPERATURE:</b>	No Data Available	
	<b>OPERATING TEMPERATURE:</b>	Ambient	
	<b>ALLOWABLE STRESS:</b>	16,000 PSIG	
	<b>LONGITUDINAL JOINT EFFECIENCY:</b>	1.0	
	<b>CATHODIC PROTECTION &amp; TYPE:</b>	None	
	<b>NAMEPLATE PRESENT:</b>	N/A	
	<b>INSULATED:</b>	N/A	
	<b>DIMENSIONS:</b>	<b>OUTSIDE DIAMETER (O.D.):</b>	10.00 inches / 18.00 inches
		<b>CIRCUIT LENGTH (IN FEET):</b>	12.00 feet (Approximate)
<b>GEOMETRY:</b>	<b>SUPPORTS:</b>	None	
	<b>MATERIAL OF CONSTRUCTION:</b>	Carbon Steel (Grade Not Known)	
<b>DATES:</b>	<b>LINE SCHEDULE:</b>	40	
	<b>YEAR OF FABRICATION / CONSTRUCTION:</b>	1969	
	<b>YEAR INSTALLED:</b>	1969	
	<b>LAST COATED:</b>	No Data Available	
	<b>LAST INSPECTION &amp; TYPE:</b>	2009	
<b>ACCESS:</b>	<b>LINE ELEVATION:</b>	Underground	
	<b>LINE ACCESS:</b>	None	
<b>COATINGS / LININGS:</b>	<b>EXTERNAL:</b>	White Paint	
	<b>INTERNAL:</b>	None	

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p>February 18 - 21, 2019                  Page 7 of 22</p>
--	--

**2.0 INSPECTION SUMMARY**

The following is a summary of the significant findings of the inspection (item numbers correspond with the HMT API 570 Checklist).

**INSPECTION INTERVAL:** It has been determined that, due to the non-hazardous nature of the service Jet-A (Aviation Fuel), this piping circuit is designated Class 3.

Further Ultrasonic (UT) testing and Visual (VT) inspection of this circuit should be performed within 10 years and no later than February 2029 (ref. API 570 Section 6, Tables 1 and 2).

**CORROSION RATE DETERMINATION:** In accordance with API 570, 4<sup>th</sup> Edition, Para. 7.1.2, the Long-Term Corrosion Rate (LTCR) was calculated based on random Ultrasonic (UT) thickness measurements throughout the pipeline circuit. LTCR calculations were made on the 12-inch and 18-inch carbon steel lines.

**MAWP CALCULATIONS:** In accordance with API 570, 4<sup>th</sup> Edition, Para. 7.5, Maximum Allowable Working Pressure (MAWP) calculations were made on the NPS 12 and NPS 18 carbon steel circuits. Thickness measurement determined that the piping system can maintain the current design operating conditions and may be limited only by the associated valves and flanges.

**BACKGROUND:**

**ITEM P11 / ACTION CODE D:** The piping system inspected was the NPS 12 and NPS 18 carbon steel piping which was excavated. This line consists of coated carbon steel piping. All lines are located outdoors were buried underground. Previous inspection found no recordable issues.

**ACTION CODE D:** The piping joint efficiency used for evaluation was 1.0 and the allowable stress was 16,000 psi. Minimum values based on normal industry practice were used. Maximum Allowable Working Pressure (MAWP) and remaining life calculations were based on these values.

<b>ACTION CODE (AC) DEFINITIONS</b>
<b>Code A:</b> Repairs critical to piping integrity required - Out of compliance with the <u>current</u> API 570 Code. Positive action must be taken prior to continued service.
<b>Code B:</b> Further Engineering evaluation required - Out of compliance with the <u>current</u> API 570 Code with <u>no damage or failure noted</u> . Must be assessed (action taken or not taken) and documented prior to continued service.
<b>Code C:</b> No action required - Pertinent findings / suggestions / recommendations only. Monitor for continued deterioration.
<b>Code D:</b> Acceptable - In compliance w/ API 570 Code - No action required

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <hr/> <p>February 18 - 21, 2019                  Page 8 of 22</p>
--	---

**INSPECTION SUMMARY (CONT'D.):**

**BACKGROUND (CONT'D.):**


**ITEM P14 / ACTION CODE D:** Ultrasonic (UT) thickness readings were taken at various locations throughout the accessible segments (ref. Circuit Dwg.). No readings were sufficiently below nominal thickness to result in a recordable indication requiring repair.

<b>ACTION CODE (AC) DEFINITIONS</b>
<b>Code A:</b> Repairs critical to piping integrity required - Out of compliance with the <u>current</u> API 570 Code. Positive action must be taken prior to continued service.
<b>Code B:</b> Further Engineering evaluation required - Out of compliance with the <u>current</u> API 570 Code with <u>no damage or failure noted</u> . Must be assessed (action taken or not taken) and documented prior to continued service.
<b>Code C:</b> No action required - Pertinent findings / suggestions / recommendations only. Monitor for continued deterioration.
<b>Code D:</b> Acceptable - In compliance w/ API 570 Code - No action required

# Exhibit D

3.0 DRAWINGS  
3.1 PIPING LAYOUT

REFERENCE  
N




DRAWING NOT TO SCALE

DESCRIPTION  
12" NPS x 10" NPS BURIED  
PIPING INSIDE AIRPORT  
PROPERTY, EXCAVATED  
EXPOSE CARBON STEEL  
PIPING.

LEGEND  
● = WELD  
○ = CML LOCATION

HMT INSPECTION 7355 W. FRIENDLY AVE., SUIT B GREENEPOINT, NC 27409-1854	
TITLE: PIPING LAYOUT	
OWNER: MENZIES AVIATION	JOB NO: 272-73301
PREP BY: J. VAZQUEZ	DATE: 12 FEB 2018


Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p>February 18 - 21, 2019                  Page 10 of 22</p>
--	---

**4.0 PIPING INSPECTION CHECKLIST**

ITEM NO.	DESCRIPTION	INSPECTION COMMENTS
P1	Search for any indication of leakage from process piping.	Acceptable
P2	Search for any indication of leakage from steam tracing	N/A
P3	Search for any indication of leakage from repairs or existing pipe clamps.	N/A
P4	Record / locate all repairs and / or existing pipe clamps.	N/A
P5	Do all piping repairs meet API 570 guidelines?	N/A
P6	Inspect for piping misalignment / restricted movement.	N/A
P7	Inspect for expansion misalignment.	N/A
P8	Inspect for piping dislodged from one (1) or more supports.	N/A
P9	Inspect for deformation of a vessel or tank wall in the vicinity of piping attachments.	N/A
P10	Inspection for piping supports forced out-of-plumb by piping expansion or contraction.	N/A


Exhibit D

<p><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <p>February 18 - 21, 2019 Page 11 of 22</p>
--	---

**PIPING INSPECTION CHECKLIST (CONT'D.)**

ITEM NO.	DESCRIPTION	INSPECTION COMMENTS
P11	Check records for any excessive replacement or repair of mechanical components connected to the piping.	Reference Section 2.0
P12	Inspect for base plate shifting, concrete cracking and / or shearing of foundation bolts for mechanical equipment which piping is connected to.	N/A
P13	Inspect for defects in flange connections between mechanical equipment and piping.	N/A
P14	Inspect piping circuit for coating failure and corrosion.	Reference Section 2.0
P15	Inspect soil-to-air interface.	Acceptable
P16	Inspect for areas of pipe deformation, bulges or depressions.	Acceptable
P17	Inspect bolting support points under clamps.	N/A
P18	Inspect all thin, small-bore or alloy piping.	N/A
P19	Inspect all threaded piping and threaded connections.	N/A
P20	Inspect insulation for damage and areas of penetrations.	N/A
P21	Inspect insulation interface areas for coating failure, corrosion and / or biological growth.	Acceptable
P22	Inspect for missing areas of insulation or jacket.	N/A
P23	Inspect the sealant for areas of deterioration of missing sealant material.	N/A
P24	Inspect for bulges in the insulation.	N/A
P25	Inspect for areas of insulation banding which may be broken or missing.	N/A
P26	Inspect piping supports for corrosion or coating failure.	N/A


Exhibit D

<p><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <p>February 18 - 21, 2019 Page 12 of 22</p>
--	--

**PIPING INSPECTION CHECKLIST (CONT'D.)**

ITEM NO.	FOUNDATION	INSPECTION COMMENTS
P27	Inspect piping supports for distortion or damage.	N/A
P28	Inspect for movement or deterioration of concrete footings.	N/A
P29	Inspect for damaged or loose foundation bolts.	N/A
P30	Inspect for excessive overhanging weight.	N/A
P31	Inspect for inadequate or missing piping supports.	N/A
P32	Inspect for loose supports resulting in metal wear.	N/A
P33	Inspect and document any shoe not in contact with its supports.	N/A
P34	Inspect for pipe hanger distortion.	N/A
P35	Inspect spring hangers for lack of tension.	N/A
P36	Inspect for pipe brace distortion or breakage.	N/A
P37	Inspect for loose piping brackets.	N/A
P38	Inspect for restricted operation of pipe rollers or slide plates.	N/A
P39	Inspect for restricted operation of pulleys or pivot points in counter-balanced piping details.	N/A
P40	If piping designated as Class 1 and requires annual pressure testing by U.S. Coast Guard regulations, verify that this has been performed as required.	N/A

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p>February 18 - 21, 2019                  Page 13 of 22</p>
--	---

**5.0 CALCULATION TABLES**

**MAXIMUM ALLOWABLE WORKING PRESSURE**

(ref. API 570, Para. 7.5 & Table 1)

Pipe Classification (ref. API 570, Para. 6.3.4.2, 6.3.4.3, 6.3.4.4, 6.3.4.5)	Class 3
Pipe Description (NPS & Weight)	18 NPS / Standard
Outside Diameter of Pipe (O.D.)	18.000 in.
Allowable Stress	16,000 psi
Longitudinal Weld Joint Efficiency	1.0
Thickness Determined from Inspection	0.346 in.
Observed Corrosion Rate (7.1.2)	0.0023 in. / yr.
Next Planned Inspection	2029
Estimated Metal Loss by Next Planned Inspection	0.023 in.
Maximum Allowable Working Pressure (MAWP)	200 psi
Conclusion (Acceptable / Not Acceptable)	Acceptable

**CORROSION RATE CALCULATIONS**

**Long-Term Corrosion Rate (LTCR) (ref. API 570, Para. 7.1.2)**

Initial Thickness (Nominal)	0.375 in.
Actual Minimum Thickness (current)	0.346 in.
Initial Inspection Year or Year of Construction	1969
Current Inspection Year	2019
Long-Term Corrosion Rate (LTCR)	0.0006 in. / yr.

**Short-Term Corrosion Rate (STCR) (ref. API 570, Para. 7.1.2)**


Previous Thickness	0.369 in.
Actual Minimum Thickness (current)	0.346 in.
Previous Inspection Year	2009
Current Inspection Year	2019
Short-Term Corrosion Rate (STCR)	0.0023 in. / yr.

**REMAINING LIFE CALCULATIONS**

(ref. API 570, Para. 7.1.2 & API 574, Para. 12.1.4, 12.1.5 & Table 7)

Actual Minimum Thickness	0.346 in.
Minimum Alert Thickness (ref. API 574, Table 7)	0.130 in.
Minimum Required Thickness (ref. API 2611, Annex C)	0.1859
Corrosion Rate	0.0023 in. / yr.
LTCR Remaining 1/2-Life	30+ Years

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p>February 18 - 21, 2019 Page 14 of 22</p>
--	--

**5.0 CALCULATION TABLES (CONT'D.)**

**MAXIMUM ALLOWABLE WORKING PRESSURE**

(ref. API 570, Para. 7.5 & Table 1)

Pipe Classification (ref. API 570, Para. 6.3.4.2, 6.3.4.3, 6.3.4.4, 6.3.4.5)	Class 3
Pipe Description (NPS & Weight)	12 NPS / Standard
Outside Diameter of Pipe (O.D.)	12.750 in.
Allowable Stress	16,000 psi
Longitudinal Weld Joint Efficiency	1.0
Thickness Determined from Inspection	0.223 in.
Observed Corrosion Rate (7.1.2)	0.0033 in. / yr.
Next Planned Inspection	2029
Estimated Metal Loss by Next Planned Inspection	0.033 in.
Maximum Allowable Working Pressure (MAWP)	200 psi
Conclusion (Acceptable / Not Acceptable)	Acceptable

**CORROSION RATE CALCULATIONS**

**Long-Term Corrosion Rate (LTCR) (ref. API 570, Para. 7.1.2)**

Initial Thickness (Nominal)	0.333 in.
Actual Minimum Thickness (current)	0.223 in.
Initial Inspection Year or Year of Construction	1969
Current Inspection Year	2019
Long-Term Corrosion Rate (LTCR)	0.0022 in. / yr.

**Short-Term Corrosion Rate (STCR) (ref. API 570, Para. 7.1.2)**

Previous Thickness	0.264 in.
Actual Minimum Thickness (current)	0.231 in.
Previous Inspection Year	2009
Current Inspection Year	2019
Short-Term Corrosion Rate (STCR)	0.0033 in. / yr.

**REMAINING LIFE CALCULATIONS**

(ref. API 570, Para. 7.1.2 & API 574, Para. 12.1.4, 12.1.5 & Table 7)

Actual Minimum Thickness	0.223 in.
Minimum Alert Thickness (ref. API 574, Table 7)	0.130 in.
Minimum Required Thickness (ref. API 2611, Annex C)	0.1317
Corrosion Rate	0.0033 in. / yr.
LTCR Remaining 1/2-Life	30+ Years

Exhibit D

<p><b>API 570 External Inspection Report</b>  <b>for</b>  <b>Menzies Aviation</b>  <b>Piping System No. Buried Hydrant Fueling Lines</b>  <b>Tampa, FL</b></p>	 <p><b>HMT Inspection</b></p> <p>February 18 - 21, 2019 Page 15 of 22</p>
--	---

**6.0 TABLES**

CML (UT)	SIZE NPS, in.	ACTUAL	PREV.	ORIG.	REQ.	ST CORR	LT CORR	REMAINING	NEXT	NEXT
		Thk., in. Feb-19	Thk., in. Jan-09	Thk., in. Nov-69	Thk., in.	Rate	Rate	1/2 LIFE	Inspection UT, VT, S/A	Inspection Inj. Point
1-T	12.00	0.237	0.000	0.333	0.1300	0.0000	0.0020	27.4	10.0	3.0
1-E	12.00	0.241	0.000	0.333	0.1300	0.0000	0.0019	29.7	10.0	3.0
1-B	12.00	0.291	0.000	0.333	0.1300	0.0000	0.0009	94.3	10.0	3.0
1-W	12.00	0.243	0.000	0.333	0.1300	0.0000	0.0018	30.9	10.0	3.0
2-T	12.00	0.237	0.234	0.333	0.1300	0.0000	0.0020	27.4	10.0	3.0
2-O/S	12.00	0.231	0.264	0.333	0.1300	0.0033	0.0021	15.5	10.0	3.0
2-B	12.00	0.223	0.247	0.333	0.1300	0.0024	0.0022	19.6	10.0	3.0
2-I/S	12.00	0.237	0.241	0.333	0.1300	0.0004	0.0020	27.4	10.0	3.0
3-T	12.00	0.235	0.244	0.333	0.1300	0.0009	0.0020	26.4	10.0	3.0
3-N	12.00	0.254	0.216	0.333	0.1300	0.0000	0.0016	38.6	10.0	3.0
3-B	12.00	0.268	0.215	0.333	0.1300	0.0000	0.0013	52.3	10.0	3.0
3-S	12.00	0.258	0.226	0.333	0.1300	0.0000	0.0015	42.0	10.0	3.0
1-T	18.00	0.374	0.000	0.375	0.1300	0.0000	0.0000	6005.3	10.0	3.0
1-E	18.00	0.399	0.000	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
1-B	18.00	0.405	0.000	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
1-W	18.00	0.391	0.000	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
2-T	18.00	0.390	0.381	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
2-O/S	18.00	0.410	0.413	0.375	0.1300	0.0003	0.0000	472.0	10.0	3.0
2-B	18.00	0.389	0.388	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
2-I/S	18.00	0.388	0.386	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
3-T	18.00	0.378	0.371	0.375	0.1300	0.0000	0.0000	No Corrosion	10.0	3.0
3-N	18.00	0.364	0.356	0.375	0.1300	0.0000	0.0002	523.6	10.0	3.0
3-B	18.00	0.346	0.369	0.375	0.1300	0.0023	0.0006	47.5	10.0	3.0
3-W	18.00	0.353	0.375	0.375	0.1300	0.0022	0.0004	51.3	10.0	3.0

**CML Description**  
 N = North E = East OR = Extrados  
 S = South W = West IR = Intrados  
 T = Top B = Bottom

## Exhibit D

<p style="text-align: center;"><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p style="text-align: center;"><b>HMT Inspection</b></p> <hr/> <p style="text-align: center;">February 18 - 21, 2019 Page 16 of 22</p>
--	--

## 7.0 NDT INSPECTION

### 7.1 NDT INSPECTION SCOPE

The following Nondestructive Testing (NDT) was conducted to evaluate the physical characteristics of the pipe:

- A) Visual (VT) inspection of areas for the detection of anomalies or significant product side metal loss which may affect the integrity. Performed in accordance with HMT Inspection VT Procedure No. 1611.9, Revision No. 6.
  
- B) Random Ultrasonic (UT) testing. Performed in accordance with HMT Inspection UT Procedure No. 1611.1, Revision No. 8.

## Exhibit D

<p style="text-align: center;"><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p style="text-align: center;"><b>HMT Inspection</b></p> <hr/> <p style="text-align: center;">February 18 - 21, 2019 Page 17 of 22</p>
--	--

## 8.0 EQUIPMENT

### 8.1 ULTRASONIC

UT equipment utilized for the inspection was a GE USM Go Plus Flaw Detector (Serial No. 17070016).

Transducer equipment utilized was a BRITEK 7.5 MHz, 0.312 inch dual element.

Calibration block equipment utilized was a 5 step, carbon steel test block (0.100 inch to 0.500 inch).

Echogel 20 was used as couplant.

## Exhibit D

<p style="text-align: center;"><b>API 570 External Inspection Report for Menzies Aviation Piping System No. Buried Hydrant Fueling Lines Tampa, FL</b></p>	 <p style="text-align: center;">February 18 - 21, 2019 Page 18 of 22</p>
--	---

## 9.0 WARRANTY

### WARRANTY

HMT Inspection, a division of HMT LLC ("HMT"), has evaluated the condition of this tank based on the observations and measurements made by the HMT Piping Inspector and within API 570 guidelines. While our evaluation accurately describes the condition of the tank at the time of inspection, the tank owner / operator must independently assess the inspection information / report provided by HMT and any conclusions reached by the tank owner / operator and any action taken or omitted to be taken are the sole responsibility of the owner / operator. With respect to inspection and testing, HMT warrants only that the services have been performed in accordance with accepted industry practice. If any such services fail to meet the foregoing warranty, HMT shall re-perform the service to the same extent and on the same conditions as the original service.

The preceding paragraph sets forth the exclusive remedy for claims based on failure or of defect in materials or services, whether such claim is made in contract or tort (including negligence) and however instituted, and, upon expiration of the warranty period, all such liability shall terminate. The foregoing warranty is exclusive and in lieu of all other warranties, whether written, oral, implied or statutory. NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE SHALL APPLY, nor shall HMT be liable for any loss or damage whatsoever by reason of its failure to discover, report, repair or modify latent defects or defects inherent in the design of any tank inspected. In no event, whether a result of breach of contract, warranty or tort (including negligence) shall HMT be liable for any consequential or incidental damages including, but not limited to, loss of profit or revenues, loss of use of equipment tested or services by HMT or any associated damage to facilities, down-time costs or claims of other damages.

10.0 PHOTOGRAPHS



12-inch Piping View



18-inch Piping View

# Certificate of Qualification



# INSPECTION

This is to Certify

*Christopher C. Marsh*

is qualified in accordance with the HMT Procedure for Qualification and Certification of Nondestructive Examination Personnel which is in compliance with the requirements of the American Society for Nondestructive Testing Recommended Practice SNT-TC-1A-2016 ed.

<u>Method</u>	<u>Level</u>	<u>Expiration Date</u>
API 653	No. 26636	11/30/2019
API 510	No. 25450	01/31/2022
API 570	No. 23226	01/31/2020
STI SP001	No. 27911	06/27/2021
UT(t)	II	08/03/2020
MT(y)	II	08/03/2020
PT	II	08/03/2020

*Hugh K. Howerton*

December 17, 2018

Hugh K. Howerton  
ASNT Level III

Date



AMERICAN PETROLEUM INSTITUTE  
INDIVIDUAL CERTIFICATION PROGRAMS

---

## API Individual Certification Programs

certifies that

*Christopher Charles Marsh*

has met the requirements to be a certified

*API-570 Piping Inspector*

Certification Number     *23226*

Original Certification Date     *January 31, 2002*

Current Certification Date     *January 31, 2017*

Expiration Date     *January 31, 2020*


*Tina Briskin*

Manager, Individual Certification Programs

---



# Certificate of Qualification



## INSPECTION

This is to Certify

*Luch "Lee" Neang*

is qualified in accordance with the HMT Procedure for Qualification and Certification of Nondestructive Examination Personnel which is in compliance with the requirements of the American Society for Nondestructive Testing Recommended Practice SNT-TC-1A-2011 ed.

<u>Method</u>	<u>Level</u>	<u>Expiration Date</u>
STI	No. 990322	07/23/2019
MFL	II	05/26/2020
UTt	II	05/27/2020
MTy	II	05/26/2020
LT/BT	II	05/27/2020

*Hugh K. Howerton*

July 23, 2015

Hugh K. Howerton  
ASNT Level III

Date

**Tampa International Airport  
Use and Lease Agreement For Fuel Facilities and Pipeline  
Exhibit E - Fuel System Rates and Charges  
Effective 10/1/2024**

**Fuel System Rates and Charges  
Prepared by the Hillsborough Aviation Authority**

**Assumptions:**

Calculations do not include annual O&M or Operator Costs.

Rental adjustments due to system improvements or additions will be calculated based on actual project costs and will be implemented when the project is placed in service.

	Square Feet	Monthly	Annual
<b>GROUND RENT (will increase by 3% on the anniversary of the Commencement Date each year during term of this Agreement)</b>			
Unimproved Aeronautical Land at Fuel Storage Facility	226,076	\$15,107.78	\$181,293.31
Aeronautical Vehicular Pavement at Fuel Storage Facility	37,026	\$353.47	\$4,241.66
Pipeline Right of Way corridor	124,206	\$1,185.74	\$14,228.84
<b>TOTAL GROUND RENT</b>		<b>\$16,646.98</b>	<b>\$199,763.81</b>
<b>FUEL FACILITIES RENT</b>			
<b>EXTENSION OF FUEL SYSTEM FROM EAST CARGO AREA TO EMERY - JULY 2000 TO JUNE 2030</b>		<b>\$27,898.02</b>	<b>\$334,776.24</b>
<i>\$3,802,040 final cost amortized 30 years @ 8% (Dated July 2002)</i>			
<i>Billed effective July 2002</i>			
<b>EXTENSION OF FUEL SYSTEM FROM EAST CARGO AREA TO FED EX - MARCH 2003 TO FEBRUARY 2033</b>		<b>\$4,499.11</b>	<b>\$53,989.32</b>
<i>\$613,155 final cost amortized 30 years @ 8% (Dated March 2003)</i>			
<i>Billed effective March 2003</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR SECONDARY CONTAINMENT OF FUEL STORAGE TANKS - JANUARY 2008 - DECEMBER 2028</b>		<b>\$37,116.74</b>	<b>\$445,400.88</b>
<i>\$4,800,00 final cost amortized 20 years @ 7.25% (Dated December 2008)</i>			
<i>Billed effective January 1, 2009</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR FUEL FACILITY UPGRADES - JANUARY 2016 to DECEMBER 2036</b>		<b>\$64,777.61</b>	<b>\$777,331.32</b>
<i>\$9,759,800 final cost amortized 20 years @ 5.0% (Dated July 2014 as amended)</i>			
<i>Billed effective February 2017</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR EFSO AND FUEL TRUCK RACK UPGRADES (EFSO PROJECT) - DECEMBER 2021 to DECEMBER 2024</b>		<b>\$16,847.03</b>	<b>\$202,164.36</b>
<i>\$565,283.11 final cost amortized 3 years @ 4.625% (Dated November 2021)</i>			
<i>Billed effective December 2021</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR EFSO AND FUEL TRUCK RACK UPGRADES (TRUCK RACK PROJECT) - FEBRUARY 2022 to JANUARY 2042</b>		<b>\$13,844.11</b>	<b>\$166,129.32</b>
<i>\$2,165,115.60 final cost amortized 20 years @ 4.625% (Dated August 27, 2020)</i>			
<i>Billed effective February 2022</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR FY23 FUEL FARM PROJECTS (GROUP 1) - AUGUST 2024 to AUGUST 2029</b>		<b>\$26,979.74</b>	<b>\$323,756.88</b>
<i>\$1,486,733.00 final cost amortized 5 years @ 3.40% (Dated November 2022)</i>			
<i>Billed effective August 2024</i>			
<b>MEMORANDUM OF UNDERSTANDING FOR FY23 FUEL FARM PROJECTS (GROUP 2) - AUGUST 2024 to AUGUST 2027</b>		<b>\$16,298.57</b>	<b>\$195,582.81</b>
<i>\$557,067.00 final cost amortized 3 years @ 3.40% (Dated November 2022)</i>			
<i>Billed effective August 2024</i>			
<b>GRAND TOTAL FUEL SYSTEM RATES AND CHARGES</b>		<b>\$257,744.81</b>	<b>\$3,092,937.76</b>

STANDARD PROCEDURE  Aviation Authority	Number: <u>  S250.06  </u>  Effective: <u>  05/31/02  </u>  Revised: <u>  11/16/23  </u>  Page: <u>  1  </u> of <u>  10  </u>
<hr/>	
Subject: <b>CONTRACTUAL INSURANCE TERMS AND CONDITIONS</b>	

**PURPOSE:** To establish the insurance terms and conditions associated with contractual insurance requirements. This Standard Procedure is applicable to all companies with Authority contracts, and to the extent required by Florida Department of Transportation Public Transportation Grant Agreement, every contractor, subcontractor, consultant, and sub-consultant at each tier. Unless otherwise provided herein, any exceptions to the following conditions or changes to required coverages or coverage limits must have prior written approval from the General Counsel and Executive Vice President of Legal Affairs or designee.

**INSURANCE COVERAGE:**

A. Procurement of Coverage:

With respect to each of the required coverages, the company will, at the company's expense, procure, maintain and keep in force the types and amounts of insurance conforming to the minimum requirements set forth in the applicable contract. To the extent required by Florida Department of Transportation Public Transportation Grant Agreement, company shall further require that all contractors, subcontractors, consultants, and sub-consultants at each tier satisfy and meet all the requirements of the applicable contract, including the terms and conditions of this Standard Procedure. Coverage will be provided by insurance companies eligible to do business in the State of Florida and having an AM Best rating of A- or better and a financial size category of VII or better. Utilization of non-rated companies, companies with AM Best ratings lower than A-, or companies with a financial size category lower than VII must be submitted by the company to the Authority Director of Enterprise Risk Management or designee for approval prior to use. The Authority retains the right to approve or disapprove the use of any insurer, policy, risk pooling or self-insurance program.

B. Term of Coverage:

Except as otherwise specified in the contract, the insurance will commence on or prior to the effective date of the contract and will be maintained in force throughout the duration of the contract and for any period of extended coverage required in the contract. If a policy is written on a claims-made form, the retroactive date must be shown and this date must be before the earlier of the date of the execution of the contract or the beginning of contract work, and the coverage must respond to all claims reported within three years following

STANDARD PROCEDURE  Aviation Authority	Number: <u>S250.06</u>  Effective: <u>05/31/02</u>  Revised: <u>11/16/23</u>  Page: <u>2</u> of <u>10</u>
<hr/>	
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	

the period for which coverage is required unless a longer period of time is otherwise stated in the contract.

C. Reduction of Aggregate Limits:

If the general or aggregate limit for any policy is exhausted, the company, and to the extent required by Florida Department of Transportation Public Transportation Grant Agreement, all of the company's contractors, subcontractors, consultants, and sub-consultants at each tier, will immediately take all possible steps to have it reinstated. The commercial general liability policies and any excess or umbrella policies used to provide the required amount of insurance shall include a per project designated aggregate limit endorsement providing that the limits of such insurance specified in the contract shall apply solely to the work under the contract without erosion of such limits by other claims or occurrences.

1. Cancellation Notice

Each insurance policy will be specifically endorsed to require the insurer to provide written notice to the Authority at least 30 days (or 10 days prior notice for non-payment of premium) prior to any cancellation, non-renewal or adverse change, initiated by the insurer, and applicable to any policy or coverage described in the contract or in this Standard Procedure. The endorsement will specify that such notice will be sent to:

Hillsborough County Aviation Authority  
Attn.: Chief Executive Officer  
Tampa International Airport  
Post Office Box 22287  
Tampa, Florida 33622

Additionally, to the extent required by Florida Department of Transportation Public Transportation Grant Agreement, the workers' compensation, commercial general liability and railroad protective insurance (if required) of every contractor, subcontractor, consultant, and sub-consultant at each tier shall be specifically endorsed to require the insurer to provide the Florida Department of Transportation notice within ten days of any cancellation, notice of cancellation, lapse, renewal, or

STANDARD PROCEDURE	Number: <u>S250.06</u>
Aviation Authority	Effective: <u>05/31/02</u>
	Revised: <u>11/16/23</u>
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	Page: <u>3</u> of <u>10</u>

proposed change to any policy or coverage described in the contract or this Standard Procedure.

D. No waiver by approval/disapproval:

The Authority accepts no responsibility for determining whether the company or any contractor, subcontractor, consultant, or sub-consultant at each tier is in full compliance with the insurance coverage required by the contract. The Authority's approval or failure to disapprove any policy, coverage, or Certificate of Insurance does not relieve or excuse the company of any obligation to procure and maintain the insurance required in the contract or in this Standard Procedure, nor does it serve as a waiver of any rights or defenses the Authority may have.

E. Future Modifications – Changes in Circumstances:

1. Changes in Coverages and Required Limits of Insurance

The coverages and minimum limits of insurance required by the contract are based on circumstances in effect at the inception of the contract. If, in the opinion of the Authority, circumstances merit a change in such coverage or minimum limits of insurance required by the contract, the Authority may change the coverage and the minimum limits of insurance required, and the company will, within 60 days of receipt of written notice of a change in the coverage and/or the minimum limits required, comply with such change and provide evidence of such compliance in the manner required by the contract. Provided, however, that no change in the coverages or minimum limits of insurance required will be made by the Authority until at least two years after inception of the contract or two years after any change by the Authority in the coverages or minimum limits of insurance required in the contract unless extreme conditions warrant such change and are agreeable to both parties. To the extent required by Florida Department of Transportation Public Transportation Grant Agreement, any such change or modification in coverage or limits shall also apply to the contractors, subcontractors, consultants, and sub-consultants at each tier.

STANDARD PROCEDURE  Aviation Authority	Number: <u>S250.06</u>  Effective: <u>05/31/02</u>  Revised: <u>11/16/23</u>  Page: <u>4</u> of <u>10</u>
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	

If, in the opinion of the Authority, compliance with the insurance requirements is not commercially practicable for the company, its contractors, subcontractors, suppliers, consultants, or subconsultants at each tier, at the written request of the company, the Authority may, at its sole discretion and subject to any conditions it deems appropriate, relax or temporarily suspend, in whole or in part, the insurance requirements which would otherwise apply to the company. Any such modification will be subject to the prior written approval of the Authority's General Counsel and Executive Vice President of Legal Affairs or designee, and subject to the conditions of such approval.

F. Proof of Insurance – Insurance Certificate:

1. Prior to Work, Use or Occupancy of Authority Premises

The company and, to the extent required by Florida Department of Transportation Public Transportation Grant Agreement, the company's contractors, subcontractors, consultants, and sub-consultants at each tier, will not commence work, or use or occupy Authority's premises in connection with the contract, until the required insurance is in force, preliminary evidence of insurance acceptable to the Authority has been provided to the Authority, and the Authority has granted permission to the company to commence work or use or occupy the premises in connection with the contract.

2. Proof of Insurance Coverage

As preliminary evidence of compliance with the insurance required by the contract, the company will furnish the Authority with an ACORD Certificate of Liability Insurance (Certificate) reflecting the required coverage described in the contract and this Standard Procedure.

The Certificate must:

- a. Be signed by an authorized representative of the insurer. Upon request of the Authority, company will furnish the Authority with any specific endorsements effecting coverage required by the contract. The

STANDARD PROCEDURE  Aviation Authority	Number: <u>  S250.06  </u>  Effective: <u>  05/31/02  </u>  Revised: <u>  11/16/23  </u>  Page: <u>  5  </u> of <u>  10  </u>
<hr/>	
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	

endorsements are to be signed by a person authorized by insurer to bind the coverage on the insurer's behalf;

- b. State that: "Hillsborough County Aviation Authority, members of the Authority's governing body and the Authority's officers, volunteers, and its employees are additional insureds for all policies described above other than workers' compensation and professional liability (if required by contract)";
- c. To the extent required by Florida Department of Transportation Public Transportation Grant Agreement, state that the Florida Department of Transportation is an additional insured for commercial general liability;
- d. Indicate that the insurers for all required policies shown on the Certificate have waived their subrogation rights against the Authority, members of the Authority's governing body, and the Authority's officers, volunteers, agents, and employees;
- e. Indicate that the Certificate has been issued in connection with the contract;
- f. Indicate the amount of any deductible or self-insured retention applicable to all coverages; and
- g. Identify the name and address of the Certificate holder as:

Hillsborough County Aviation Authority  
Attn.: Chief Executive Officer  
Tampa International Airport  
Post Office Box 22287  
Tampa, Florida 33622;

If requested by the Authority, the company will, within 15 days after receipt of written request from the Authority, provide the Authority, or make available for review, a certified complete copy of the policies of insurance. The company may redact those portions of the insurance policies that are not relevant to the coverage required by the contract. The

STANDARD PROCEDURE	Number: <u>S250.06</u>
Aviation Authority	Effective: <u>05/31/02</u>
	Revised: <u>11/16/23</u>
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	Page: <u>6</u> of <u>10</u>

company will provide the Authority with renewal or replacement evidence of insurance, acceptable to the Authority, prior to expiration or termination of such insurance.

G. Deductibles, Self-Insurance, Alternative Risk or Insurance Programs:

1. All deductibles, as well as all self-insured retentions and any alternative risk or insurance programs (including, but not limited to, the use of captives, trusts, pooled programs, risk retention groups, or investment-linked insurance products), must be approved by the General Counsel and Executive Vice President of Legal Affairs or designee. The company agrees to provide all documentation necessary for the Authority to review the deductible, self-insurance or alternative risk or insurance program.
2. The company will pay on behalf of the Authority, any member of the Authority's governing body, and/or any officer, volunteer, agent, or employee of the Authority, any deductible, self-insured retention (SIR), or difference from a fully insured program which, with respect to the required insurance, is applicable to any claim by or against the Authority, or any member of the Authority's governing body, or any officer, volunteer, agent, or employee of the Authority.
3. The agreement by the Authority to allow the use of a deductible, self-insurance or alternative risk or insurance program will be subject to periodic review by the Director of Enterprise Risk Management or designee. If, at any time, the Authority deems that the continued use of a deductible, self-insurance, or alternative risk or insurance program by the company should not be permitted, the Authority may, upon 60 days' written notice to the company, require the company to replace or modify the deductible, self-insurance, or alternative risk or insurance program in a manner satisfactory to the Authority.
4. Any deductible amount, self-insurance, or alternative risk or insurance program's retention will be included and clearly described on the Certificate prior to any approval by the Authority. This is to include fully insured programs as to a zero deductible per the policy. Authority reserves the right to deny any Certificate not in compliance with this requirement.

STANDARD PROCEDURE  Aviation Authority	Number: <u>S250.06</u>  Effective: <u>05/31/02</u>  Revised: <u>11/16/23</u>  Page: <u>7</u> of <u>10</u>
<hr/>	
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	

5. To the extent required by Florida Department of Transportation Public Transportation Grant Agreement, the commercial general liability may not be subject to a self-insured retention. Subject to approval by the Authority under subparagraphs 1-4 above, the commercial general liability may contain a deductible, provided that such deductible shall be paid by the named insured.

H. Company's Insurance Primary:

The insurance required by the contract will apply on a primary and non-contributory basis. Any insurance or self-insurance maintained by the Authority will be excess and will not contribute to the insurance provided by or on behalf of the company.

To the extent required by Florida Department of Transportation Public Transportation Grant Agreement, the company will ensure that the insurance provided by all contractors, subcontractors, consultants, and subconsultants at each tier will apply on a primary basis as to any other insurance available and shall not be more restrictive than the coverage afforded to the named insured.

I. Incident Notification:

In accordance with the requirements of Standard Procedure S250.02, the company will promptly notify the Airport Operations Center (AOC) of all incidents involving bodily injury, property damage, data breach, security breach, ransomware (data theft), or an extortion threat occurring on Authority-owned property, tenant-owned property or third-party property.

J. Customer Claims, Issues, or Complaints:

In addition to complying with all terms outlined in Standard Procedure S250.02, all customer claims, issues, or complaints involving property damage, bodily injury, data theft), or an extortion threat related to the company will be promptly handled, addressed and resolved by the company.

The company will track all customer claims, issues, or complaints involving property damage, bodily injury, data theft, or an extortion threat and their status on a Claims Log

STANDARD PROCEDURE	Number: <u>S250.06</u>
Aviation Authority	Effective: <u>05/31/02</u>
	Revised: <u>11/16/23</u>
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	Page: <u>8</u> of <u>10</u>

available for review, as needed, by Enterprise Risk Management. The Claims Log should include a detailed report of the incident along with the response and/or resolution. Enterprise Risk Management has the option to monitor all incidents, claims, issues or complaints where the Authority could be held liable for injury or damages.

K. Applicable Law:

With respect to any contract entered into by the Authority with a value exceeding \$10,000,000, if any required policy or program is: (i) issued to a policyholder outside of Florida or (ii) contains a “choice of law” or similar provision stating that the law of any state other than Florida shall govern disputes concerning the policy, then such policy or program must be endorsed so that Florida law (including but not limited to Part II of Chapter 627 of the Florida Statutes) will govern any and all disputes concerning the policy or program in connection with claims arising out of work performed pursuant to the contract.

L. Waiver of Subrogation:

The company, for itself and on behalf of its insurers, to the fullest extent permitted by law without voiding the insurance required by the contract, waives all rights against the Authority, members of the Authority’s governing body and the Authority’s officers, volunteers, agents, and employees, as well as the State of Florida, Department of Transportation, including the Department’s officers and its employees, for damages or loss to the extent covered and paid for by any insurance maintained by the company. The company shall require all contractors, subcontractors, suppliers, consultants and subconsultants at each tier for themselves and their insurers, to the fullest extent permitted by law without voiding the insurance required by the contract, to waive all rights against the Authority, members of the Authority’s governing body and the Authority’s officers, volunteers, agents and its employees, as well as the State of Florida, Department of Transportation, including the Department’s officers and its employees, for damages or loss to the extent covered and paid for by any insurance maintained by the company to the extent covered and paid for by any insurance maintained by the company’s contractors, subcontractors, suppliers, consultants and subconsultants at each tier. The company shall further require that all contractors, subcontractors, suppliers, consultants, and subconsultants at each tier include the following in every contract and on each policy:

STANDARD PROCEDURE  Aviation Authority	Number: <u>  S250.06  </u>  Effective: <u>  05/31/02  </u>  Revised: <u>  11/16/23  </u>  Page: <u>  9  </u> of <u>  10  </u>
Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS	

“Hillsborough County Aviation Authority, members of the Authority’s governing body and the Authority’s officers, volunteers, agents, and its employees, as well as the State of Florida, Department of Transportation, including the Department’s officers and its employees, are additional insureds for the coverages required by all policies as described above other than workers compensation and professional liability.”

M. Company’s Failure to Comply with Insurance Requirements:

1. Authority's Right to Procure Replacement Insurance

If, after the inception of the contract, the company fails to fully comply with the insurance requirements of the contract, in addition to and not in lieu of any other remedy available to the Authority provided by the contract, the Authority may, at its sole discretion, procure and maintain on behalf of the company, insurance which provides, in whole or in part, the required insurance coverage.

2. Replacement Coverage at Sole Expense of Company

The entire cost of any insurance procured by the Authority pursuant to this Standard Procedure will be paid by the company. At the option of the Authority, the company will either directly pay the entire cost of the insurance or immediately reimburse the Authority for any costs incurred by the Authority, including all premiums, fees, taxes, and 15% for the cost of administration.

a. Company to Remain Fully Liable

The company agrees to remain fully liable for full compliance with the insurance requirements in the contract. To the extent that there is any exclusion, deficiency, reduction, or gap in a policy which makes the insurance more restrictive than the coverage required, the company agrees to remain responsible and obligated to make the Authority whole as if the company and all of its contractors, subcontractors, consultants, and sub-consultants at each tier fully met the insurance requirements of the contract.

<p>STANDARD PROCEDURE</p> <p>Aviation Authority</p>	<p>Number: <u>S250.06</u></p> <p>Effective: <u>05/31/02</u></p> <p>Revised: <u>11/16/23</u></p>
<p>Subject: CONTRACTUAL INSURANCE TERMS AND CONDITIONS</p>	<p>Page: <u>10</u> of <u>10</u></p>

b. Authority's Right to Terminate, Modify, or Not Procure

Any insurance procured by the Authority is solely for the Authority's benefit and is not intended to replace or supplement any insurance coverage which otherwise would have been maintained by the company or by any of its contractors, subcontractors, consultants, or sub-consultants at each tier. Authority is not obligated to procure any insurance pursuant to these requirements and retains the right, at its sole discretion, to terminate or modify any such insurance which might be procured by the Authority pursuant to this Standard Procedure.

APPROVED: Joe Lopano

DATE: 11/16/23

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

AMENDMENT NO. 1 TO USE AND LEASE AGREEMENT  
FOR FUEL FACILITIES AND PIPELINE

TAMPA INTERNATIONAL AIRPORT

BY AND BETWEEN

HILLSBOROUGH COUNTY AVIATION AUTHORITY

AND

**AIRLINE**

\_\_\_\_\_, 2019

Prepared by:

Real Estate Department  
Attn.: Rebecca E. Waterman  
Hillsborough County Aviation Authority  
P. O. Box 22287  
Tampa, FL 33622

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

AMENDMENT NO. 1 TO USE AND LEASE AGREEMENT  
FOR FUEL FACILITIES AND PIPELINE  
TAMPA INTERNATIONAL AIRPORT

This Amendment No. 1 to that certain Use and Lease Agreement for Fuel Facilities and Pipeline, by and between Hillsborough County Aviation Authority, a public body corporate existing under the laws of the State of Florida ("Authority") and AIRLINE., a \_\_\_\_\_ organized and existing under the laws of the State of \_\_\_\_\_ and authorized to do business in the State of Florida ("Company") (hereinafter individually and collectively referred to as "Party" or "Parties"), is entered into this \_\_\_\_\_ day of \_\_\_\_\_, 2019.

**WITNESSETH:**

WHEREAS, Authority and Company entered into a Use and Lease Agreement for Fuel Facilities and Pipeline (the "Agreement") for the operation, maintenance, lease, and service of Fuel Facilities owned by Authority, including the right to certain pipeline rights of way in the operation thereof serving Tampa International Airport ("Airport"); and

WHEREAS, since entering into the Agreement, Fuel Committee has upgraded the Fuel Facilities on four occasions, entering into Memorandum of Understandings with Authority to repay Authority for the sums Authority financed in connection with said upgrades; and

WHEREAS, this Amendment No. 1 ("Amendment No. 1") amends the Agreement to extend the term of the Agreement for five years, updates the Demised Premises and payments therefore, updates insurance requirements, and updates certain administrative provisions.

NOW, THEREFORE, for and in consideration of the sum of Ten Dollars (\$10.00) and other valuable consideration, the receipt and sufficiency whereof are hereby acknowledged, the Parties do agree that the Agreement is amended as follows:

1. The above recitals are true and correct and are incorporated herein.
2. Article 1, Definitions, Section 1.3, Fuel or Fueling Facilities, is hereby deleted in its entirety and replaced with the following:
  - 1.3 Fuel or Fueling Facilities – The bulk fuel storage facility on the Airport, consisting of above ground storage tanks; pumps, filters, valves, connecting piping, storage and shop

EXHIBIT G - AMENDMENT NO. 1  
 SEPTEMBER 2019

buildings, control room, transmission lines, hydrant loop piping around each airside terminal, hydrant valves and controls, along with miscellaneous structures and equipment necessary for a fully functioning jet fuel storage facility and underground hydrant system, serving the ramps and aprons at each airside terminal and common or segregated air cargo facilities, as further depicted on Exhibit "B" – Map of Fuel Facilities System at the Airport, which is attached hereto and incorporated herein by reference, as may be modified throughout the term of this Agreement.

3. Article 3, Demised Premises and Operating Area, Section 3.1, Demised Premises, is hereby deleted in its entirety and replaced with the following:

3.1 Demised Premises

In addition to the Fuel Facilities described in Article 1, Paragraph 1.3, Company hereby agrees to lease in common with others from the Authority land containing approximately 226,076 square feet, more or less, underlying the Fuel Storage Facilities, the location of which is further described on Exhibit "B" attached hereto and incorporated herein by reference. The elements described in Paragraphs 1.3, 3.1, 3.2 and 3.3 shall be hereinafter collectively referred to as the "Demised Premises".

4. Article 3, Demised Premises and Operating Area, Section 3.2, Pipeline Right of Way, is hereby deleted in its entirety and replaced with the following:

3.2 Pipeline Right of Way

Authority hereby grants to Company the right to use in common with others a pipeline right of way, the location and description of which is designated on Exhibit "B" and Exhibit "C"- Pipeline Right of Way, attached hereto and incorporated herein by reference.

The Pipeline Right of Way is 124,206 square feet, and is calculated as a three foot corridor along the 41,402 linear feet of pipeline leading from the Fuel Storage Facilities to each end location as follows:

<u>Ending Location</u>	<u>Linear Feet from Fuel Storage Facilities</u>
Federal Express	9,860 linear feet
Airside A	8,667 linear feet
Airside C	10,952 linear feet
Airsides E and F	11,923 linear feet

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

5. Article 3, Demised Premises and Operating Area, Section 3.4, Condition of Demised Premises, is hereby deleted in its entirety and replaced with the following:

The condition of the Demised Premises is described in the Evaluation of Jet A Fuel Systems Report prepared by URSGWC, dated February 1999; the TFC Fuel System Hydraulic Analysis Report Tampa International Airport Fuel Farm Renovations prepared by Prime Engineering Incorporated, dated September 2013; the API 570 Report Review & Recommendations, prepared by Currier Engineering Management Consulting, dated July 1, 2019; and in the collected Environmental Audit Reports of the Demised Premises, all of which are collectively referred to as "Assessment Reports" and listed in Exhibit "D" attached hereto and incorporated herein by reference.

6. Article 5, Term, is hereby deleted in its entirety and replaced with the following:

This Agreement shall become effective upon approval by the Authority and shall run for a term of twenty-five (25) years retroactive to October 1, 1999 and terminating on September 30, 2024.

7. Article 6, Payments, Section 6.1, Ground Rent for the Term, is hereby deleted in its entirety and replaced with the following:

6.1 Ground Rent for the Demised Premises

The Ground Rent for the Demised Premises due throughout the term of the Agreement shall be paid by Agent on Company's behalf in equal monthly installments, in advance on or before the first day of each and every month, without demand or invoice. The Ground Rent for the Demised Premises starting on October 1, 2019 is \$174,376.40, payable at \$14,531.37 monthly ("Ground Rent for the Demised Premises"). The Ground Rent for Demised Premises is calculated as follows:

Unimproved land totaling 226,076 square feet at \$0.70 per square foot per year, which rent is \$158,253.20 annually, payable at \$13,187.77 monthly; and

Aeronautical vehicular pavement at Fuel Storage Facilities totaling 37,026 square feet at \$0.10 per square foot per year, which rent is \$3,702.60 annually, payable at \$308.55 monthly; and

Pipeline Right of Way corridor totaling 124,206 square feet at \$0.10 per square foot per year, which rent is \$12,420.60 annually, payable at \$1,035.05 monthly.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

8. Article 6, Payments, Section 6.2, Ground Rental Adjustment, is hereby deleted in its entirety and replaced with the following:

6.2 Adjustment to the Ground Rent for the Demised Premises

Commencing on October 1, 2020 and on every October 1 of each year of the term of this Agreement thereafter, the Ground Rent for the Demised Premises will increase by 2.15%. The rental rate following the adjustment shall remain in effect until the next adjustment.

9. Article 6, Payments, Section 6.3, Fuel Facilities, Subsection (A)(1) is hereby deleted in its entirety and replaced with the following:

- (1) Rent for the Fuel Facilities is comprised of Fuel Storage Facilities Rent and Improvements Payments Rent.

(a) Fuel Storage Facilities Rent

The annual rent for the Fuel Storage Facilities is \$394,042.82, payable at \$32,836.90 monthly ("Fuel Storage Facilities Rent").

(b) Improvements Payments Rent

Monthly payments of the following items, as set forth in certain agreements between the Fuel Committee and Authority, as more particularly described in Exhibit E, Fuel System Rates and Charges, which payments survive the termination of this Agreement (collectively, "Improvements Payments Rent"):

- (i) Expansion of System – East Cargo Area to Emery, executed by Fuel Committee on behalf of Company and by Authority, dated July 2002, in the final amount of \$3,802,040 amortized over 30 years at 8% interest, payable in monthly payments of \$27,898.02, with a final payment date of June 2030; and
- (ii) Expansion of System – East Cargo Area to Federal Express, executed by Fuel Committee on behalf of Company and by Authority, dated March 2003, in the final amount of \$613,155 amortized over 30 years at 8% interest, payable in monthly payments of \$4,499.11, with a final payment date of February 2033; and

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

- (iii) Secondary Containment for Fuel Storage Tanks – Improvement costs set forth in that certain Memorandum of Understanding for Secondary Containment of Fuel Storage Tanks, executed by Fuel Committee on behalf of Company and by Authority, dated December 18, 2008, in the final amount of \$4,696,086.84 amortized over 20 years at 7.25% interest, payable in monthly payments of \$37,116.74, with a final payment date of December 2028; and
- (iv) Amended Memorandum of Understanding for Bulk Fuel Storage Facility Upgrades – Improvement costs set forth in that certain Memorandum of Understanding for Fuel Facility Upgrades, executed by Fuel Committee on behalf of Company and by Authority, dated July 29, 2014, as amended, in the final amount of \$9,759,800 amortized over 20 years at 5% interest, payable in monthly payments of \$64,777.61, with a final payment date of December 2036;

Plus

Any residual costs not covered by Passenger Facility Charges (“PFCs”) or Airport Improvement Program (“AIP”) Grants or any other federal, State, or local programs, depending on the project, will be charged back to Company and amortized over the expected life of the improvement at 8%.

10. Article 6, Payments, Section 6.5, Place of Payments, is hereby added to the Agreement:

6.5 Place of Payments

Company will submit all payments required by this Agreement as follows:

(ELECTRONICALLY – PREFERRED METHOD)  
Via ACH with Remittance Advice to [Receivables@TampaAirport.com](mailto:Receivables@TampaAirport.com)

or

(MAIL DELIVERY)  
Hillsborough County Aviation Authority  
Attn: Finance Department  
Tampa International Airport  
P. O. Box 22287  
Tampa, Florida 33622-2287

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

or

(HAND DELIVERY)  
Hillsborough County Aviation Authority  
Attn: Finance Department  
Tampa International Airport  
4160 George J. Bean Parkway  
Suite 2400, Administration Building  
Tampa, Florida 33607

11. Article 19, Insurance, is hereby deleted in its entirety and replaced with the following:

ARTICLE 19  
INSURANCE

19.1 Insurance Terms and Conditions

The Company must maintain (or cause to be maintained) the following limits and coverages uninterrupted or amended through the term of this Agreement. In the event the Company becomes in default of the following requirements, the Authority reserves the right to take whatever actions deemed necessary to protect its interests. Required liability policies other than Workers' Compensation/Employer's Liability, will provide that the Authority, members of the Authority's governing body, and the Authority's officers, volunteers, and employees are included as additional insureds.

19.2 Limits and Requirements

A. Workers' Compensation/Employer's Liability

The minimum limits of insurance (inclusive of any amount provided by an umbrella or excess policy) are:

Part One:	"Statutory"
Part Two:	
Each Accident	\$1,000,000
Disease – Policy Limit	\$1,000,000
Disease – Each Employee	\$1,000,000

B. Commercial General Liability

The minimum limits of insurance (inclusive of any amounts provided by an umbrella or excess policy) covering the work performed pursuant to this Agreement

**AIRLINE.**

Amendment No. 1 – Use and Lease Agreement for  
Fuel Facilities and Pipeline

EXHIBIT G - AMENDMENT NO. 1  
 SEPTEMBER 2019

will be the amounts specified herein. Coverage will be provided for liability resulting out of, or in connection with, ongoing operations performed by, or on behalf of, the Company under this Agreement or the use or occupancy of the Demised Premises by, or on behalf of, the Company in connection with this Agreement. Coverage will be provided on a form no more restrictive than ISO Form CG 00 01. Additional insurance coverage will be provided on a form no more restrictive than ISO Form CG 20 11 01 96 and CG 20 37 10 01. The Commercial General Liability coverage may be satisfied using an Aviation Liability policy.

Agreement Specific

General Aggregate	\$250,000,000
Each Occurrence	\$250,000,000
Personal and Advertising Injury	
Each Occurrence	\$250,000,000
Products and Completed Operations	
Aggregate	\$250,000,000

C. Business Auto Liability

Coverage will be provided for all owned, hired and non-owned vehicles. Coverage will be no more restrictive than Form CA 00 01. The minimum limits of insurance (inclusive of any amounts provided by an umbrella or excess policy) covering the work performed pursuant to this Agreement will be:

Each Occurrence – Bodily Injury and Property Damage Combined	\$10,000,000
---	--------------

D. Property Insurance for the Fuel Facilities

Authority will maintain such insurance at all times. Said policy will insure all improvements now or hereafter located on the Demised Premises in an amount equal to the Replacement Cost Value of such improvements. The Company agrees to reimburse the Authority for the amount of any deductible applicable to any loss covered by the Authority’s Property Insurance and sustained against the improvements located on the Demised Premises. However, such obligation to reimburse Authority for deductibles under Authority’s Property Insurance shall not exceed \$250,000.00 in any one loss or occurrence.

EXHIBIT G - AMENDMENT NO. 1  
 SEPTEMBER 2019

E. Environmental Insurance (Pollution)

Such insurance will be maintained by the Company, or caused by the Company to be maintained by the Agent, on a form acceptable to Authority for liability resulting from pollution or other environmental impairment, which arises out of, or in connection with, work under this Agreement. The Company will provide and maintain environmental coverage from the inception of the Agreement. If on an occurrence basis, the insurance must be maintained throughout the duration of the Agreement. If on a claims-made basis, insurance must respond to claims reported within three (3) years of the end of this Agreement. If the Company is unable to produce a Policy acceptable to Authority, Authority may purchase and provide such coverage, with the premium to be paid by the Company on a monthly basis as part of the Company's rents and fees, with no responsibility for Authority as to the financial responsibility of the insurance company used or the coverages provided. The limits of coverage will be:

Each Occurrence	\$5,000,000
Policy Aggregate	\$10,000,000

F. Personal Property Insurance - Contents

The Company is responsible for insuring its own personal property, including any contents, improvements, or betterments. The Authority reserves the right to obtain copies of all insurance policies that may serve as a source of recovery for damages.

19.3 Waiver of Subrogation

Company, for itself and on behalf of its insurers, to the fullest extent permitted by law without voiding the insurance required hereunder, waives all rights against Authority and members of Authority's governing body, Authority's officers, volunteers and employees, for damages or loss to the extent covered by any insurance maintained by Company. The Authority, for itself and on behalf of its insurers providing the insurance required under this Agreement, to the fullest extent permitted by law without voiding the insurance required hereunder, waives all rights against the Company and the Company's officers, agents, volunteers and employees, for damages or loss to the extent covered by any insurance maintained by the Authority hereunder.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

19.4 Conditions of Acceptance

The insurance maintained by the Company throughout the term of this Agreement must conform at all times with Exhibit F, Standard Procedure S250.06, Contractual Insurance Terms and Conditions, in effect at the time of this Agreement, as may be amended from time to time.

12. Article 20, Damage or Destruction, is hereby deleted in its entirety and replaced with the following:

ARTICLE 20  
DAMAGE OR DESTRUCTION

20.1 Partial Damage

If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be partially damaged by fire or other casualty, without regard to fault, and said circumstances do not render Demised Premises untenable as reasonably determined by Authority, the same shall be repaired to usable condition with due diligence by Authority as hereinafter provided. No abatement of rentals shall accrue to Company so long as Demised Premises remain tenantable. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.2 Substantial Damage

If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be so extensively damaged by fire or other casualty as to render any portion of said Demised Premises untenable but capable of being repaired, as reasonably determined by Authority, the same shall be repaired to usable condition with due diligence by Authority as hereinafter provided. Without limiting the rights of the Authority pursuant to 20.4 herein, if such repairs have not been commenced by Authority within 90 days of such damage, Company shall have the option to terminate its agreement related to those facilities so damaged. In such case, the rentals payable hereunder with respect to the affected Demised Premises shall be paid up to the time of such damage and shall thereafter be abated equitably in proportion as the part of the area rendered untenable bears to total Demised Premises until such time as such affected Demised Premises shall be restored adequately for Company's use. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 201920.3 Destruction

- A. If any part of Demised Premises, or adjacent facilities directly and substantially affecting the use of Demised Premises, shall be damaged by fire or other casualty, and is so extensively damaged as to render any portion of said Demised Premises not economically feasible to repair, as reasonably determined by Authority, Authority shall notify Company within a period of forty-five (45) days after the date of such damage of its decision whether to reconstruct or replace said space; provided, however, Authority shall be under no obligation to replace or reconstruct such premises. The rentals payable hereunder with respect to affected Demised Premises shall be paid up to the time of such damage and thereafter shall abate until such time as replacement or reconstructed space becomes available for use by Company.
- B. In the event Authority elects to reconstruct or replace affected Demised Premises, Authority shall use its best efforts to provide Company with alternate facilities reasonably acceptable to Company to continue its operation while reconstruction or replacement is being completed at a rental rate not to exceed that provided for in this Agreement for comparable space.
- C. In the event Authority elects to not reconstruct or replace affected Demised Premises, the agreement for the affected premises shall be terminated and Authority shall meet and consult with Company on ways and means to provide Company with adequate replacement space for affected Demised Premises. In such event, Authority agrees to amend this Agreement to reflect related additions and deletions to Demised Premises.
- D. Notwithstanding anything to the contrary, the Authority shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.4 Damage Caused by Company

In the event that due to the negligence or willful act or omission of Company, its employees, its agents, or licensees, the Demised Premises shall be damaged or destroyed by fire, other casualty or otherwise, there shall be no abatement of rents during the repair or replacement

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

of said Demised Premises. Notwithstanding anything to the contrary, the Company shall be responsible for any costs of repairs that exceed the amount of any insurance proceeds payable to Authority by reason of any such damage or destruction.

20.5 Authority's Responsibilities

Authority's obligations to repair, reconstruct, or replace affected premises under the provisions of this Article shall in any event be limited to restoring affected Demised Premises to substantially the same condition that existed at the date of damage or destruction, provided that Authority shall in no way be responsible for the restoration or replacement of any equipment, furnishings, property, real improvements, signs, or other items owned by Company.

13. Article 26, Americans with Disabilities Act, is hereby deleted in its entirety and replaced with the following:

ARTICLE 26

AMERICANS WITH DISABILITIES ACT

Company will comply with the applicable requirements of the Americans with Disabilities Act; the Florida Americans with Disabilities Accessibility Implementation Act; Florida Building Code, Florida Accessibility Code for Building Construction; and any similar or successor laws, ordinances, rules, standards, codes, guidelines, and regulations and will cooperate with Authority concerning the same subject matter.

14. Article 28, Nondiscrimination, is hereby deleted in its entirety and replaced with the following:

ARTICLE 28

NON-DISCRIMINATION

These provisions apply to all work performed under this Agreement. Failure to comply with the terms of these provisions may be sufficient grounds to:

- A. Terminate this Agreement;
- B. Seek suspension/debarment of Company; or
- C. Take any other action determined to be appropriate by Authority or the FAA.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

28.1 Civil Rights – General – 49 USC § 47123

A. Compliance:

Company agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability, be excluded from participating in any activity conducted with or benefitting from Federal assistance. If Company transfers its obligation to another, the transferee is obligated in the same manner as Company.

B. Duration:

This provision obligates the Company for the period during which the property is owned, used or possessed by the Company and the Airport remains obligated to the FAA. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964.

28.2 Civil Rights – Title VI Assurances

A. Compliance with Non-Discrimination Requirements:

During the performance of this Agreement, Company, for itself, its assignees, successors in interest, subcontractors and consultants agrees as follows:

1. Compliance with Regulations: Company will comply with the Title VI List of Pertinent Non-Discrimination Statutes and Authorities, as they may be amended from time to time, which are herein incorporated by reference and made a part of this Agreement.
2. Non-Discrimination: Company, with regard to the work performed by it during this Agreement, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. Company will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including but not limited to those listed at Section 28.2(B) below, including employment practices when this Agreement covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by Company for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier will be notified by Company of Company's obligations under this Agreement and the Acts and the Regulations relative to non-discrimination on the grounds of race, color, or national origin.
4. Information and Reports: Company will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by Authority or the FAA to be pertinent to ascertain compliance with such Acts, Regulations, and directives. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, Company will so certify to Authority or the FAA, as appropriate, and will set forth what efforts it has made to obtain the information.
5. Sanctions for Non-compliance: In the event of Company's non-compliance with the non-discrimination provisions of this Agreement, Authority will impose such Agreement sanctions as it or the FAA may determine to be appropriate, including, but not limited to, cancelling, terminating, or suspending this Agreement, in whole or in part.
6. Incorporation of Provisions: Company will include the provisions of paragraphs one through five of this Article in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. Company will take action with respect to any subcontract or procurement as Authority or the FAA may direct as a means of enforcing such provisions including sanctions for non-compliance. Provided, that if Company becomes involved in, or is threatened with litigation by a subcontractor or supplier because of such direction, Company may request Authority to enter into any litigation to protect the interests of Authority. In addition,

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

Company may request the United States to enter into the litigation to protect the interests of the United States.

B. Title VI List of Pertinent Non-Discrimination Authorities:

During the performance of this Agreement, Company, for itself, its assignees, and successors in interest agrees to comply with the following non-discrimination statutes and authorities:

1. Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252) (prohibits discrimination on the basis of race, color, national origin);
2. 49 CFR Part 21 (Non-discrimination In Federally-Assisted Programs of The Department of Transportation—Effectuation of Title VI of The Civil Rights Act of 1964);
3. The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. § 4601) (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
4. Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
5. The Age Discrimination Act of 1975, as amended (42 U.S.C. § 6101 et seq.) (prohibits discrimination on the basis of age);
6. Airport and Airway Improvement Act of 1982 (49 USC § 471, Section 47123), as amended (prohibits discrimination based on race, creed, color, national origin, or sex);
7. The Civil Rights Restoration Act of 1987 (PL 100-209) (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms “programs or activities” to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

8. Titles II and III of the Americans with Disabilities Act of 1990, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations at 49 CFR Parts 37 and 38;
9. The FAA's Non-Discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
10. Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations (ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations);
11. Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, Company must take reasonable steps to ensure that LEP persons have meaningful access to Company's programs (70 Fed. Reg. at 74087 to 74100); and
12. Title IX of the Education Amendments of 1972, as amended, which prohibits Company from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

The Company agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability be excluded from participating in any activity conducted with or benefiting from Federal assistance. If the Company transfers its obligation to another, the transferee is obligated in the same manner as the Company.

This provision obligates the Company for the period during which the property is owned, used or possessed by the Company and the Airport remains obligated to the FAA. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964.

15. Article 42, Attorneys' Fees and Costs, is hereby deleted in its entirety and replaced with the following:

**AIRLINE.**

Amendment No. 1 – Use and Lease Agreement for  
Fuel Facilities and Pipeline

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

ARTICLE 42

*Reserved.*

16. Article 44, Payments Notices and Communications, is hereby deleted in its entirety and replaced with the following:

ARTICLE 44

NOTICES AND COMMUNICATIONS

All notices or communications whether to Authority or to the Companies pursuant hereto will be deemed validly given, served, or delivered, upon receipt by the Party by hand delivery, or three (3) days after depositing such notice or communication in a postal receptacle, or two (2) business days after depositing such notice or communication with a reputable overnight courier service, and addressed as follows:

TO Authority:

Hillsborough County Aviation Authority  
Tampa International Airport  
P. O. Box 22287  
Tampa, Florida 33622  
Attn: Chief Executive Officer

TO Company:

Or

Hillsborough County Aviation Authority  
Tampa International Airport  
4160 George J. Bean Parkway  
Suite 2400, Administration Building  
Tampa, Florida 33607  
Attn: Chief Executive Officer

With a Copy to

(MAIL OR HAND DELIVERY)

or to such other address as a Party may designate in writing by notice to the other Party delivered in accordance with the provisions of this Article.

If the Notice is sent through a mail system, a verifiable tracking documentation such as a certified return receipt or overnight mail tracking receipt is encouraged.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

17. Article 46, Exclusive Rights, is hereby deleted in its entirety and replaced with the following:

ARTICLE 46  
NON-EXCLUSIVE RIGHTS

This Agreement will not be construed to grant or authorize the granting of an exclusive right within the meaning of 49 USC §40103(e) or 49 USC §47107(a), as may be amended from time to time, and related regulations.

18. Article 50, Authority Approvals, is hereby added:

ARTICLE 50  
AUTHORITY APPROVALS

Except as otherwise indicated elsewhere in this Agreement, wherever in this Agreement approvals are required to be given or received by Authority, it is understood that the Authority's Chief Executive Officer or designee is hereby empowered to act on behalf of Authority.

19. The attached Reports are hereby added to Exhibit "D":

1. API 570 Report Review & Recommendations, prepared by Currier Engineering Management Consulting, dated July 1, 2019; and
2. TFC Fuel System Hydraulic Analysis Tampa International Airport Fuel Farm Renovations, prepared by Prime Engineering Incorporated, dated September 27, 2013.

The Parties hereby acknowledge and agree that no contamination is disclosed by and no environmental remediation is recommended or required by either of the foregoing reports hereby added to Exhibit "D".

20. Exhibit "E" is hereby deleted in its entirety and replaced with the attached Exhibit "E".
21. Exhibit "F", Standard Procedure S250.06, Contractual Insurance Terms and Conditions, is hereby added to this Agreement.
22. Except as stated herein, all other terms remain in full force and effect and are hereby ratified and confirmed. The Agreement and this Amendment No. 1 represent the entire understanding between the Parties on the issues contained herein, either written or oral, and may be amended only by written instrument signed by both Parties.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

ATTEST:

HILLSBOROUGH COUNTY AVIATION AUTHORITY

\_\_\_\_\_  
Lesley "Les" Miller, Jr., Secretary  
Address: P. O. Box 22287  
Tampa, FL 33622

By: \_\_\_\_\_  
Robert I. Watkins, Chairman  
Address: P. O. Box 22287  
Tampa, FL 33622

Signed, sealed, and delivered  
in the presence of:

\_\_\_\_\_  
Witness Signature

LEGAL FORM APPROVED:

\_\_\_\_\_  
Print Name

By: \_\_\_\_\_  
David Scott Knight  
Assistant General Counsel

\_\_\_\_\_  
Witness Signature

\_\_\_\_\_  
Print Name

HILLSBOROUGH COUNTY AVIATION AUTHORITY  
STATE OF FLORIDA  
COUNTY OF HILLSBOROUGH

The foregoing instrument was acknowledged before me this \_\_\_\_ day of \_\_\_\_\_, 2019, by Robert I. Watkins in the capacity of Chairman, and by Lesley "Les" Miller, Jr. in the capacity of Secretary, of the Board of Directors, Hillsborough County Aviation Authority, a public body corporate under the laws of the State of Florida, on its behalf. They are personally known to me and they did not take an oath.

(Stamp or seal of Notary)

\_\_\_\_\_  
Signature of Notary

\_\_\_\_\_  
Type or print name of Notary

\_\_\_\_\_  
Date of Commission Expiration (if not on stamp or seal)

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

**AIRLINE**

Signed in the presence of:

By: \_\_\_\_\_

Title: \_\_\_\_\_

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Print Name

\_\_\_\_\_  
Print Name

\_\_\_\_\_  
Print Address

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Print Name

**AIRLINE**

STATE OF \_\_\_\_\_

COUNTY OF \_\_\_\_\_

The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 2019,  
by \_\_\_\_\_ in the capacity of \_\_\_\_\_, at **AIRLINE**, a \_\_\_\_\_  
corporation, on its behalf. He is (personally known to me / not personally known to me) and has produced  
the following document of identification \_\_\_\_\_.

(Stamp or seal of Notary)

\_\_\_\_\_  
Signature of Notary

\_\_\_\_\_  
Type or print name of Notary

\_\_\_\_\_  
Date of Commission Expiration  
(if not on stamp or seal)

**AIRLINE**

EXHIBIT G - AMENDMENT NO. 1  
 SEPTEMBER 2019

Tampa International Airport  
 Use and Lease Agreement For Fuel Facilities and Pipeline  
 Exhibit E - Fees and Charges for the Fuel Facilities  
 Effective 10/1/2019

**Assumptions:**

Calculations do not consider availability of PFC funds.  
 Calculations do not include annual O&M or Operator Costs.  
 Rental adjustments due to system improvements or additions will be calculated based on actual project costs and will be implemented when the project is placed in service.

	Square Feet	Monthly	Annual
<b>GROUND RENT FOR DEMISED PREMISES (will increase by 2.15% on October 1, 2020 and each October 1 thereafter during term of this Agreement)</b>			
Unimproved Land at Fuel Storage Facilities @ \$0.70 per square foot	226,076	\$13,187.77	\$158,253.20
Aeronautical Vehicular Pavement at Fuel Storage Facilities @ \$.10 per square foot	37,026	\$308.55	\$3,702.60
Pipeline Right of Way corridor @ \$.10 per square foot	124,206	\$1,035.05	\$12,420.60
<b>TOTAL GROUND RENT FOR DEMISED PREMISES</b>		<b>\$14,531.37</b>	<b>\$174,376.40</b>
<b>FUEL STORAGE FACILITIES RENT</b>			
<b>EXPANSION OF SYSTEM - EAST CARGO AREA TO EMERY - JULY 2002 TO JUNE 2030</b>		<b>\$27,898.02</b>	<b>\$334,776.24</b>
<i>\$3,802,040 final cost amortized 30 years @ 8% (Dated July 2002)</i>			
<i>Billed effective July 2002</i>			
<b>EXPANSION OF SYSTEM - EAST CARGO AREA TO FEDERAL EXPRESS - MARCH 2003 TO FEBRUARY 2033</b>		<b>\$4,499.11</b>	<b>\$53,989.32</b>
<i>\$613,155 final cost amortized 30 years @ 8% (Dated March 2003)</i>			
<i>Billed effective March 2003</i>			
<b>SECONDARY CONTAINMENT FOR FUEL STORAGE TANKS - IMPROVEMENT COSTS SET FORTH IN MEMORANDUM OF UNDERSTANDING FOR SECONDARY CONTAINMENT OF FUEL STORAGE TANKS - DECEMBER 2008 TO DECEMBER 2028</b>		<b>\$37,116.74</b>	<b>\$445,400.88</b>
<i>\$4,696,086.84 final cost amortized 20 years @ 7.25% (Dated December 2008)</i>			
<i>Billed effective January 1, 2009</i>			
<b>AMENDED MEMORANDUM OF UNDERSTANDING FOR BULK FUEL STORAGE FACILITY UPGRADES - JULY 2014 TO DECEMBER 2036</b>		<b>\$64,777.61</b>	<b>\$777,331.32</b>
<i>\$9,759,800 final cost amortized 20 years @ 5.0% (Dated July 2014 as amended)</i>			
<i>Billed effective February 2017</i>			
<b>TOTAL OF IMPROVEMENTS PAYMENTS RENT</b>		<b>\$134,291.48</b>	<b>\$1,611,497.76</b>
<b>GRAND TOTAL FUEL SYSTEM RATES AND CHARGES</b>		<b>\$181,659.75</b>	<b>\$2,179,916.98</b>

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

**PURPOSE:** To establish the insurance terms and conditions associated with contractual insurance requirements. This Standard Procedure is applicable to all companies with Authority contracts. Unless otherwise provided herein, any exceptions to the following conditions or changes to required coverages or coverage limits must have prior written approval from the General Counsel and Executive Vice President of Legal Affairs or designee.

**INSURANCE COVERAGE:**

A. Procurement of Coverage:

With respect to each of the required coverages, the company will, at the company's expense, procure, maintain and keep in force the amounts and types of insurance conforming to the minimum requirements set forth in the applicable contract. Coverages will be provided by insurance companies eligible to do business in the State of Florida and having an AM Best rating of A- or better and a financial size category of VII or better. Utilization of non-rated companies or companies with AM Best ratings lower than A- or a financial size category lower than VII may be approved on a case by case basis by Risk Management.

B. Term of Coverage:

Except as otherwise specified in the contract, the insurance will commence on or prior to the effective date of the contract and will be maintained in force throughout the duration of the contract. Completed operations coverage may be required to be maintained on specific commercial general liability policies effective on the date of substantial completion or the termination of the contract, whichever is earlier. If a policy is written on a claims made form, the retroactive date must be shown and this date must be before the earlier of the date of the execution of the contract or the beginning of contract work, and the coverage must respond to all claims reported within three years following the period for which coverage is required unless stated otherwise in the contract.

C. Reduction of Aggregate Limits:

If the aggregate limit is exhausted, the company will immediately take all possible steps to have it reinstated. The general liability policies shall include a per policy endorsement

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

providing that the limits of such insurance specified in the contract shall apply solely to the work under the contract without erosion of such limits by other claims or occurrences.

1. Cancellation Notice

Each of the insurance policies will be specifically endorsed to require the insurer to provide the Authority with 30 days written notice (or 10 days for non-payment of premium) prior to the cancellation of the policy. The endorsement will specify that such notice will be sent to:

Hillsborough County Aviation Authority  
Attn.: Chief Executive Officer  
Tampa International Airport  
Post Office Box 22287  
Tampa, Florida 33622

D. No waiver by approval/disapproval:

The Authority accepts no responsibility for determining whether the company's insurance is in full compliance with the insurance required by the contract. Neither the approval by the Authority nor the failure to disapprove the insurance furnished by the company will relieve the company of their full responsibility to provide the insurance required by the contract.

E. Future Modifications – Changes in Circumstances:

1. Changes in Coverages and Required Limits of Insurance

The coverages and minimum limits of insurance required by the contract are based on circumstances in effect at the inception of the contract. If, in the opinion of the Authority, circumstances merit a change in such coverages or minimum limits of insurance required by the contract, the Authority may change the coverages and minimum limits of insurance required, and the company will, within 60 days of receipt of written notice of a change in the coverages and minimum limits required, comply with such change and provide evidence of such

EXHIBIT F – S250.06 Contractual Insurance Terms and Conditions

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

compliance in the manner required by the contract. Provided, however, that no change in the coverages or minimum limits of insurance required will be made until at least two years after inception of the contract. Subsequent changes in the coverages or minimum limits of insurance will not be made until at least two years after any prior change unless extreme conditions warrant such change and are agreeable to both parties.

If, in the opinion of the Authority, compliance with the insurance requirements is not commercially practicable for the company, at the written request of the company, the Authority may, at its sole discretion and subject to any conditions it deems appropriate, relax or temporarily suspend, in whole or in part, the insurance requirements which would otherwise apply to the company. Any such modification will be subject to the prior written approval of the General Counsel and Executive Vice President of Legal Affairs or designee, and subject to the conditions of such approval.

F. Proof of Insurance – Insurance Certificate:

1. Prior to Work, Use or Occupancy of Authority Premises

The company will not commence work, use or occupy Authority premises in connection with the contract until the required insurance is in force, preliminary evidence of insurance acceptable to the Authority has been provided to the Authority, and the Authority has granted permission to the company to commence work, use or occupy the premises in connection with the contract.

2. Proof of Insurance Coverage

As preliminary evidence of compliance with the insurance required by the contract, the company will furnish the Authority with a certificate(s) of insurance satisfactory to the Authority. This certificate must be signed by an authorized representative of the insurer. If requested by the Authority, the company will, within 15 days after receipt of written request from the Authority, provide the Authority, or make available for review, certificates of insurance, copies of required endorsements and/or a certified complete copy of the policies of EXHIBIT F – S250.06 Contractual Insurance Terms and Conditions

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

insurance. The company may redact those portions of the insurance policies that are not relevant to the coverage required by the contract. The company will provide the Authority with renewal or replacement evidence of insurance, acceptable to the Authority, prior to expiration or termination of such insurance.

The insurance certificate must:

- a. Indicate that, to the extent required by the contract:
  - i. the Authority, members of the Authority's governing body, and the Authority's officers, volunteers and employees are included as Additional Insureds on all policies other than workers compensation and professional liability, and
  - ii. the insurers for all policies have waived their subrogation rights against the Authority;
- b. Indicate that the certificate has been issued in connection with the contract;
- c. Indicate the amount of any deductible or self-insured retention applicable to all coverages;
- d. Identify the name and address of the certificate holder as:

Hillsborough County Aviation Authority  
Attn.: Chief Executive Officer  
Tampa International Airport  
Post Office Box 22287  
Tampa, Florida 33622;  
and,
- e. Be signed and dated using approved methods by an individual who is an authorized representative of each insurer, whose insurance is the subject of

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

the certificate and who is authorized by each such insurer to issue the certificate of insurance as modified. Facsimile signatures are acceptable.

G. Deductibles / Self Insurance:

1. All property and builders risk deductibles, as well as all self-insured retentions or any schemes other than a fully insured program, must be approved by the General Counsel and Executive Vice President of Legal Affairs or designee. The company agrees to provide all documentation necessary for the Authority to review the deductible or alternative program.
2. The company will pay on behalf of the Authority, or any member of the Authority's governing body or any officer or employee of the Authority, any deductible or self-insured retention (SIR) which, with respect to the required insurance, is applicable to any claim by or against the Authority, or any member of the Authority's governing body, or any officer or employee of the Authority.
3. The contract by the Authority to allow the use of a deductible or self-insurance program will be subject to periodic review by the Director of Risk and Insurance. If, at any time, the Authority deems that the continued use of a deductible or self-insurance program by the company should not be permitted, the Authority may, upon 60 days written notice to the company, require the company to replace or modify the deductible or self-insurance in a manner satisfactory to the Authority.
4. Any deductible amount or SIR program will be included and clearly described on the certificate prior to any approval by the Authority. This is to include fully insured programs as to a zero deductible per the policy. Authority reserves the right to deny any certificate not in compliance with this requirement.

H. Company's Insurance Primary:

The company's required insurance will apply on a primary basis. Any insurance maintained by the Authority will be excess and will not contribute to the insurance provided by or on behalf of the company.

EXHIBIT F – S250.06 Contractual Insurance Terms and Conditions

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

I. Applicable Law:

With respect to any contract entered into by the Authority with a value exceeding \$10,000,000, if any required policy is: (i) issued to a policyholder outside of Florida or (ii) contains a “choice of law” or similar provision stating that the law of any state other than Florida shall govern disputes concerning the policy, then such policy must be endorsed so that Florida law (including but not limited to Part II of Chapter 627 of the Florida Statutes) will govern any and all disputes concerning the policy in connection with claims arising out of work performed pursuant to the contract.

J. Waiver of Subrogation:

The company, for itself and on behalf of its insurers, to the fullest extent permitted by law without voiding the insurance required by the contract, waives all rights against the Authority, members of the Authority’s governing body and the Authority’s officers, volunteers and employees, for damages or loss to the extent covered and paid for by any insurance maintained by the company.

K. Company’s Failure to Comply with Insurance Requirements:

1. Authority's Right to Procure Replacement Insurance

If, after the inception of the contract, the company fails to fully comply with the insurance requirements of the contract, in addition to and not in lieu of any other remedy available to the Authority provided by the contract, the Authority may, at its sole discretion, procure and maintain on behalf of the company, insurance which provides, in whole or in part, the required insurance coverage.

2. Replacement Coverage at Sole Expense of Company

The entire cost of any insurance procured by the Authority will be paid by the company. At the option of the Authority, the company will either directly pay the entire cost of the insurance or immediately reimburse the Authority for any costs incurred by the Authority including premium and a 15% administration cost.

EXHIBIT G - AMENDMENT NO. 1  
SEPTEMBER 2019

a. Company to Remain Fully Liable

Except to the extent any insurance procured by the Authority actually provides the insurance coverage required by the contract, the company will remain fully liable for full compliance with the insurance requirements in the contract.

b. Authority's Right to Terminate, Modify, or Not Procure

Any insurance procured by the Authority is solely for the Authority's benefit and is not intended to replace or supplement any insurance coverage which otherwise would have been maintained by the company. Authority is not obligated to procure any insurance pursuant to these requirements and retains the right, at its sole discretion, to terminate any such insurance which might be procured by the Authority.

APPROVED: Joe Lopano

DATE: 01/16/19

## Certificate Of Completion

Envelope Id: 1CF1E42F-01B7-4AD5-9F4E-49DEE4D1A132	Status: Completed
Subject: Complete with Docusign: CTR-PKG-F9-UL Fuel Facilities (2025-02-25) F9 Exec.pdf	
Source Envelope:	
Document Pages: 175	Signatures: 1
Certificate Pages: 1	Initials: 0
AutoNav: Enabled	Envelope Originator:
Envelopeld Stamping: Enabled	Mandi Schuler
Time Zone: (UTC-05:00) Eastern Time (US & Canada)	P.O. Box 22287
	Tampa, FL 33622
	MSchuler@TampaAirport.com
	IP Address: 174.47.44.10


## Record Tracking

Status: Original	Holder: Mandi Schuler	Location: DocuSign
4/8/2025 9:55:51 AM	MSchuler@TampaAirport.com	
Security Appliance Status: Connected	Pool: StateLocal	
Storage Appliance Status: Connected	Pool: Hillsborough County Aviation Authority	Location: Docusign

## Signer Events

D. Scott Knight  
 SKnight@tampaairport.com  
 Assistant Gen Counsel  
 Hillsborough County Aviation Authority  
 Security Level: Email, Account Authentication (None)

## Signature

DocuSigned by:  
  
 0E39E643E96946B...  
 Signature Adoption: Pre-selected Style  
 Using IP Address: 174.47.44.10

## Timestamp

Sent: 4/8/2025 9:57:34 AM  
 Viewed: 4/8/2025 9:58:11 AM  
 Signed: 4/8/2025 9:58:23 AM

**Electronic Record and Signature Disclosure:**  
 Not Offered via Docusign

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	4/8/2025 9:57:34 AM
Certified Delivered	Security Checked	4/8/2025 9:58:11 AM
Signing Complete	Security Checked	4/8/2025 9:58:23 AM
Completed	Security Checked	4/8/2025 9:58:23 AM
Payment Events	Status	Timestamps