

AVIATION AUTHORITY * PERMIT APPLICATION *

Tampa International Airport Peter O. Knight Airport Plant City Airport Tampa Executive Airport P.O. Box 22287, Tampa, FL 33622-2287

Scope/Nature of Request: Provide summary of request, activities involved and any other required or pertinent information to fully describe scope submit drawings and specification if needed. Additional pages may be used if necessary. The application must also

contain (1) an FAA Determination of No Hazard if the duration is grea requested (3) a Variance application, if applicable (4) site plan with a	ter than 72 hrs. (2) site survey with an FAA accuracy code of 1A, if building layout, if requested (5) building elevation plan, if
requested (6) any additional information requested by the Airport Zoning Regulations.	ning Director to determine whether or not the proposal will comply
Project Name \ Description:	
Riverwalk District Park Manor - a 362-unit, 29-story r	mixed-use tower.
Applicant acknowledges receipt of the applicable procedures and/or proceduration of issuance of this permit to be bound by the terms and regulations, procedures and laws.	
Permanent (Height Zoning) Check type of permit being requested Temporary (Crane/Equip.)	This application is required to be attached to the supplemental data form for Permit request (see on-line application process).
Name/Company/Organization: RD RWD Tampa, LLC	
Contact Person for Requested Activity: Jonathan Pascheles	Phone: 305-533-0007
Project Location: 101 S. Parker Street, Tampa, FL 33606	Email: jonathan.pascheles@relatedgroup.com
Under penalty of perjury, I hereby certify that the above statements power and authority to act on behalf of the above named firm, corp Printed Name of Authorized Representative: Arturo F. Peña, for the Signature of Authorized Representative:	oration or organization in the submission of this application.
	Dutc.
STATE OF FLORIDA, COUNTY OF Miam - Date Sworn to (or affirmed) and subscribed before me by means of phys May , 20 23 by F. Pera	
Notary Signature OR Produced Identification Type	Notary Public - State of Florida Commission # HH 292825 Ay Comm. Expires Jul 25, 2026
All activities performed under this permit are at applicant's own expense and injuries resulting from or connected with this activity. This permit does not redeterminations from other governmental agencies as may be required in accordance.	elieve the applicant from obtaining any other permits, approvals, or
THIS SECTION TO BE COMPLETED BY AV	IATION AUTHORITY REPRESENTATIVE
Airport Study No. 2023-57	Variance Required: Yes
FAA Study Number <u>2023-ASO-32712-OE</u>	Recommend Approval: Yes
Associated FAA Study Numbers 32706 - 32716	Coordinate with Airport Operations: No
Reviewed By:	Coordinate with ATCT: Yes
Approved by Zoning Director	Date



AVIATION AUTHORITY * PETITION FOR VARIANCE *

Tampa International Airport Peter O. Knight Airport Plant City Airport Tampa Executive Airport P.O. Box 22287, Tampa, FL 33622-2287

Provide a summary of request, activities involved and any other required or pertinent information as it pertains to any of the following criteria which will be used to substantiate a variance to the height zoning regulations. Additional pages may be used if necessary.

- The regulated height would create an unnecessary hardship to the applicant.
- Special conditions and circumstances apply which are not applicable to other similarly situated property.
- The proposal will not create a substantial detriment to public good or impair the purposes of the intent of these regulations.
- The proposal will not create a substantial adverse effect on the utility of the airport covered under these regulations.

The Parkview project is a 29-story, 362 unit mixed-use project. The Project is located at 101 S Parker Street, Tampa, FL. The regulated height of 200' or less would create an undue hardship and

proposed abandonment of the project. A proposed building height of 330' was reviewed and approved by the FAA.
Applicant acknowledges receipt of the applicable procedures and/or provisions pertaining to the above request and agrees that in consideration of issuance of this variance to be bound by the terms and conditions of such documents and all other applicable laws, rules, regulations, procedures and laws. The petitioner must forward to FDOT by certified mail, return receipt requested, a copy of the permit package and petition for comment. The review of this petition for variance and variance process will proceed only upon the receipt of FDOT's comments or waiver of that right. Include a copy of the certified mail receipt with the petition.
Date : 3/21/24 Nearest Airport: Peter O. Knight Airport Overall Height (AMSL): 330'
Under penalty of perjury, I hereby certify that the above statements are true and correct and I have full power and authority to act on behalf of the Applicant's named firm, corporation or organization in the submission of this variance request. Printed Name of Authorized Representative: Arture F. Peña, for the firm Signature of Authorized Representative: Date: 5/2/23 All activities performed under this variance are at applicants own expense and risk, the Authority will not be held liable for any
STATE OF FLORIDA, COUNTY OFM_ami - Dade Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this day of
THIS SECTION TO BE COMPLETED BY AVIATION AUTHORITY REPRESENTATIVE
Airport Study No2023-57
FAA Study Number:
Associated Aeronautical Study Numbers: 32706 - 32716
FDOT Concurrence: Yes No Waived n accordance with Resolution No.
Approved by Board of Adjustment Chairman Date

Review Summary

Airport Study Number 2023-57	Permit Nu 2357	mber	Maximum Height - <i>F</i>	AMSL
Approval Date	Expires 8/22/2024,	_	nit Type tht Zoning	
Review				
77.9 Review Required Notice	1	77.17 Review Obstruction		
77.19 Review Within Height Limits	TERPS Within Height Limits]	OEI (62.5:1) N/A	
Analysis Summary Exceeds obstruction standard 77 Hazard as long as conditions are		Airspace or Nav	aid operational impacts id	entified. No
Coordination with ATCT: Emergency Use Objects affecting Navigable Airspace	Yes No Yes	Hazard Markir	with Operations: ng and/or Lighting ortive Screening Criteria	No Yes Yes
Conditions Conditions: Red Obstruction light FAA form 7460-2 with the FAA if t greatest height.Notify the Airport provide Airport Study number.Yo remain in compliance. Installation require a separate permit by the mitigated by the petitioner to the	the project is abandone at least 5 business day u will be required to fol n equipment (Crane) exc Aviation Authority.Any	d or within 5 day s prior to starting low all condition ceeding 330' AM glint or glare issu	is after the construction rea g construction at 813-870-76 s specified in the FAA Deter SL or installation of solar pa es identified from this proje	ches its 863 and mination to nels will

Airport Study Number: 2023-57

CONDITIONS

Red Obstruction lighting required in accordance with the FAA Advisory Circular 70/7460-1M.

E-File FAA form 7460-2 with the FAA if the project is abandoned or within 5 days after the construction reaches its greatest height.

Notify the Airport at least 5 business days prior to starting construction at 813-870-7863 and provide Airport Study number.

You will be required to follow all conditions specified in the FAA Determination to remain in compliance.

Installation equipment (Crane) exceeding 330' AMSL or installation of solar panels will require a separate permit by the Aviation Authority.

Any glint or glare issues identified from this project must be mitigated by the petitioner to the satisfaction of the Authority to avoid adverse impacts to aviation.


	Associated Point Data Report Created on										
Point	Structure	Latitude	Longitude	Х	Υ	Site Elev.	Struct Height	Overall Height Dist. From RW end		end	
Number	Name					(MSL)	(AGL)	(AMSL)	RWY	Down/out	Over
1	32706-OE	27.94603611	-82.46223333	506,933.48	1,313,367.12	12	318	330.00		12653+	3364-
2	32707-OE	27.946	-82.46216944	506,954.06	1,313,353.92	12	318	330.00			
3	32708-OE	27.94593889	-82.46216944	506,953.98	1,313,331.70	11	319	330.00			
4	32709-OE	27.94576111	-82.46202778	506,999.47	1,313,266.89	12	318	330.00			
5	32710-OE	27.94533889	-82.46157778	507,144.18	1,313,112.84	8	322	330.00			
6	32711-OE	27.94531389	-82.46151944	507,162.98	1,313,103.68	8	322	330.00			
7	32712-OE	27.94520833	-82.46155	507,152.97	1,313,065.34	8	322	330.00		12328+	3182-
8	32713-OE	27.94515	-82.46197778	507,014.78	1,313,044.66	8	322	330.00			
9	32714-OE	27.94516111	-82.46261389	506,809.42	1,313,049.47	13	317	330.00			
10	32715-OE	27.94519167	-82.46265278	506,796.90	1,313,060.63	13	317	330.00			
11	32716-OE	27.94586944	-82.46267778	506,789.76	1,313,307.07	11	319	330.00			
·											

Down(+): 00 Over(+): 00

3363.867766 Over RW 36 12653.48067 Down/Out 3181.722089 Over **RW 36 - Critical point #7** 12327.7996 Down/Out


Down = (-) down RW (+) outward Over = (-) Left (+) Right

Point Location





Distance from ARP







Obstruction Standard






Part 77







Departure - Secondary




Radar Screening





EAST ELEVATION





LAFAYETTE PARKVIEW - LAFAYETTE ICON 102 S. Plant Av. / 110 Parker St. Tampa, FL

OWNER: RELATED 2850 Tigertal Ave. Suite 800 Mismi, Florids 33133 Tel; (305) 480-8900 www.relatedgroup.com

ARQUITECTONICA 2900 Oak Ave Mismi, Florida 33133 Tel: (305) 372-1812 www.arquitectonica.co

CIVIL ENGINEER: KIMLEY HORN 201 North Frankin St. Suite 1400 Tampa, Florida 33902 Tel: (613) 620-1460 www.kimley-horn.com

SEAL/SIGNATURE/DATE

PROJECT NUMBER: 1001-01665-300
SCALE: 19-12
AL DESIGNED HORSE TO THE SECOND HORSE TO T

Lafayette Parkview - LEVEL 1 GROUND FLOOR

A4.00P

22 ARQUITECTONICA INTERNATIONAL, Inc Office Registration # AA C000465



Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building G Location: Tampa, FL

Latitude: 27-56-42.75N NAD 83

Longitude: 82-27-41.58W

Heights: 8 feet site elevation (SE)

322 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X	_ At least 10 days prior to start of construction (7460-2, Part 1)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32712-OE.

Signature Control No: 548434355-573752469

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32712-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32712-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building A Location: Tampa, FL

Latitude: 27-56-45.73N NAD 83

Longitude: 82-27-44.04W

Heights: 12 feet site elevation (SE)

318 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X	_ At least 10 days prior to start of construction (7460-2, Part 1)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32706-OE.

Signature Control No: 548434348-573753658

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s)
Additional Information
Map(s)

Additional information for ASN 2022-ASO-32706-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32706-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building B Location: Tampa, FL

Latitude: 27-56-45.60N NAD 83

Longitude: 82-27-43.81W

Heights: 12 feet site elevation (SE)

318 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32707-OE.

Signature Control No: 548434349-573753660

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s)
Additional Information
Map(s)

Additional information for ASN 2022-ASO-32707-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32707-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building C Location: Tampa, FL

Latitude: 27-56-45.38N NAD 83

Longitude: 82-27-43.81W

Heights: 11 feet site elevation (SE)

319 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32708-OE.

Signature Control No: 548434351-573753656

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s)
Additional Information
Map(s)

Additional information for ASN 2022-ASO-32708-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32708-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building D Location: Tampa, FL

Latitude: 27-56-44.74N NAD 83

Longitude: 82-27-43.30W

Heights: 12 feet site elevation (SE)

318 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32709-OE.

Signature Control No: 548434352-573753661

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32709-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32709-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building E Location: Tampa, FL

Latitude: 27-56-43.22N NAD 83

Longitude: 82-27-41.68W

Heights: 8 feet site elevation (SE)

322 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32710-OE.

Signature Control No: 548434353-573753655

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32710-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32710-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building F Location: Tampa, FL

Latitude: 27-56-43.13N NAD 83

Longitude: 82-27-41.47W

Heights: 8 feet site elevation (SE)

322 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X	_ At least 10 days prior to start of construction (7460-2, Part 1)
X	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32711-OE.

Signature Control No: 548434354-573753654

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s)
Additional Information
Map(s)

Additional information for ASN 2022-ASO-32711-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32711-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building H Location: Tampa, FL

Latitude: 27-56-42.54N NAD 83

Longitude: 82-27-43.12W

Heights: 8 feet site elevation (SE)

322 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	At least 10 days prior to start of construction (7460-2, Part 1)
	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32713-OE.

Signature Control No: 548434358-573753652

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32713-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32713-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building I Location: Tampa, FL

Latitude: 27-56-42.58N NAD 83

Longitude: 82-27-45.41W

Heights: 13 feet site elevation (SE)

317 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32714-OE.

Signature Control No: 548434359-573753659

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s)
Additional Information
Map(s)

Additional information for ASN 2022-ASO-32714-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32714-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building J Location: Tampa, FL

Latitude: 27-56-42.69N NAD 83

Longitude: 82-27-45.55W

Heights: 13 feet site elevation (SE)

317 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X	_ At least 10 days prior to start of construction (7460-2, Part 1)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32715-OE.

Signature Control No: 548434360-573753657

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32715-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.


The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32715-OE







Issued Date: 02/22/2023

Jonathan Pascheles RD RWD Tampa, LLC - PP 2850 Tigertail Avenue Miami, FL 33133

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Building K Location: Tampa, FL

Latitude: 27-56-45.13N NAD 83

Longitude: 82-27-45.64W

Heights: 11 feet site elevation (SE)

319 feet above ground level (AGL) 330 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

X_	_ At least 10 days prior to start of construction (7460-2, Part 1)
X_	Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 08/22/2024 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before March 24, 2023. In the event an interested party files a petition for review, it must contain a full statement of the basis upon which the petition is made. Petitions can be submitted to the Manager of the Rules and Regulations Group via e-mail at OEPetitions@faa.gov, via mail to Federal Aviation Administration, Air Traffic Organization, Rules and Regulations Group, Room 425, 800 Independence Ave, SW, Washington, DC 20591, or via facsimile (202) 267-9328. FAA encourages the use of email to ensure timely processing.

This determination becomes final on April 03, 2023 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact

on all existing and planned public-use airports, military airports and aeronautical facilities; and the cumulative impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or mike.blaich@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-ASO-32716-OE.

Signature Control No: 548434361-573753653

(DNH)

Mike Helvey Manager, Obstruction Evaluation Group

Attachment(s) Additional Information Map(s)

Additional information for ASN 2022-ASO-32716-OE

TPF = Peter O Knight Airport

AGL = Above Ground Level

AMSL = Above Mean Sea Level

NM = Nautical Miles

ARP = Airport Reference Point

ASN = Aeronautical Study Number

RWY = Runway

The proposed building project consists of eleven points, represented by ASNs 2022-ASO-32706-OE through 32716 (Points A through K). The project points were submitted at a height of 317 to 322 feet AGL, 330 feet AMSL. The building points are located approximately 1.89 to 1.95 NM north of the TPF ARP, Tampa, FL and from 338.40 degrees azimuth clockwise to 340.17 degrees azimuth from TPF.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a) (2) TPF: A height that is 200 feet AGL, or above the established airport elevation, whichever is higher, within 3 nautical miles of the established reference point of an airport, excluding heliports, with its longest runway more than 3,200 feet in actual length, and that height increases in the proportion of 100 feet for each additional nautical mile from the airport up to a maximum of 499 feet. The proposals exceed from 117 to 122 feet.

The proposal was not circularized for public comment because current FAA obstruction evaluation policy exempts from circularization those proposals that exceed the above cited obstruction standard. This is provided the proposal does not lie within an airport traffic pattern. This policy does not affect the public's right to petition for review determinations regarding structures, which exceed the subject obstruction standards.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed IFR en route routes, operations, or procedures.
- > The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

- > The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.
- > The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.
- > The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.
- > The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

TOPO Map for ASN 2022-ASO-32716-OE





SPECIFIC PURPOSE SURVEY FAA CLASS 1A SURVEY ENVELOPE LOCATION 101 S. PARKER STREET, TAMPA, FLORIDA PLANT PARCEL JOHNOULEVARD NOTE: See Sheet No. 2 of 2 for General Notes, and point data information. B C 2 C3 > D W PLANT PARCEL Folio Number 194070-0000 Area = 1.830 Acres± E" "1" CI "ل" G AVENUE KELLER 'H" SURVEYORS CERTIFICATION: I do hereby certify that this survey was made under my supervision and meets the Standards of Practice set forth by the Florida Board of Professional Surveyors and Mappers, stated in Rules 5J-17.051, 5J-17.052 and 5J-17.053, Florida Administrative Code, pursuant to Section 472.027, Florida Statutes. Also certify that this drawing indicates latitudes (N) and longitude (W) and that the existing site elevations are in feet. These coordinates are accurate to within ± 15 feet horizontally; and the elevation is accurate to within ± 3 feet vertically. The horizontal datum (coordinates) are in terms of the North American Datum of 1983 (NAD 83) and are expressed as degrees, imputes, and seconds, to the nearest thousandth of a second. The vertical datum (heights) are in terms of the North American Vertical Datum of 1988 and are patermined to the hearest tool. Jack M. Greene, PSM Professional Surveyor and Mapper State of Florida LS 5056 PROJECT: HER FAA-PLANTA. Prepared For RELATED DEVELOPMENT, LLC EVEYOR 3 PHASE: HR Realty 213 Hobbs Street 6506 DRAWN: JMG DATE: 8/29/22 CHECKED BY: DAW Tampa, Florida 33619 Phone: (813) 248-8888 Licensed Business No.: LB 7768 REVISIONS TATE OF DATE DESCRIPTION DRAWN BY FLORIDA PROFESSIONAEURVEY S6506 AST SAVES TO Creene Surveying, Inc.

FILE PATH: S:1242918'AVLONIAVLON REZONE/FAAIHRRC PLANT FAA.DWG LAST SAVED BY: JACKG

01 of 02

SPECIFIC PURPOSE SURVEY

FAA CLASS 1A SURVEY ENVELOPE LOCATION 101 S. PARKER STREET, TAMPA, FLORIDA PLANT PARCEL

TOWER PARCEL LONGITUDE, LATITUDE AND ELEVATION CHART

Point	Latitude	Longitude	Elevation (NAVD 88)
"A"	27°56'45.73"	82°27'44.04"	11.7 feet
"B"	27°56'45.60"	82°27'43.81"	11.5 feet
"C"	27°56'45.38"	82°27'43.81"	10.8 feet
"D"	27°56'44.74"	82°27'43.30"	11.7 feet
"E"	27°56'43.22"	82°27'41.68"	7.8 feet
"F"	27°56'43.13"	82°27'41.47"	7.7 feet
"G"	27°56'42.75"	82°27'41.58"	7.5 feet
"H"	27°56'42.54"	82°27'43.12"	8.4 feet
ela.	27°56'42.58"	82°27'45.41"	12.7 feet
″J"	27°56'42.69"	82°27'45.55"	13.0 feet
"K"	27°56'45.13"	82°27'45.64"	10.4 feet
"C1"	27°56'43.03"	82°27'43.47"	9.7 feet
"C2"	27°56'42.92"	82°27'44.73"	11.2 feet
"C3"	27°56'44.94"	82°27'45.47"	10.5 feet

SURVEYORS NOTES:

- 1) This Specific Purpose Survey is prepared for the purpose of meeting the requirements of a Federal Aviation Administration (FAA) Class 1A Survey.
- 2) Latitude (LAT) and Longitude (LON) coordinates shown hereon refer to the State Plane Coordinate System, North American Datum of 1983 (NAD 83-2011 ADJUSTMENT) for the West Zone of Florida, as established from RTK Network.
- 3) Elevations shown hereon are based on the North American Vertical Datum of 1988 (NAVD 88), based on City of Tampa Benchmark "HV-02 0183", having a published elevation of 7.62 feet (NAVD 88).

	CK M. GREEN	
PROJECT: HRR-FAA-PLANT	Prepared For: REGATED DEVELOPME	ENT, LLC
PHASE: HR Realty DRAWN: JMG DATE: 8/29/22 CHECKED	BY: DAW 6506	213 Hobbs Street Tampa, Florida 33619
REVISIONS	1 () () () (a	Phone: (813) 248-8888 Licensed Business No.: LB 7768
DATE DESCRIPTION	Jack M. Greene Florida Professiona LS6506	GeoPoint \ Surveying, Inc.
FILE PATH: S:1242918/AVLON/AVLON REZONE/FAA/HRI		02 of 0